



BZ Setup sheet

MMS



Date: _____ Place: MMS Track: CARPET
 Driver: _____ Best lap: _____ Final position: _____

Body: ENZO Ferrari
 Wheel Base: 90 / 94 / 98
 Motor: AIM 5000 KV
 Spur gear: 17
 Pinion gear: 56
 Gear ratio: _____
 Battery: 360 mAh
 Servo: Atomic MG
 Weight: _____

Speed controller

Program card setup

1. Running Mode
 1 2 3
2. Low Voltage Cut-Off Threshold
 1 2 3 4 5 6
3. Over-heat Protection
 1 2
4. Neutral Range
 1 2 3
5. Start Mode (Punch)
 1 2 3 4 5 6 7 8 9
6. Maximum Forward Force
 1 2 3 4 5
7. Maximum Reverse Force
 1 2 3 4
8. Maximum Brake Force
 1 2 3 4 5
9. Drag Brake Force
 1 2 3 4 5 6 7 8
10. Initial Brake Force
 1 2 3 4
11. Timing
 1 2 3 4 5 6 7 8

Front

Shim: 0.4 mm

Spring: Silver

Grease: #30000

Shim: 0 mm

Arm: N / W

Shock Tower: 0 / +2.5 0

Upper Bulkhead: 0 / +2.5



Down stop: -0.5

Height: 2.3

Bulkhead: 0 / +2.5

Rear

Shim: 0 mm

Spring: Silver

Grease: #30000

Shim: 0 mm

Arm: N / W

Shock Tower: 0 / +2.5 0

Upper Bulkhead: 0 / +2.5



Down stop: -1

Height: 2.4

Bulkhead: 0 / +2.5

Camber: N W


Ball Diff: Stock

Ball Diff: Stock

Camber: N W

Toe in: N / W

Toe: in / out



Shim: 0.5 mm / 0.5 (Original)

Shim: 0 mm

Wheel offset: 0
Tire: AIM 24 mm US

Wheel offset: +0.5
Tire: AIM 10° slick