



NAME **wen**  
 COUNTRY **Taiwan**  
 RACE \_\_\_\_\_  
 TRACK **LJ mountain track (very bumpy)**


DATE **4/13/2014** TEMP.°C AIR / TRACK **30°C / 55°C**  
 CARPET  ASPHALT   
 TRACK CONDITION TECHNICAL  MIXED  FAST   
 TRACTION LOW  MEDIUM  HIGH




CAMBER ANGLE / °	1.5
CASTER ANGLE / °	4
TOE ANGLE / °	+1
RIDE HEIGHT / MM	5.5
DOWNSTOP / MM	4.5
UPSTOP / MM	




STABILIZER Ø / MM	1.2
LOW ARM STD	<input checked="" type="checkbox"/>
STEERING ARM STD	<input checked="" type="checkbox"/>
WHEEL SPACER / MM	
FRONT DRIVE BALL DIFF	<input type="checkbox"/>
FRONT DRIVE GEAR DIFF	<input type="checkbox"/>
FRONT DRIVE SPOOL	<input checked="" type="checkbox"/>
FRONT DRIVE ONE-WAY	<input type="checkbox"/>
DIFF SET LOOSE	<input type="checkbox"/>
DIFF SET MEDIUM	<input type="checkbox"/>
DIFF SET TIGHT	<input type="checkbox"/>
DIFF SET OIL #	
DOGBONE DRIVE BUSHING	<input checked="" type="checkbox"/>
DOGBONE DRIVE C-DRIVE	<input type="checkbox"/>
DOGBONE DRIVE BB	<input type="checkbox"/>
DOGBONE DRIVE EVD	<input type="checkbox"/>



CAMBER ANGLE / °	1.75
CASTER ANGLE / °	0
TOE ANGLE / °	2.5
RIDE HEIGHT / MM	6
DOWNSTOP / MM	4
UPSTOP / MM	




STABILIZER Ø / MM	1.2
LOW ARM STD	<input checked="" type="checkbox"/>
STEERING ARM STD	<input checked="" type="checkbox"/>
WHEEL SPACER / MM	
REAR DRIVE BALL DIFF	<input type="checkbox"/>
REAR DRIVE GEAR DIFF	<input checked="" type="checkbox"/>
DIFF SET LOOSE	<input type="checkbox"/>
DIFF SET MEDIUM	<input type="checkbox"/>
DIFF SET TIGHT	<input type="checkbox"/>
DIFF SET OIL #	7000
DOGBONE DRIVE BUSHING	<input checked="" type="checkbox"/>
DOGBONE DRIVE C-DRIVE	<input type="checkbox"/>
DOGBONE DRIVE BB	<input type="checkbox"/>
DOGBONE DRIVE EVD	<input type="checkbox"/>



TIRES		FRONT	REAR
BRAND	RE36	RE36	RE36
INSERTS	c20	c20	c20
WHEELS	Ride	Ride	Ride
ADDITIVE	Black Magic type 3	Black Magic type 3	Black Magic type 3

MOTOR LAYOUT LONG.	<input checked="" type="checkbox"/>	TRANS.	<input type="checkbox"/>	MOTOR	Hobby wing 13.5				
SERVO LAYOUT LEFT	<input checked="" type="checkbox"/>	RIGHT	<input type="checkbox"/>	SERVO	Awesomatix				
ESC LAYOUT LEFT	<input checked="" type="checkbox"/>	RIGHT	<input type="checkbox"/>	ESC	Hobby wing V3.1				
BAT. LAYOUT R1	<input type="checkbox"/>	R2	<input type="checkbox"/>	F1	<input checked="" type="checkbox"/>	F2	<input type="checkbox"/>	BATTERY	Acron 7800
SPUR	83	PINION	43	SD1	<input type="checkbox"/>	RECEIVER	Futaba		
FINAL DRIVE RATIO	4.01	MOTOR OFFSET / MM							
BODY	Nardo	WING	Nardo						



BEST LAPTIME	QUALIF. / FINAL POSITION	/
ESC SETTING	Blinky Hobby Wing V3.1	35% DRB
COMMENTS / IMPRESSIONS	AM30-1 all crew	
Black Magic camber plate (AM18A), looks like AM19 but camber link length is like AM18-1 and the high of the plate is flash with AM05-1		
CONTACT	FFG Bearing mod seems to have more corner entry speed	