

## DRIVER AND EVENT DETAILS

Name *Mathieu Picaudé (SSB LiPo 9.5)*  
 Date *13.09.2009*  
 Event *Regional, Manspach*  
 Weather *Sunny*  
 Result

## CHASSIS AND ELECTRICS

Chassis  
 Top Deck  
 Bodyshell *Protoform LTC-R*  
 Wing  
 E.S.C.  
 Servo  
 Receiver  
 Number of Cells  4  5  6  
 Type of Cells *LiPo IP3800*

## TRACK CONDITIONS

Grip Level High  Medium  Low   
 Type Tight  Open  Both   
 Surface Carpet  Tarmac  Wood   
 Condition Smooth  Bumpy   
 Temperature °C °F  
 Venue Indoor  Outdoor

## MOTOR AND GEARING

Type Brushed  Brushless   
 Motor *TPR 9.5*  
 Brush  
 Spring  
 Timing  
 Gear Pitch 48Dp  64Dp   
 Spur Size *85*  
 Pinion Size *28*

Arm0 [at] PetitRC.com



## WHEELS, TYRES AND INSERTS

Wheels *GM 36*  
 Tyres  
 Inserts  
 Tyre Additive *LRP Asphalt*  
 Additive Time *30 MIN (R) 30 MIN (F)*  
 Tyre Warmers Yes  No

## DRIVER NOTES

*Front & rear short wishbones  
 Short front hex  
 30 grs lead in front battery*




## Front Shocks

Oil *30 WT*  
 Springs *White*  
 Piston Holes  2  3  
 length  
 Rebound *75 %*

## FRONT SETTINGS

Drive Diff  Spool  One-Way  Height High  Low

Servo Saver Yes  No   
 Pivot Blocks Moulded (std)  Alloy   
 Screw Block Spacers Front *2 mm* Rear *2 mm*  
 Wishbone Quik-Klips Front *2 mm* Rear *2 mm*  
 Toe In-Out In-board  Out-board   
 Ride Height (Chassis to Floor) *5 mm*  
 Droop *5 mm*  
 Anti-roll Bar No  1.20  1.40  1.60   
 Castor *0°*  2°  4°  6°   
 Camber Positive  Negative  *2 Deg*  
 Link Washers *-1 mm*  
 Inboard Pin Kick-up  Anti-dive  Horizontal   
 Pivot Block Spacers Front mm Rear mm




## Centre Track Rod

Washers *4 mm*

## Link Mount


1 Groove   
 2 Groove   
 3 Groove



## REAR SETTINGS

Drive Height High  Low


Pivot Blocks Moulded (std)  Alloy   
 Screw Block Spacers Front *1 mm* Rear *1 mm*  
 Wishbone Quik-Klips Front *2 mm* Rear *2 mm*  
 Toe In In-board  Out-board   
 Ride Height (Chassis to Floor) *5 mm*  
 Droop *4 mm*  
 Anti-roll Bar No  1.20  1.40  1.60   
 Camber Positive  Negative  *2 Deg*  
 Link Washers *0.5 mm*  
 Inboard Pin Pro-Squat  Anti-Squat  Horizontal   
 Pivot Block Spacers Front mm Rear mm




## Link Mount

1 Groove   
 2 Groove   
 3 Groove

1.4mm   
 2.4mm   
 3.4mm   
 4.4mm



*Petit RC .com*



## Rear Shocks

Oil *30 WT*  
 Springs *White*  
 Piston Holes  2  3  
 length  
 Rebound *75 %*