

DRIVER, TRACK AND RESULTS

DRIVER **General kit setup** COUNTRY WEATHER AIR TEMP TRACK TEMP DRY INTERMEDIATE WET

TRACK SURFACE ASPHALT CARPET TRACTION LOW MEDIUM HIGH COMMENTS

RACE DATE QUALY POS. QUALY TIME STARTING POS. FINAL POS.

FRONT	DRIVE TRAIN	REAR
<input type="checkbox"/> GEAR DIFF	cst	<input type="checkbox"/> GEAR DIFF
<input checked="" type="checkbox"/> SPOOL		3000 cst

FRONT	HEAVE DAMPER	REAR
OIL	1000 cst	OIL
SPRINGS	orange	SPRINGS
SHIMS	mm <input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>	SHIMS
		mm <input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>

FRONT	ROLL DAMPER	REAR
OIL	8000 cst	OIL
SPRINGS	purple	SPRINGS
<input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>
N HOLES	∅ mm	N HOLES
		∅ mm

REAR REACTIVE SYSTEM

LONG RRS LINK SHORT RRS LINK

FRONT	TYRES	Controlled Tyre	REAR
MAKE AND TYPE <input type="text"/>			
ADDITIVE <input type="text"/>			
ADDITIVE TIMING <input type="text"/>			

ELECTRONICS

BATTERY
 BRAND CAPACITY mAh WEIGHT **270** grams

MOTOR
 BRAND TYPE TIMING

ESC
 BRAND TYPE

RATIO CONFIGURATION

64 PITCH SPUR GEAR TEETH **84**

64 PITCH PINION TEETH

FINAL DRIVE RATIO ROLL OUT mm

AERODYNAMIC CONFIGURATION

BODY BRAND/TYPE

BODY POSITION mm

REMARKS

This setup covers a wide variety of conditions and will give a

