


SETUP SHEET



TRACK CONDITIONS

Size:	low	1	2	3	4	5	high	Track Temp/Air Temp: _____° / _____°
Traction:	low	1	2	3	4	5	high	Best Lap: _____
								Note: _____

FRONT



Camber Angle _____ °

Castor _____ °

Ride Height _____ mm

Down Stop _____ mm

Front Drive Diff One-Way Spood

Stabilizer 1.1 1.2 1.3 1.4 1.5 mm

Stabilizer Length _____ mm

Notes _____


SHOCKS

Piston	Front			Rear				
	Hole Size	mm		Hole Size	mm			
	#of Holes	1	2	3	#of Holes	1	2	3
Oil wt.								
Oil Brand								
Springs								
Oring								
Bladder note								

Front _____ mm Thread Length _____ mm

Rear _____ mm

REAR



Camber Angle _____ °

Ride Height _____ mm

Down Stop _____ mm

Stabilizer 1.1 1.2 1.3 1.4 1.5 mm

Stabilizer Length _____ mm

Shim _____ mm


Rear Wheelbase _____ °

Notes _____

TIRES

	Front	Rear
Brand	_____	_____
Compound	_____	_____
Insert	_____	_____
Wheel	_____	_____
Traction Compound	_____	_____
Notes	_____	

F Toe Angle _____ ° R Toe Angle _____ °



Body _____

Wing _____

Spur & Pinion

Spur (S) _____

Pinion (P) _____

Final Drive Ratio (R) _____

$\frac{S}{P} = \text{_____} \times 2.0588 = R$

Wheel Hubs

F Widthspacer _____ mm

R Widthspacer _____ mm

Front Width

_____ mm

Rear Width

_____ mm

R Upright spacer

Front _____ mm Rear _____ mm

Electronics

Transmitter _____

Receiver _____

Servo _____

ESC _____

Battery _____

Motor

Brand _____

Turns _____

Brushes _____

Springs _____

Timing _____