

Date: _____ Driver: _____
 Event: _____ Car: _____
 Track: _____ Weight: _____

SETUP SHEET



| TRACK CONDITIONS | | | | | | | Track Temp/Air Temp: _____° / _____° | |
|------------------|-----|---|---|---|---|---|--------------------------------------|--------------------------------|
| Size: | low | 1 | 2 | 3 | 4 | 5 | high | Best Lap: _____ Note: _____ |
| Traction: | low | 1 | 2 | 3 | 4 | 5 | high | |

FRONT

Stabilizer Length _____ mm

Camber Angle _____ °

Castor _____ °

Ride Height _____ mm

Down Stop _____ mm

Front Drive Diff One-Way Solid

Stabilizer 1.1 1.2 1.3 1.4 1.5 1.6 mm

Stabilizer Length _____ mm

Notes _____

F _____ mm R _____ mm

SHOCKS

| Piston | Front | | | Rear | | | |
|--------------|-----------|----|---|-----------|----|---|---|
| | Hole Size | mm | | Hole Size | mm | | |
| #of Holes | 1 | 2 | 3 | #of Holes | 1 | 2 | 3 |
| Oil wt. | _____ | | | | | | |
| Oil Brand | _____ | | | | | | |
| Springs | _____ | | | | | | |
| Oring | _____ | | | | | | |
| Bladder note | _____ | | | | | | |

Front _____ mm Thread Length _____ mm

Rear _____ mm

REAR

Stabilizer Length _____ mm

Camber Angle _____ °

Ride Height _____ mm

Down Stop _____ mm

Stabilizer 1.1 1.2 1.3 1.4 1.5 1.6 mm

Stabilizer Length _____ mm

Shim _____ mm

Rear Wheelbase _____ °

Notes _____

F _____ mm R _____ mm

TIRES

| | Front | Rear |
|--------------|-------|-------|
| Brand | _____ | _____ |
| Wheel | _____ | _____ |
| Shore / deg | _____ | _____ |
| Compound | _____ | _____ |
| DIAMETER /mm | _____ | _____ |
| Notes | _____ | |

F Toe Angle _____ ° R Toe Angle _____ °

Front Alu Stands YES _____ NO _____

Battery Mount Alu _____ Ni _____

| FRONT PULLEY | | | | | REAR PULLEY | | | | |
|--------------|--------|-------|---|---|-------------|--------|-------|---|---|
| _____ T | | | | | _____ T | | | | |
| 1 | 2 | 3 | 4 | 5 | 1 | 2 | 3 | 4 | 5 |
| LOOSE | MEDIUM | TIGHT | | | LOOSE | MEDIUM | TIGHT | | |

Steering System

Single _____ Dual _____

Wheel Hubs

F Widthspacer _____ mm R Widthspacer _____ mm

Front Width

_____ mm

Rear Width

_____ mm

R Upright spacer

Front _____ mm Rear _____ mm

Spur&Pinion

Spur (S) _____ Pinion (P) _____

Final Drive Ratio(R) _____

$\frac{S}{P} = \text{_____} \times 1.8888 = R$ Body _____ Wing _____

Electronics

Transmitter _____

Receiver _____

Servo _____

ESC _____

Battery _____

Motor

Brand _____

Turns _____

Brushes _____

Springs _____

Timing _____