

SETUP SHEET




TRACK CONDITIONS

Size: low 1 2 3 4 5 high
 Traction: low 1 2 3 4 5 high

Track Temp/Air Temp: _____° / _____°
 Best Lap: _____
 Note: _____

FRONT




Camber Angle _____°
 Castor _____°
 Ride Height _____ mm
 Down Stop _____ mm
 Front Drive Diff One-Way Spood
 Stabilizer 1.1 1.2 1.3 1.4 1.5 mm
 Stabilizer Length _____ mm
 Notes _____

SHOCKS

Piston	Front			Rear					
	Hole Size	mm		Hole Size	mm				
	#of Holes	1	2	3	#of Holes	1	2	3	
Oil wt.									
Oil Brand									
Springs									
Oring									
Bladder note									

Front _____ mm Thread Length
 Rear _____ mm

REAR




Camber Angle _____°
 Ride Height _____ mm
 Down Stop _____ mm
 Stabilizer 1.1 1.2 1.3 1.4 1.5 mm
 Stabilizer Length _____ mm
 Shim _____ mm
 Rear Wheelbase _____°
 Notes _____

TIRES

	Front	Rear
Brand		
Compound		
Insert		
Wheel		
Traction Compound		
Notes		

F Toe Angle _____° R Toe Angle _____°



Body _____
 Wing _____

Spur & Pinion

Spur (S) _____
 Pinion (P) _____
 $\frac{S}{P} = \text{_____} \times 2.0588 = R$
 Final Drive Ratio (R) _____

Wheel Hubs

F Widthspacer _____ mm
 R Widthspacer _____ mm

Front Width

_____ mm

Rear Width

_____ mm

R Upright spacer

Front _____ mm Rear _____ mm

Electronics

Transmitter _____
 Receiver _____
 Servo _____
 ESC _____
 Battery _____

Motor

Brand _____
 Turns _____
 Brushes _____
 Springs _____
 Timing _____