


TRACK CONDITIONS

Type: Carpet Asphalt Size: Open Med. Tight
 Place: Indoor Outdoor Traction: High Med. Low
 Surface: Smooth Med. Bumpy Track Temp/Air Temp: 20 / 20
 Note: Fastest Lap 21.3" ; 2 times additive 30 min

FRONT SUSPENSION

Track Width: _____ mm Gear Diff _____ wt
 Toe Angle: 1 ° One Way
 Caster: 4 ° Spool
 Camber: 2 °
 Ride Height: 5.3 mm Anti-Roll Bar: ∅ 1.4 mm
 Down Stop: 5.6 mm



FF Arm Insert
 +0.4 mm
 +0.2 mm
 0 mm
 -0.2 mm
 -0.4 mm

FF Arm Mount
 #3 (+2 mm)
 #2 (kit 0 mm)
 #1 (-2 mm)

FR Arm Mount
 #3 (+2 mm)
 #2 (kit 0 mm)
 #1 (-2 mm)

FR Arm Insert
 +0.4 mm
 +0.2 mm
 0 mm
 -0.2 mm
 -0.4 mm


Shim: 2 mm
 Shim: 1 mm
 Shim: 1 mm
 Shim: 1 mm
 Shim: 0 mm
 Shim: 0.75 mm
 Shim: 3 mm
 Shim: 0.75 mm

Hex Adapter: Kit

Diff.
 High
 Low

REAR SUSPENSION

Track Width: _____ mm Gear Diff 5'000 wt
 Toe Angle: 2.7 °
 Camber: 2.25 °
 Ride Height: 5.5 mm
 Down Stop: 4.6 mm Anti-Roll Bar: ∅ 1.2 mm



RF Arm Insert
 +0.4 mm
 +0.2 mm
 0 mm
 -0.2 mm
 -0.4 mm

RF Arm Mount
 #3 (+2 mm)
 #2 (kit 0 mm)
 #1 (-2 mm)


RR Arm Mount
 #3 (+2 mm)
 #2 (kit 0 mm)
 #1 (-2 mm)

RR Arm Insert
 +0.4 mm
 +0.2 mm
 0 mm
 -0.2 mm
 -0.4 mm

Shim: 3.5 mm
 Shim: 1 mm
 Shim: 2 mm
 Shim: 0 mm
 Shim: 1 mm
 Shim: 0 mm

Hex Adapter: Kit

Diff.
 High
 Low



Motor Position :
 Inside (0mm)
 Outside (1mm)
 _____ mm

Chassis: 2.3 mm 2.5 mm Aluminum

Upper Deck: 2 mm 2.3 mm 2.5 mm

ELECTRONICS

Servo: Sanwa SDX 801
 ESC: MuchMore
 Battery: GensAce 6000

DRIVE RATIO

Spur 110_T
 Pinion 20_T × 1.9 = 10.45

MOTOR


Brand: MuchMore
 Turns: 13.5
 Timing: Zero (handout)

TIRES

Insert: Volante R36
 Wheel: _____
 Shore/deg: _____
 Compound: _____
 Tire Temp: 65°
 Tire additive: Hudy
 Treated Area


ESC

Punch: 9
 Initial Brake: 0
 Drag Brake: 0
 ESC Timing Turbo Timing




FL FR RL RR

SHOCKS



Hole Size: F 1.1 R 1.1
 Holes In Piston: F 3 R 3
 Shock Oil WT: F 400 R 400
 Shock Springs: F P2.7 R L2.6
 Shock Rebound: F 0 R 0
 Bladder Note: _____
 Thread Length: F _____ R _____
 Shock Length : F _____ R _____

BODY



Body Position: +3 Body: Blitz LSF 0.5
 Wing Height: _____
 Wing Position: Std