



DRIVER _____ DATE _____ EVENT _____

TRACK _____ GRIP HIGH / MEDIUM / LOW TRACK TEMP _____ HUMIDITY _____

COMPOSITION ASPHALT (INDOOR/OUTDOOR)/CARPET SURFACE BUMPY/SMOOTH LAYOUT OPEN/MIXED/TIGHT

RESULT _____ BEST LAP _____

C-HUB

SILVER
 GOLD
 RED

CAMBER

1
2
3

FRONT

DIFF

GEAR
SOILD AXLE BELT
GEAR DIFF
OIL _____ cst.

REAR

CAMBER

1
2
3

KNUCKLE

SILVER
 GOLD
 RED

FRONT ARM

SILVER
 GOLD
 RED

WHEEL HEX

_____ mm

REAR HUB

SILVER
 GOLD
 RED
 TWO HOLE
 ONE HOLE

SPACER _____ mm

STABILIZER _____ mm

SPACER _____ mm

STABILIZER _____ mm

WHEEL HEX _____ mm

REAR ARM

SILVER
 GOLD
 RED

DOWNSTOP

6.6 6.4 6.2 6.0 5.8 5.6 5

Default: 2 4

1 3

UNDER ARM _____ mm

SUSPENSION MOUNT

SUSPENSION SHIM

FF _____ mm
FR _____ mm
FF MOUNT BRASS

INSERT

NARROW/WIDE
NARROW/WIDE
FR MOUNT TYPE BRASS
 SOILD
 SPLIT

SUSPENSION MOUNT

SUSPENSION SHIM

RF _____ mm
RR _____ mm
RR MOUNT BRASS

INSERT

NARROW/WIDE
NARROW/WIDE
RF MOUNT TYPE BRASS
 SOILD
 SPLIT

DOWNSTOP

1.0 1.2 1.4 1.6 1.8 2.0

Default: 1 3 4

2 4

UNDER HUB/ARM _____ mm

SPACER _____ mm

STEERING LOCK

/

SERVO HORN

BRAND _____ HEIGHT _____ mm

WEIGHT

NONE
 25.5g

GROUND CLEARANCE

_____ mm

WHEELBASE SETUP

FF _____ mm FR _____ mm RF _____ mm RR _____ mm

GROUND CLEARANCE

_____ mm

FRONT SHOCK

PISTON 2 3 4 hole(s)/ _____

OIL _____

SPRING _____

OIL SEALER CAP CLEAN

REBOUND _____ %

REAR SHOCK

PISTON 2 3 4 hole(s)/ _____

OIL _____

SPRING _____

REBOUND _____ %

SHOCKS SHIM

TOWER _____ mm
ARM _____ mm

WEIGHT _____ g

BATTERY POSITION

TRANSVERSAL
 INLINE

WEIGHT _____ g

UPPERDECK

BRIDGE 1.6mm
 2.0mm

WEIGHT _____ g

CHASSIS

CARBON
 ALUMINIUM

WEIGHT _____ g

SPUR _____ PITCH/ _____ T _____ PINION _____ PITCH/ _____ T _____

MOTOR _____

TIRE _____ TIRE INSERT _____ WHEEL _____

TIRE ADDICTIVE _____ BODY _____ REAR WING _____

ESC _____ BATTERY _____

NOTES

NOTES

REMARKS

COMMENTS