

InfernoMP10 SET UP SHEET

ver.1.02



Name of Driver		Date		Track		Engine		Plug		Muffler	
Reno Savoya		30/07/2021		MRC Longvic Condition: 20°C QUALIFICATIONS		Picco P3TT		Picco P5TH		EFRA 2166	
Spur Gear	Clutch Bell	Clutch Spring		Clutch Shoe	Tire	Tire Insert	Wheel	Body	Fuel		
46 T	<input type="checkbox"/> Std. <input checked="" type="checkbox"/> LW 13 T	<input type="checkbox"/> 0.90 <input type="checkbox"/> 1.00 <input checked="" type="checkbox"/> 0.95 <input type="checkbox"/> 1.10	Carbon <u> x </u> Aluminum <u> x 3 </u>	Tire : AKA Gridiron Compounds: SSLW	AKA	Stock	TKI2	Hot Road G			

● Diff. Gear Set-Up

	Front	Center	Rear
Diff. Gear	<input checked="" type="checkbox"/> 10/20 <input type="checkbox"/> 12/18 <input type="checkbox"/> LSD	<input checked="" type="checkbox"/> 10/20 <input type="checkbox"/> 12/18 <input type="checkbox"/> LSD	<input checked="" type="checkbox"/> 10/20 <input type="checkbox"/> 12/18 <input type="checkbox"/> LSD
Ring Gear	<input checked="" type="checkbox"/> 43/13 <input type="checkbox"/> 42/12	# 15k	# 10k
	# 15k	# 10k	# 15k

● Shock Set-Up

	Front	Rear
Shock Type	P : w/Diaphragm A : Aeration	Size TKI2 50ml - type P
Shock Piston	B : Black W : White T : Taper	Size TKI2 58ml - type P
Shock Oil	W φ 6 x 1,3	W φ 6 x 1,3mm
Shock Spring	# 600	# 550
	Grey (78mm)	Grey (95mm)

● Ride Height

Front	Rear
24 mm	28 mm

● Rebound

Front	Rear
105 mm	122 mm

● Camber Angle

Front	Rear
+ 2°	+ 2°
-	-


● Toe Angle

Front	Rear
+ 3°	<input checked="" type="checkbox"/> 2.5° <input type="checkbox"/> 3° <input type="checkbox"/> 3.5°
-	

● Wheelbase

Collar of Rear Hub	Front Side <u> 5 </u> mm
	Rear Side <u> 0 </u> mm

● Shock Mount Position



Shock Stay

Front	<input type="checkbox"/> Short <input checked="" type="checkbox"/> Long
Rear	<input type="checkbox"/> Short <input checked="" type="checkbox"/> Long


Rear Upper Shock Bush

<input type="checkbox"/> Std. <input checked="" type="checkbox"/> Long
--

Sus. Arm

Front	<input type="checkbox"/> In <input checked="" type="checkbox"/> Out
Rear	<input type="checkbox"/> In <input checked="" type="checkbox"/> Out

● Rear Upper Arm Position



<input type="checkbox"/> Plastic
<input checked="" type="checkbox"/> Aluminum

Hub Carrier Bush

<input checked="" type="checkbox"/> Plastic
<input type="checkbox"/> Brass

● Rear Wheel Hub

<input type="checkbox"/> Narrow <input checked="" type="checkbox"/> Std. <input type="checkbox"/> Wide
--


● Front Sus. Arm

<input checked="" type="checkbox"/> Soft (Std.) <input type="checkbox"/> Hard

● Front Sus. Bush

Rear Side	<input type="checkbox"/> <input checked="" type="checkbox"/>
-----------	--

● Front Upper Arm Position




● Front Wheel Hub

<input checked="" type="checkbox"/> Narrow <input type="checkbox"/> Std. <input type="checkbox"/> Wide
--

● Front Hub Carrier

<input type="checkbox"/> Plastic <input checked="" type="checkbox"/> Aluminum
<input type="checkbox"/> 13° <input type="checkbox"/> 16° <input checked="" type="checkbox"/> 17.5° <input type="checkbox"/> 19°



● Rear Sus. Bush

Front Side	<input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
Rear Side	<input checked="" type="checkbox"/> (2.5) <input type="checkbox"/> (2.5) <input type="checkbox"/> (3) <input type="checkbox"/> (3) <input type="checkbox"/> (3.5) <input type="checkbox"/> (3.5) <input type="checkbox"/> (4) <input type="checkbox"/> (4) <input type="checkbox"/> (4.5) <input type="checkbox"/> (4.5)


● Rear Sus. Arm

<input type="checkbox"/> Soft (Std.) <input checked="" type="checkbox"/> Hard
Rear Sus. Bush
<input type="checkbox"/> Short <input type="checkbox"/> Medium <input checked="" type="checkbox"/> Long

● Servo Horn

Steering	Throttle
<input type="checkbox"/> Plastic	<input type="checkbox"/> Plastic
<input checked="" type="checkbox"/> AL. Long	<input checked="" type="checkbox"/> AL.
<input type="checkbox"/> AL. Short	

● Steering Plate



● Sway Bar

Front	Rear
φ 2,3mm	φ 2,8mm
1 mm	1 mm

● Weight

Front	Rear
<input type="checkbox"/> None	<input type="checkbox"/> None
<input type="checkbox"/> IFW604-10	<input type="checkbox"/> IFW605-10
<input checked="" type="checkbox"/> IFW604-20	<input checked="" type="checkbox"/> IFW605-20
<input type="checkbox"/> other	<input type="checkbox"/> other

● Wing

<input checked="" type="checkbox"/> IF491(TKI4)	Flap <input checked="" type="checkbox"/> None
	<input type="checkbox"/> 5mm
	<input type="checkbox"/> 8mm
	<input checked="" type="checkbox"/> Holes

memo :

Options:
 IFW474 17.5 aluminum caster blocks
 IFW612
 Titanium screws and turnbuckles for weight saving
 IFW136 clutch shoes with 0.95 springs
 IFW426 Aluminum AMB plate
 IFW616, MA081, IFW617 dogbone driveshafts for center
 IFW613 front CVA