

Driver		Date		Track		Event		Spur Gear		Pinion Gear	
								<input type="checkbox"/> 46T(Std.) <input type="checkbox"/> 47T <input type="checkbox"/> 48T		T	
Condition :											
Motor		Battery		ESC		Tires		Tire Insert		Wheel	
Compound :											

### ● Diff. Gear Set-Up

	Front		Center		Rear	
Diff. Gear	<input type="checkbox"/> Std.	<input type="checkbox"/> LSD	<input type="checkbox"/> Std.	<input type="checkbox"/> LSD	<input type="checkbox"/> Std.	<input type="checkbox"/> LSD
	<input type="checkbox"/> IFW621		<input type="checkbox"/> IFW622		<input type="checkbox"/> IFW621	
	Ring Gear	#	#	#	#	#
	<input type="checkbox"/> 43/13	<input type="checkbox"/> 42/12			<input type="checkbox"/> 43/13	<input type="checkbox"/> 42/12

### ● Shock Set-Up

	Front		Rear	
Shock Type	P : w/Diaphragm A : Aeration		Size - type	
Shock Piston	φ		φ	
Shock Oil	#		#	
Shock Spring	Length	Color	Length	Color

### ● Ride Height

Front	Rear
mm	mm

### ● Rebound

Front	Rear
mm	mm

### ● Camber Angle

Front	Rear
+ °	+ °
- °	- °


### ● Toe Angle

Front	Rear
+ °	<input type="checkbox"/> 2.5° <input type="checkbox"/> 3° <input type="checkbox"/> 3.5°
- °	

### ● Wheelbase

Collar of Rear Hub	Front Side _____ mm
	Rear Side _____ mm

### ● Shock Mount Position



#### Shock Stay

Front	<input type="checkbox"/> Std. <input type="checkbox"/> Long
Rear	<input type="checkbox"/> Std. <input type="checkbox"/> Long


#### Rear Upper Shock Bush

<input type="checkbox"/> Std. <input type="checkbox"/> Long
---

#### Sus. Arm

Front	<input type="checkbox"/> In <input type="checkbox"/> Out
Rear	<input type="checkbox"/> In <input type="checkbox"/> Out

### ● Rear Upper Arm Position



<input type="checkbox"/> Plastic
<input type="checkbox"/> Aluminum

#### Hub Carrier Bush

<input type="checkbox"/> Plastic <input type="checkbox"/> Brass
---

### ● Rear Wheel Hub

<input type="checkbox"/> Narrow <input type="checkbox"/> Std. <input type="checkbox"/> Wide
---


### ● Front Sus. Arm

<input type="checkbox"/> Soft (Std.) <input type="checkbox"/> Hard
--

### ● Front Sus. Bush

Rear Side	
-----------	--

### ● Front Upper Arm Position




### ● Front Wheel Hub

<input type="checkbox"/> Narrow <input type="checkbox"/> Std. <input type="checkbox"/> Wide
---

### ● Front Hub Carrier

<input type="checkbox"/> Plastic <input type="checkbox"/> Aluminum
<input type="checkbox"/> 13° <input type="checkbox"/> 16° <input type="checkbox"/> 17.5° <input type="checkbox"/> 19°



### ● Front Wheel Hub

#### Lower Bush

<input type="checkbox"/> Plastic <input type="checkbox"/> Brass
-1°  0°  +1°

### ● Rear Sus. Bush

Front Side	
Rear Side	


### ● Rear Sus. Arm

<input type="checkbox"/> Soft (Std.) <input type="checkbox"/> Hard	
Rear Sus. Bush	
Short	
Medium	
Long	


### ● Servo Horn

Steering	Throttle
<input type="checkbox"/> Plastic	<input type="checkbox"/> Plastic
<input type="checkbox"/> Alum. Long	<input type="checkbox"/> Aluminium
<input type="checkbox"/> Alum. Short	

### ● Steering Plate



### ● Sway Bar



Front	Rear
φ	φ
mm	mm

### ● Weight

Front	Rear
<input type="checkbox"/> None	<input type="checkbox"/> None
<input type="checkbox"/> IFW604-10	<input type="checkbox"/> IFW605-10
<input type="checkbox"/> IFW604-20	<input type="checkbox"/> IFW605-20
<input type="checkbox"/> other	<input type="checkbox"/> other

### ● Wing

<input type="checkbox"/> IF491(TK14)	Flap <input type="checkbox"/> None
	<input type="checkbox"/> 5mm
	<input type="checkbox"/> 8mm
	<input type="checkbox"/> Holes

Am0 - Peltric.com

# Notes