

KYOSHO RB5 FT Setup sheet

Designed by Samuel Vande Castele

Name _____

Date _____

Truck / City _____

Event _____

Front Suspension



- Shock Stay
 Std (UM511)
 C-Comp (UMW500)
 FT

Toe In Out _____°

Front Bulkhead Weight Placement


- None
 Bulkhead Inside _____ oz _____ g
 On the skid plate _____ oz _____ g * 1oz=28g



Upper Spacer _____ mm

Camber + - _____°

- 4.8mm Ball Stud
 Standard (UM128)
 High Mount (+2mm:UMW508)



- Caster Spacer
 25° 0.5
 30° 1.0
 None



- Axle Type
 Standard (Steel:UM506)
 Option (Aluminum:UMW507)

Axle Spacer _____ mm

Out (Standard)

In _____ mm

Axle Height Spacer

Up

Down


Ackerman Steer Spacer _____ mm

Bump Steer Spacer _____ mm

Front Middle Back

Comments: _____

Rear Suspension



Mid Rear

Upper Spacer _____ (mm)

Rear Wishbones Direction
 Kit Flipped

Lower Sus Holder

- Normal Aluminum (Opt)
 Narrow RF:RB5 UMW511+UMW512
 Wide RF2:RB5SP UMW514+

- Sus Holder Spacer
 F 0.5 1.0 None
 R 0.5 1.0 None


Anti-Squat _____°

Swing Shaft

- 62.5mm:RB5 (UM510, UM510-01)
 65.5mm:RB5SP (UM522, LA232-01)

- Lower Arm
 Short:RB5 (UM503)
 Middle:RB5SP (UM521)

Upper Spacer _____ mm



Camber + - _____°

Axle Spacer _____ mm

Out _____ mm

In _____ mm

Wheel base

- Long
 Middle
 Short

Sway Bar None

_____ mm

Wheel Shaft Type

- RB5SP (UM522-02)
 RB5 (UM510-02)
 for PL-Wheel (UMW502)

Wheel Spacer _____ mm

Type-B (UM519)

UMW516-0

UMW516-1

Comments: _____

Shock

Front

Rear

Shock Piston _____

Shock Oil # _____

Shock Spring _____

Limiters

in _____ mm

out _____ mm

in _____ mm

out _____ mm

Shock Length (A) _____ mm

_____ mm

_____ mm

_____ mm

Shock Top Type


Std:RB5 Low:ZX5FS

Std:RB5 Low:ZX5FS

Rear Shock Shaft

STD:RB5SP (W5193-01) 50mm

Opt:ZX5 (W5183-02) 54mm



Comments: _____

Body / Wing / Chassis

Body: _____

Configuration

Mid Motor _____

Rear Motor _____

Front Wing: _____

Rear Wing: _____

Battery Position

Saddle

Stick

⑤ ④ ③ ② ①

Wing Angle

4° 7° 10°

Ride Height front: _____ Rear: _____

Tire

Front

Rear

Tire _____

Inserts _____

Wheel _____

Compound _____

Comments: _____

Others

gear ratio =2.6

Motor _____

Pinion/Spur _____ / _____

Battery _____

ESC _____

Truck Condition

- Smooth Sandy
 Bumpy Soft Dirt
 Low Traction Grass
 Med. Traction Blue Groove
 High Traction Clay
 Wet Dusty
 Dry Other

Springs

- # 55 Orange
 # 60 Orange Yellow
 # 65 Yellow
 # 68 Blue
 # 70 Silver
 # 72 Cobalt Blue
 # 75 Light Green
 # 80 Green

Springs - Big Bore

- Front / Rear
 Pink - XGS001 / XGS006
 White - XGS002 / XGS007
 Gold - XGS003 / XGS008
 Red - XGS004 / XGS009
 Yellow - XGS005 / XGS010