

Ultima RB5 MCS

Mid Custom Special

Setup Sheet



Designed by
Fabien Simonini

Name _____ Date _____ Truck / City _____ Event _____

Front Suspension

Upper Spacer _____ mm

Shock Stay
 Std (UM511)
 C-Comp (UMW500)

4.8mm Ball Stud
 Standard (UM128)
 High Mount (+2mm: UMW508)

Ackerman Steer Spacer _____ mm

Axle Type
 Standard (Steel: UM506)
 Option (Aluminum: UMW507)

Bump Steer Spacer _____ mm

Toe In Out _____ °

Front Bulkhead Weight Placement
 None
 Bulkhead Inside _____ oz _____ g
 On the skid plate _____ oz _____ g * 1oz=28g

Caster
 25°
 30°

Spacer
 0.5
 1.0
 None

Comments: _____

Rear Suspension

Lower Sus Holder
 Normal: RF:RB5 UMW511+UMW512
 Wide: RF2:RB5SP UMW514+UMW515

Sus Holder Spacer
 F: 0.5 1.0 None
 R: 0.5 1.0 None

Upper Spacer _____ mm

Wheelbase
 Long
 Middle
 Short

Wing Height _____ mm

Anti-Squat _____ °

Swing Shaft
 62.5mm: RB5 (UM510, UM510-01)
 65.5mm: RB5SP (UM522, LA232-01)

Lower Arm
 Short: RB5 (UM503)
 Middle: RB5SP (UM521)

Wheel Shaft Type
 RB5SP (UM522-02)
 RB5 (UM510-02)
 for PL-Wheel (UMW502)

Comments: _____

Shock

	Front		Rear	
Shock Piston	_____	_____	_____	_____
Shock Oil	# _____	# _____	# _____	# _____
Shock Spring	_____	_____	_____	_____
Limiters	in _____	out _____	in _____	out _____
	mm _____	mm _____	mm _____	mm _____
Shock Length (A)	_____ mm	_____ mm	_____ mm	_____ mm
Shaft Length (B)	_____ mm	_____ mm	_____ mm	_____ mm
Shock Top Type	<input type="checkbox"/> Std: RB5 <input type="checkbox"/> Low: ZX5FS	<input type="checkbox"/> Std: RB5 <input type="checkbox"/> Low: ZX5FS	<input type="checkbox"/> Std: RB5 <input type="checkbox"/> Low: ZX5FS	<input type="checkbox"/> Std: RB5 <input type="checkbox"/> Low: ZX5FS
Rear Shock Shaft	<input type="checkbox"/> STD: RB5SP (W5193-01) 50mm <input type="checkbox"/> Opt: ZX5 (W5183-02) 54mm			

Comments: _____

Body / Wing / Chassis

Body
 Zen
 X-6
 Other: _____

Front Wing: _____

Rear Wing: _____

Wing Angle
 4° 7° 10°

Weight Placement

FR-MCS0005
 FR-MCS0006
 FR-MCS0007

Battery Position
 Saddle
 Stick

T-Plate
 Stainless
 Carbon

Ride Height A B F _____ mm R _____ mm

Truck Condition

- | | |
|---|--------------------------------------|
| <input type="checkbox"/> Smooth | <input type="checkbox"/> Sandy |
| <input type="checkbox"/> Bumpy | <input type="checkbox"/> Soft Dirt |
| <input type="checkbox"/> Low Truaction | <input type="checkbox"/> Grass |
| <input type="checkbox"/> Med. Truaction | <input type="checkbox"/> Blue Groore |
| <input type="checkbox"/> High Truaction | <input type="checkbox"/> Clay |
| <input type="checkbox"/> Wet | <input type="checkbox"/> Dusty |
| <input type="checkbox"/> Dry | <input type="checkbox"/> Other |

Springs

- # 55 Orange
 # 60 Orange Yellow
 # 65 Yellow
 # 68 Blue
 # 70 Silver
 # 72 Cobalt Blue
 # 75 Light Green
 # 80 Green
- Springs - Big Bore**
 Front / Rear
 Pink - XGS001 / XGS006
 White - XGS002 / XGS007
 Gold - XGS003 / XGS008
 Red - XGS004 / XGS009
 Yellow - XGS005 / XGS010

Tire	Front	Rear	Others	gear ratio = 2.6
Tire	_____	_____	Motor _____	
Inserts	_____	_____	Pinion/Spur _____ / _____	
Wheel	_____	_____	Battery _____	
Compound	_____	_____	ESC _____	

Comment: _____