

ULTIMA RB5 SP SET UP SHEET



Name _____

Date _____

Truck / City _____

Event _____

Front Suspension

Upper Spacer _____ mm

Shock Stay
 Std(LM511)
 C-Comp(LM500)

4.8mm Ball Stud
 Standard(LM128)
 High Mount (+2mm:LM508)

Carber + - _____ °

Ackerman Steer Spacer _____ mm

Axle Type
 Standard(Steel:LM506)
 Option(Aluminum:LM507)

Bump Steer Spacer _____ mm

Toe In Out _____ °

Front Bulkhead Weight Placement
 None
 Bulkhead Inside _____ oz _____ g * 1oz=28g
 On the skid plate _____ oz _____ g

Caster 25° 30°
Spacer 0.5 1.0 None

Axle Spacer
 Out (Standard) _____ mm
 In _____ mm

Axle Height Spacer
 Up
 Down

Comments: _____

Rear Suspension

Editable by Arn0 at PetitRC.com

Lower Sus Holder
 Normal RF:RB5
 Wide RF2:RB5SP
 Aluminum(Opt) LM511+LM512
 LM514+LM515

Wing Height
 1
 2
 3

Sus Holder Spacer
 0.5 F 1.0 None
 0.5 R 1.0 None

Anti-Squat _____ °

Swing Shaft
 62.5mm:RB5(LM510, LM510-01)
 65.5mm:RB5SP(LM522, LA232-01)

Upper Spacer _____ mm

Wheelbase
 Long
 Middle
 Short

Rear Hub add Toe
 0° (Standard)
 0.5° (LA244-05)

Sway Bar None _____ mm

Carber + - _____ °

Axle Spacer
 Out _____ mm
 In _____ mm

Wheel Shaft Type
 Type-B(LM519)
 Up(LA244-05)
 Middle
 Down

Wheel Spacer _____ mm
 RB5SP(LM522-02)
 RB5(LM510-02)
 for PL-Wheel(LM502)

Lower Arm
 Short:RB5(LM503)
 Middle:RB5SP(LM521)

Comments: _____

Shock

Shock Piston	Front		Rear	
	in	mm	in	mm
Shock Oil	# _____		# _____	
Shock Spring				
Limiters	in	mm	in	mm
	out	mm	out	mm
Shock Length(A)	_____ mm		_____ mm	
Shaft Length(B)	_____ mm		_____ mm	
Shock Top Type	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Std:RB5 Low:ZX5FS		Std:RB5 Low:ZX5FS	
Rear Shock Body	<input type="checkbox"/> Short:RB5SP(M5196-01V)38mm			
	<input type="checkbox"/> STD:RB5(M5187-01V)42mm			
Rear Shock Shaft	<input type="checkbox"/> STD:RB5SP(M5193-01)50mm			
	<input type="checkbox"/> Opt:ZX5(M5183-02)54mm			

Body / Wing / Chassis

Wing
 Aquarius(LA239)
 Sagittarius(LA240)
 Aries(LA241)
 Blast-L(LA251)
 Step-L(LA247)
 Step-S(LA247)
 Blast-S(LA247)
 Other: _____

Body
 Trident:RB5(LMB01)
 Sword:RB5SP(LMB02)
 Other: _____

Battery Placement
 Front Rear

Wing Angle
 4° 7° 10°

Weight Placement * 1oz=28g

Ride Height A B F _____ mm R _____ mm

Tire

Tire	Front	Rear	Others
	_____	_____	
Inserts	_____	_____	Motor _____
Wheel	_____	_____	Pinion/Spur _____ / _____
Traction Compound	_____	_____	Battery _____
	_____	_____	ESC _____

Comment: _____

Truck Condition

- | | |
|--|--------------------------------------|
| <input type="checkbox"/> Smooth | <input type="checkbox"/> Sandy |
| <input type="checkbox"/> Bumpy | <input type="checkbox"/> Soft Dirt |
| <input type="checkbox"/> Low Traction | <input type="checkbox"/> Grass |
| <input type="checkbox"/> Med. Traction | <input type="checkbox"/> Blue Groove |
| <input type="checkbox"/> High Traction | <input type="checkbox"/> Clay |
| <input type="checkbox"/> Wet | <input type="checkbox"/> Dusty |
| <input type="checkbox"/> Dry | <input type="checkbox"/> Other |

Kind in spring

#55	Orange
#60	Orange Yellow
#65	Yellow
#68	Blue
#70	Silver
#72	Cobalt blue
#75	Light Green
#80	Green