

ULTIMA RB5 SP SET UP SHEET



Name Nick Caro Date 03/01/2010 Track / City Workshop Event Indoor Series Rd3

Front Suspension

Camber + - 1 °

Upper Spacer 1 mm

Shock Stay Std (UM511) Carbon (UMW500)

Toe In Out 0 °

Front Bulkhead Weight Placement None Bulkhead 35a oz g * 1oz=28g Chassis oz g

Ackerman Steering Spacer 1.5 mm

Axle Type Standard (Steel : UM506) Option (Aluminum : UMW507)

Bump Steer Spacer 3 mm

Axle Height Spacer Up Down

Axle Spacer Out (Standard) kit mm In mm

Caster Spacer 25° 30° None 0.5 1.0 None

Wheelbase Long Middle Short

Comments: Wishbones just below level.

Rear Suspension

Lower Sus Holder Normal RF:RB5 Aluminum (Opt) UMW511+UMW512 RF2:RB5SP UMW514+UMW515

Upper Spacer 2 mm

Wing Height 1 2 3

Sus Holder Spacer 0.5 1.0 None 0.5 1.0 None

Anti-Squat Kit °

Swing Shaft 62.5mm:RB5 (UM510, UM510-01) 65.5mm:RB5SP (UM522, LA232-01)

Camber + - 1 °

Axle Spacer Out kit mm In mm

Wheelbase Long Middle Short

Rear Hub add Toe 0° (Standard) 0.5° (LA244-05)

Sway Bar None mm

Wheel Shaft Type RB5SP (UM522-02) RB5 (UM510-02) Proline Axle (UM502)

Lower Arm Short:RB5 (UM503) Middle:RB5SP (UM521) Type-B (UM519) UMW516-0 UMW516-1


Wheel Spacer mm

Shock Stay Std:RB5 (UM512) Short:RB5SP (UM520)

Comments: Cvd's just below level.

Shock

	Front	Rear
Shock Piston	<u>3B</u>	<u>3B</u>
Shock Oil	<u># 35wt</u>	<u># 25wt</u>
Shock Spring	<u>#75 Light Green</u>	<u>#75 Light Green</u>
Limiters	in <u>0</u> mm out <u>0</u> mm	in <u>0</u> mm out <u>0</u> mm
Shock Length (A)	<u> </u> mm	<u> </u> mm
Shaft Length (B)	<u> </u> mm	<u> </u> mm
Shock Top Type	<input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
	Std:RB5 Low:ZX5FS	Std:RB5 Low:ZX5FS
Rear Shock Body	<input checked="" type="checkbox"/> Short:RB5SP (W5196-01V) 38mm <input type="checkbox"/> STD:RB5 (W5187-01V) 42mm	
Rear Shock Shaft	<input type="checkbox"/> STD:RB5SP (W5193-01) 50mm <input checked="" type="checkbox"/> Opt:ZX5 (W5183-02) 54mm	



Body / Wing / Chassis

Wing Aquarius (LA239) Sagittarius (LA240) Aries (LA241) Blast-L (LA251) Step-L (LA247) Step-S (LA247) Blast-S (LA247) Other:

Body Trident:RB5 (UMB01) Sword:RB5SP (UMB02) Other:



Battery Placement Front Rear

Wing Angle 4° 7° 10°

Ride Height A B F mm R mm

Weight Placement * 1oz=28g

PL mm



Tyre

	Front	Rear
Tyre	<u>Schu Mini Pin</u>	<u>Schu Mini Pin</u>
Inserts	<u>Schu Med</u>	<u>Schu Med</u>
Wheel	<u>RB5</u>	<u>RB5SP</u>
Tyre Compound	<u>Yellow</u>	<u>Yellow</u>

Others

Motor LRP X11 6.5

Pinion/Spur 22 / 78

Battery LRP 5300 40c

ESC Orion Vortex Race Spec

Gear Ratio 2.6:1

Track Condition

- | | |
|--|---|
| <input checked="" type="checkbox"/> Smooth | <input type="checkbox"/> Sandy |
| <input type="checkbox"/> Bumpy | <input type="checkbox"/> Soft Dirt |
| <input type="checkbox"/> Low Traction | <input type="checkbox"/> Grass |
| <input checked="" type="checkbox"/> Med Traction | <input type="checkbox"/> Blue Groove |
| <input type="checkbox"/> High Traction | <input type="checkbox"/> Clay |
| <input type="checkbox"/> Wet | <input type="checkbox"/> Dusty |
| <input checked="" type="checkbox"/> Dry | <input checked="" type="checkbox"/> Other |

Spring / Rate

#55	Orange
#60	Orange Yellow
#65	Yellow
#68	Blue
#70	Silver
#72	Cobalt blue
#75	Light Green
#80	Green

Comment :