

ULTIMA RB5 SP SET UP SHEET



Name Shin Adachi Date 16/01/2010 Track / City Maritime Raceway Event Petit 2010

Front Suspension

Camber + - 1 °

Upper Spacer 2.5 mm

Shock Stay Std (UM511) Carbon (UMW500)

Toe In Out 0 °

Front Bulkhead Weight Placement
 None
 Bulkhead _____ oz _____ g
 Chassis _____ oz _____ g * 1oz=28g

Ackerman Steering Spacer _____ mm

Axle Type
 Standard (Steel :UM506)
 Option (Aluminum:UMW507)

Bump Steer Spacer 0 mm

Axle Height Spacer
 Up
 Down

Wheelbase Long Middle Short

Axle Spacer Out (Standard) 2 mm In _____ mm

Caster Spacer 25° 30° 0.5 1.0 None

Comments: **500cps Kyosho Shock Oil**

Rear Suspension

Lower Sus Holder
 Normal RF:RB5 RF2:RB5SP
 Aluminum (Opt) UMW511+UMW512 UMW514+UMW515

Upper Spacer 3 mm

Wing Height 1 2 3

Sus Holder Spacer
 F 1.0 None R 1.0 None

Anti-Squat 2 °

Swing Shaft
 62.5mm:RB5 (UM510, UM510-01)
 65.5mm:RB5SP (UM522, LA232-01)

Camber + - 2 °

Axle Spacer Out _____ mm In _____ mm

Wheelbase Long Middle Short

Rear Hub add Toe 0° (Standard) 0.5° (LA244-05)

Sway Bar None _____ mm

Wheel Shaft Type
 RB5SP (UM522-02)
 RB5 (UM510-02)
 Proline Axle (UM502)

Lower Arm Short:RB5 (UM503) Middle:RB5SP (UM521)

Wheel Spacer 0 mm


Shock Stay Std:RB5 (UM512) Short:RB5SP (UM520)

Upper Spacer 2.5 mm

Comments: **400 Cps Kyosho Shock Oil**

Shock

	Front	Rear
Shock Piston	<u>2C</u>	<u>2B</u>
Shock Oil	# <u>37.5wt</u>	# <u>27.5wt</u>
Shock Spring	# <u>65 Yellow</u>	# <u>68 Blue</u>
Limiters	in _____ mm	in _____ mm
	out _____ mm	out _____ mm
Shock Length (A)	_____ mm	_____ mm
Shock Shaft Length (B)	_____ mm	_____ mm
Shock Top Type	<input type="checkbox"/> Std:RB5 <input checked="" type="checkbox"/> Low:ZX5FS	<input type="checkbox"/> Std:RB5 <input checked="" type="checkbox"/> Low:ZX5FS
Rear Shock Body	<input checked="" type="checkbox"/> Short:RB5SP (W5196-01V) 38mm	<input type="checkbox"/> STD:RB5 (W5187-01V) 42mm
Rear Shock Shaft	<input checked="" type="checkbox"/> STD:RB5SP (W5193-01) 50mm	<input type="checkbox"/> Opt:ZX5 (W5183-02) 54mm



Body / Wing / Chassis

Wing
 Aquarius (LA239)
 Sagittarius (LA240)
 Aries (LA241)
 Blast-L (LA251)
 Step-L (LA247)
 Step-S (LA247)
 Blast-S (LA247)
 Other: _____



Body
 Trident:RB5 (UMB01)
 Sword:RB5SP (UMB02)
 Other: _____

Battery Placement
 Front Rear

Weight Placement * 1oz=28g

Wing Angle
 4° 7° 10°

Ride Height A B F 27 mm R 25 mm



Track Condition

- | | |
|---|---|
| <input checked="" type="checkbox"/> Smooth | <input type="checkbox"/> Sandy |
| <input type="checkbox"/> Bumpy | <input type="checkbox"/> Soft Dirt |
| <input type="checkbox"/> Low Traction | <input type="checkbox"/> Grass |
| <input type="checkbox"/> Med Traction | <input type="checkbox"/> Blue Groove |
| <input checked="" type="checkbox"/> High Traction | <input type="checkbox"/> Clay |
| <input type="checkbox"/> Wet | <input type="checkbox"/> Dusty |
| <input checked="" type="checkbox"/> Dry | <input checked="" type="checkbox"/> Other |

Spring / Rate	
#55	Orange
#60	Orange Yellow
#65	Yellow
#68	Blue
#70	Silver
#72	Cobalt blue
#75	Light Green
#80	Green

Tyre

	Front	Rear
Tyre	<u>Mini Pins</u>	<u>Mini Pins</u>
Inserts	<u>Schu Med</u>	<u>Schu Med</u>
Wheel	<u>RB5</u>	<u>RB5SP</u>
Tyre Compound	<u>Yellow</u>	

Others

Motor	<u>Orion 8.5</u>
Pinion / Spur	<u>21 / 76</u>
Battery	<u>Orion 5000 45c</u>
ESC	<u>LRP SXX</u>

Comment :