

Name _____ Date _____ Track / City _____ Event _____

Front Suspension:

4.8mm Ball Stud:
 UM128
 UMW508 (+2mm High Mount)

Upper Spacer: _____ mm

Shock Mount:
 IN
 OUT

Camber: _____ °

Ackermann:
 Std
 Reversed

4.8mm Ball Stud:
 LA246 (low mount -1mm)
 97050M

Ackermann Steer Spacer: _____ mm

Upper Spacer: _____ mm

Bump Steer spacer: _____ mm

Toe: In Out _____ °

Sus Mount:
 UM502
 UM567
 UM721

Caster:
 25°
 30°

Spacer:
 0.5
 1.0
 None

Axle Spacer: _____ mm
 Out
 In

Caster Block:
 IN (wide/std)
 OUT (narrow)

Axle Height Spacer:
 Up
 Down

Comments: _____

Wheelbase: Long Middle Short

Rear Suspension:

Sus Holder Spacer:
 F 0.5 1.0 None
 R 0.5 1.0 None

Upper Spacer: _____ mm

Wheelbase:
 F: _____ mm
 R: _____ mm

Anti-squat: _____ °

Sway Bar: None
 _____ mm

Upper Spacer: _____ mm

Camber: _____ °

Rear Hub:
 0°Type-B (UM519)
 0°Type-B2 (UM519-2)
 0°Alu (UMW704-0)
 0.5°Alu (UMW704-05)
 1°Alu (UMW704-1)

Lower Sus Mounts:
 Normal RF RF2
 Aluminum (Option) Front: _____ Rear: _____

Upper Spacer: _____ mm

Comments: _____

Drive:
 Rear Motor
 Midship Motor

Diff:
 Gear Diff # _____
 Ball Diff

Shocks:

Front **Rear**

Shock Piston: _____

Shock Oil: # _____ # _____

Shock Springs: _____

Limiters: in out mm in out mm

Shock Length: _____ mm _____ mm

Cap Type: Std(UM753-1) Alu(UM719)

5.8mm Ball End:
 Front: S M L
 Rear: S M L

Chassis:

Weight Placement:
 ESC Stand
 Battery Stop
 Screws
 None

F _____ mm Ride height: R _____ mm

Tires: Front _____ Rear _____

Tires: _____

Inserts: _____

Wheels: _____

Tire Sauce: _____

Battery Holder:

Front Rear

Electronics:

Motor: _____

Pinion / Spur: _____

Battery: _____

ESC: _____

Radio: _____

Servo: _____

Throttle / Brake: _____

EPA: _____ Expo: _____

Initial Brake: _____

Drag Brake: _____

Throttle Profile: _____

Steering Expo: _____

Steering Speed: _____

Body:

Mounting Notes: _____

Material:

Idler: Std Alu(UMW718)

Screws: Steel Titanium

Servo Horn: Std(saver) Rigid(UM717) Alu(LAW42)

Pinion Gear: Steel Aluminium

Shock O-ring: O-ring X-ring Red Clear

Comments: _____