

Name _____ Date _____ Truck _____ Event _____

Front Suspension

Shock stay hight: _____ mm

Spacer: _____ mm

Shock Stay:
 LA216B(SP)
 LA216HB

Ride Height: _____ mm

Camber Angle: _____ °

Toe Angle: _____ °

Sway Bar: _____

Front Diff:
 Rigid
 Oneway
 Differential, Setting: _____

Sus. Holder Spacer:
 Front Rear

Spacer: _____ mm

Bump Steer Spacer: _____ mm

Caster Block:
 7°
 10°

Bellcrank Spacer: _____ mm

Axle-Height Spacer: Up Down

Rear Suspension

Shock stay hight: _____

Spacer: _____ mm

Sus. Holder(RF):
 IN OUT _____

Sus. Holder(RR):
 IN OUT _____

Ride Height: _____ mm

Shock Stay:
 LA217(SP)
 LA217H

Wing Height: _____

Camber Angle: _____ °

Sway Bar: _____

Sus. Holder Spacer:
 Front Rear

Spacer: _____ mm

Wheel Spacer: _____ mm

Hub Spacer:
 F: _____ mm
 R: _____ mm

Rear Sus. Arm:
 LA272(UM566,UM521)(SP)
 UM521-1(1-Hole)
 LA255

Rear Hub add Toe:
 0°Type-B(UM519)
 0°Type-B2(UM516-2)
 0°Alu(UMW516-0)
 0.5°Alu(UMW516-05)
 1°Alu(UMW516-1)

Shock

	Front	Rear
Shock Piston:	_____	_____
Shock Oil:	# _____	# _____
Shock Spring:	_____	_____
Limiters:	in _____ mm out _____ mm	in _____ mm out _____ mm
Shock Length(A):	_____ mm	_____ mm
Shock Top Type:	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
Std:RB5 Low:ZX5FS Std:RB5 Low:ZX5FS		
5.8mm Ball End:	Front: <input type="checkbox"/> S <input type="checkbox"/> M <input type="checkbox"/> L	Rear: <input type="checkbox"/> S <input type="checkbox"/> M <input type="checkbox"/> L

Tire

	Front	Rear
Tire:	_____	_____
Inserts:	_____	_____
Wheel:	_____	_____
Traction Compound:	_____	_____

Body/Wing/Other

Body: _____

Wing: _____

Lip hight: _____

Wing Angle:
 4° 7° 10°

Battery Post:
 Pla Alu

Slipper Type:
 Direct
 Separates

Slipper Sheet(F-R):
 Red-White
 Red-Red
 White-White

Center Post:
 Pla Alu

Back bone screw:
 F R

Electronics

Motor: _____

Pinion/Spur: _____

Battery: _____

ESC: _____

Radio: _____

Servo: _____

Throttle/Brake: _____

EPA: _____ Expo: _____

Initial brake: _____

Drag brake: _____

Throttle profile: _____

Steering expo: _____

Steering speed: _____

Kind in spring

Soft	Pink
	White
	Gold
	Red
	Yellow
	Orange
Hard	Green

Sway Bar

1.0	White
1.1	Pink
1.2	Red
1.3	Orange
1.4	Yellow
1.5	Blue
1.6	Green

Comments

<input type="checkbox"/> Smooth	<input type="checkbox"/> Sandy
<input type="checkbox"/> Bumpy	<input type="checkbox"/> Soft Dirt
<input type="checkbox"/> Low Truction	<input type="checkbox"/> Grass
<input type="checkbox"/> Med. Truction	<input type="checkbox"/> wet
<input type="checkbox"/> Higt Truction	<input type="checkbox"/> Dry
<input type="checkbox"/> Blue Groore	<input type="checkbox"/> Dusty
<input type="checkbox"/> Clay	<input type="checkbox"/> Other