

Name: \_\_\_\_\_  
 Date: \_\_\_\_\_  
 Track: \_\_\_\_\_


**Track Conditions**

Size:  Open  Med.  Tight  
 Traction:  High  Med.  Low  
 Surface:  Smooth  Med.  Bumpy


**Result**

Race Time / Lap: \_\_\_\_\_  
 Best Lap (1Lap): \_\_\_\_\_

**Front Suspension**




Upright:  E2129  
 E2105-B  
 Tension Rod:  E2107A(Long)  
 E2107B(Short)




Ride Height: \_\_\_\_\_  
 Toe Angle: \_\_\_\_\_  
 Kingpin Ball Spacer(Upper): \_\_\_\_\_  
 (Lower): \_\_\_\_\_

Wheel Hub: \_\_\_\_\_  
 Anti Roll Bar: \_\_\_\_\_  
 Upper Arm Spacer: \_\_\_\_\_




Lower Arm Spacer: \_\_\_\_\_  
 Lower Arm Position (Kick Up): \_\_\_\_\_






**Front Shocks**

Piston: \_\_\_\_\_  
 Oil: \_\_\_\_\_  
 Spring: \_\_\_\_\_




Pivot Ball Position:  Front  Rear  
 Damper Stay:  E2502(Aluminum)  
 E2511(CFRP)

**Rear Suspension**




Ride Height: \_\_\_\_\_  
 Camber Angle: \_\_\_\_\_  
 Wheel Hub: \_\_\_\_\_  
 Anti Roll Bar: \_\_\_\_\_  
 Lower Arm Spacer: \_\_\_\_\_




Upright Spacer:  
 Upright:  E2131  
 Other \_\_\_\_\_

Lower Arm Position (Toe Angle): \_\_\_\_\_




**Rear Shocks**

Piston: \_\_\_\_\_  
 Oil: \_\_\_\_\_  
 Spring: \_\_\_\_\_



Pivot Ball Position:  Front  Rear  
 Damper Stay:  E2522(Aluminum)  
 E2523(CFRP)

**Weight**



**Power Train**

Motor: \_\_\_\_\_  
 ESC: \_\_\_\_\_  
 Battery: \_\_\_\_\_

**Diff. Oil**

Front: \_\_\_\_\_ O-Ring: \_\_\_\_\_ pcs.  
 Center: \_\_\_\_\_ pcs.  
 Rear: \_\_\_\_\_ pcs.


**Tires**

	Front	Rear
Type:	_____	_____
Compound:	_____	_____
Inserts:	_____	_____
Wheel:	_____	_____

**Gearing**

Pinion Gear: \_\_\_\_\_ T  
 Spur Gear:  44T(E0255)       46T(E0256)

**Body/Wing**



**Comments**

.....  
 .....  
 .....