



Name: _____ Date: _____ Track: _____	Track Conditions Size: ☐ Open ☐ Med. ☐ Tight Traction: ☐ High ☐ Med. ☐ Low Surface: ☐ Smooth ☐ Med. ☐ Bumpy	Result Race Time / Lap: _____ Best Lap (1Lap): _____
---	--	---

Front Suspension




Tension Rod: ☐ E2107A(Long)
☐ E2107B(Short)

Upper Arm Position:




Ride Height: _____
 Toe Angle: _____
 Kingpin Ball Spacer: _____
 Wheel Hub: _____
 Anti Roll Bar: _____
 Upper Arm Spacer: _____




Lower Arm Spacer: _____

Lower Arm Position (Kick Up):




Front Shocks




Pivot Ball Position: ☐ Front ☐ Rear
 Damper Stay: ☐ E2502(Aluminum)
☐ E2511(CFRP)


Steering Ackerman




Rear Suspension




Upper Arm Position:



Lower Arm Position (Anti-Squat):




Ride Height: _____
 Camber Angle: _____
 Wheel Hub: _____
 Anti Roll Bar: _____
 Lower Arm Spacer: _____




Upright Spacer: _____

Upright: ☐ E2106-B
☐ E2118(Aluminum)

Lower Arm Position (Toe Angle):



Rear Shocks



Pivot Ball Position: ☐ Front ☐ Rear
 Damper Stay: ☐ E2503(Aluminum)
☐ E2514(CFRP)

Power Train

Motor: _____
 ESC: _____
 Battery: _____

Diff. Oil

Front: _____ O-Ring: _____ pcs.
 Center: _____ pcs.
 Rear: _____ pcs.

Tires

Front

Rear

Type: _____
 Compound: _____
 Inserts: _____
 Wheel: _____


Gearing

Pinion gear: _____ T
 Spur gear: ☐ 44T(E0255) ☐ 46T(E0256)

Body/Wing

Wing Position:

Body: _____
 Wing: _____



Comments

.....

