

Driver and Event	
Name	Carson Wernimont
Date	Jan '14
Event	Reedy Race
Weather	Indoors
Result	17th

Track Conditions	
Surface	Clay
Grip Level	High
Track Condition	Wet



Electrics and Gearing	
E.S.C	Reedy Black Box
Servo	Futaba
Receiver	Futaba
Batteries	Reedy Saddle
Motor	Reedy 6.5
Spur Gear	98T <input checked="" type="checkbox"/> 95T <input type="checkbox"/>
Pinion	19
LH Cell Position	Forward <input type="checkbox"/> Backward <input checked="" type="checkbox"/>

Wheels and Tyres	
Rear Wheels	AKA Hexlite
Rear Tyre	Reedy Handout
Rear Insert	Reedy Handout
Front Wheels	AKA Hexlite
Front Tyre	Reedy Handout
Front Insert	Reedy Handout

Additional Settings	
Car Weight	
Weights Added	
Chassis	Carbon <input checked="" type="checkbox"/> Option <input type="checkbox"/>
Wing Gurney Height	Middle mm

NOTES
 True C.V. Drive shafts (U4173)
 Small Bore Shocks (U4152 & U4153)
 Core RC Springs
 Losi Oil
 Ride Height = Bones Level F/R
 LMR Avior Wing

Front Shocks	
Oil 32.5	Spring Green
Shock Cap Sealed <input checked="" type="checkbox"/>	Vented <input type="checkbox"/> Emulsion <input type="checkbox"/>
Piston White	
Drilled <input type="checkbox"/>	Hole Size Std mm
Shock Length Std mm	

Rear Shocks	
Oil 25	Spring Black
Shock Cap Sealed <input checked="" type="checkbox"/>	Vented <input type="checkbox"/> Emulsion <input type="checkbox"/>
Piston White	
Drilled <input type="checkbox"/>	Hole Size Std mm
Shock Length Std mm	

Front Suspension	
Anti roll bar No <input checked="" type="checkbox"/> 1.00 <input type="checkbox"/> 1.20 <input type="checkbox"/> 1.40 <input type="checkbox"/> 1.60 <input type="checkbox"/>	Camber at Ride Height -1.0 Deg
	Toe-In 0 Deg
	Ride Height Notes mm
	Washers 0 mm
Track Washers 0 mm	Link Washers 1.0 mm
Blocks Moulded <input checked="" type="checkbox"/> Alloy <input type="checkbox"/>	Front Yoke (Kit) 12.5 <input type="checkbox"/> 10.0 <input checked="" type="checkbox"/> 7.5 <input type="checkbox"/>
	Front Rake 10.0 Deg <input checked="" type="checkbox"/> 7.5 Deg <input type="checkbox"/>

Rear Suspension	
Anti roll bar No <input type="checkbox"/> 1.00 <input type="checkbox"/> 1.20 <input checked="" type="checkbox"/> 1.40 <input type="checkbox"/> 1.60 <input type="checkbox"/>	Camber at Ride Height -1.0 Deg
	Ride Height Notes mm
Wheelbase Short <input type="checkbox"/> Med <input checked="" type="checkbox"/> Long <input type="checkbox"/>	
Rear Toe-in & Track Washers	Anti-squat Washers
0.00 Difference = 0.00° Toe-in <input type="checkbox"/>	0.00 Difference = 0.00° Anti-squat <input type="checkbox"/>
0.50 Difference = 0.60° Toe-in <input type="checkbox"/>	0.50 Difference = 0.60° Anti-squat <input type="checkbox"/>
1.00 Difference = 1.30° Toe-in <input type="checkbox"/>	1.00 Difference = 1.30° Anti-squat <input type="checkbox"/>
1.50 Difference = 1.95° Toe-in <input type="checkbox"/>	1.50 Difference = 1.95° Anti-squat <input type="checkbox"/>
2.00 Difference = 2.60° Toe-in <input type="checkbox"/>	2.00 Difference = 2.60° Anti-squat <input type="checkbox"/>
2.50 Difference = 3.25° Toe-in <input type="checkbox"/>	2.50 Difference = 3.25° Anti-squat <input type="checkbox"/>
3.00 Difference = 3.90° Toe-in <input type="checkbox"/>	3.00 Difference = 3.90° Anti-squat <input type="checkbox"/>
Rear 3.0 mm Front 0 mm	Rear 1.0 mm Front 1.0 mm
Blocks Moulded <input type="checkbox"/> Alloy <input checked="" type="checkbox"/>	Link Washers 2.0 mm
Rear Hub Carrier Alloy <input type="checkbox"/> Std <input checked="" type="checkbox"/>	
Alloy Hub Carrier +1° <input type="checkbox"/> -1° <input type="checkbox"/>	
	Pin High R F <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>
	Pin Low <input type="checkbox"/> <input type="checkbox"/>