

**Driver and Event**

Name \_\_\_\_\_

Date \_\_\_\_\_

Event \_\_\_\_\_

Weather \_\_\_\_\_

Result \_\_\_\_\_

**Track Conditions**

Surface \_\_\_\_\_

Grip Level \_\_\_\_\_

Track Condition \_\_\_\_\_



**Electrics and Gearing**

E.S.C \_\_\_\_\_

Servo \_\_\_\_\_

Receiver \_\_\_\_\_

Batteries \_\_\_\_\_

Motor \_\_\_\_\_

Spur Gear 98T  95T

Pinion \_\_\_\_\_

LH Cell Position  
Forward  Backward

**Wheels and Tyres**

Rear Wheels \_\_\_\_\_

Rear Tyre \_\_\_\_\_

Rear Insert \_\_\_\_\_

Front Wheels \_\_\_\_\_

Front Tyre \_\_\_\_\_

Front Insert \_\_\_\_\_

**Additional Settings**

Car Weight \_\_\_\_\_

Weights Added \_\_\_\_\_

Chassis Carbon  Option

Wing Gurney Height \_\_\_\_\_ mm

NOTES

**Diff Type**

Front	Ball <input type="checkbox"/>	Gear <input type="checkbox"/>	Diff Oil
Rear	Ball <input type="checkbox"/>	Gear <input type="checkbox"/>	

**Rear Shocks**

Shock Cap Sealed

Oil \_\_\_\_\_ Spring \_\_\_\_\_ Vented  Emulsion

Piston \_\_\_\_\_

Drilled  Hole Size \_\_\_\_\_ mm

Shock Length \_\_\_\_\_ mm

**Front Shocks**

Shock Cap Sealed

Oil \_\_\_\_\_ Spring \_\_\_\_\_ Vented  Emulsion

Piston \_\_\_\_\_

Drilled  Hole Size \_\_\_\_\_ mm

Shock Length \_\_\_\_\_ mm

**Rear Suspension**

Anti roll bar No  1.00  1.20  1.40  1.60

Wheelbase Short  Med  Long

Camber at Ride Height \_\_\_\_\_ Deg

Ride Height \_\_\_\_\_ mm

**Anti-squat Washers**

0.00 Difference = 0.00° Toe-in

0.50 Difference = 0.60° Toe-in

1.00 Difference = 1.30° Toe-in

1.50 Difference = 1.95° Toe-in

2.00 Difference = 2.60° Toe-in

2.50 Difference = 3.25° Toe-in

3.00 Difference = 3.90° Toe-in

**Rear Toe-in & Track Washers**

0.00 Difference = 0.00° Toe-in

0.50 Difference = 0.60° Toe-in


1.00 Difference = 1.30° Toe-in

1.50 Difference = 1.95° Toe-in

2.00 Difference = 2.60° Toe-in

2.50 Difference = 3.25° Toe-in

3.00 Difference = 3.90° Toe-in



Rear mm Front mm

Link Washers \_\_\_\_\_ mm

Rear mm Front mm

Blocks Moulded  Alloy

Rear Hub Carrier Alloy  Std

Alloy Hub Carrier +1°  -1°

**Front Suspension**

Anti roll bar No  1.00  1.20  1.40  1.60

Camber at Ride Height \_\_\_\_\_ Deg


Ride Height \_\_\_\_\_ mm

Toe-In \_\_\_\_\_ Deg

Washers \_\_\_\_\_ mm

Track Washers \_\_\_\_\_ mm

Blocks Moulded  Alloy



Front Yoke (Kit) 12.5  (10.0)  7.5