

## Track Conditions

**Composition:**  Astotruf  Carpet  Clay  Dirt  Grass  Soft Dirt  \_\_\_\_\_  
**Traction:**  Low  Medium  High **Size:**  Small  Medium  Large **Environment:**  Indoor  Outdoor  
**Condition:**  Dry  Dusty  Wet  Muddy **Surface:**  Smooth  Bumpy  Rutted

## FRONT SUSPENSION

Bumpsteer Shim \_\_\_\_\_  
 Ackermann Shim \_\_\_\_\_  
 Steering Stop Shim \_\_\_\_\_

Ride Height: \_\_\_\_\_ Hex: \_\_\_\_\_

Camber: \_\_\_\_\_ Caster: \_\_\_\_\_ Toe: \_\_\_\_\_  
 Kick-up: \_\_\_\_\_ Sweep: \_\_\_\_\_ Droop: \_\_\_\_\_

**A Block**  
 (Center Dot Insert = 0°)

**B Block**  
 (Center Dot Insert = 10°)

**Wheelbase**

**Front Arm**  
**Rear Arm**

Large 1mm      Small 0.5mm

## REAR SUSPENSION

**Shock Tower**  
 Stock  
 Option

Camber: \_\_\_\_\_  
 Toe: \_\_\_\_\_  
 Anti-Squat: \_\_\_\_\_  
 Droop: \_\_\_\_\_  
 Ride Height: \_\_\_\_\_  
 Hex: \_\_\_\_\_

**Chassis Brace**  
 Short Rear  
 Long Rear

1mm shim  
 2mm shim     No Shim

**C Block**  
 (Center Dot Insert = 2°)

**D Block**  
 (Center Dot Insert = 1.5°)

## DIFFERENTIAL

Front: \_\_\_\_\_ Center: \_\_\_\_\_ Rear: \_\_\_\_\_

## ANTI-ROLL BAR

Front: \_\_\_\_\_ Rear: \_\_\_\_\_

## TIRES

Fr Tire: \_\_\_\_\_  
 Fr Insert: \_\_\_\_\_  
 Fr Wheel: \_\_\_\_\_  
 Rr Tire: \_\_\_\_\_  
 Rr Insert: \_\_\_\_\_  
 Rr Wheel: \_\_\_\_\_

## SHOCKS

FRONT	REAR
_____ Spring _____	_____ Spring _____
_____ Oil _____	_____ Oil _____
_____ Piston _____	_____ Piston _____
_____ Limiters _____	_____ Limiters _____
_____ Rebound _____	_____ Rebound _____
_____ Build _____	_____ Build _____

## AERODYNAMICS

**Body:** \_\_\_\_\_

**Wing:** \_\_\_\_\_

**Lip:** \_\_\_\_\_

Shim/Direction: 3°, 1.5°, 0°, 1.5°, 3°

Total Angle:  9°  7.5°  6°  4.5°  3°

Rear: ○○○○  
 Front: ○○○○

## ELECTRONICS

Motor: \_\_\_\_\_ Battery: \_\_\_\_\_  
 Pinion: \_\_\_\_\_ Spur: \_\_\_\_\_  
 ESC: \_\_\_\_\_  
 Servo: \_\_\_\_\_ Radio: \_\_\_\_\_

# NOTES