

RACE	2015 European Championship	
TRACK	Robin Hood Raceway Dirt	
NAME	Malin	DATE 09/08/2015

LAPS		BEST LAP TIME	19.46 sec
QUALIFYING POSITION		FINAL POSITION	

TRACK SIZE	<input type="checkbox"/> OPEN	<input checked="" type="checkbox"/> MEDIUM	<input type="checkbox"/> TIGHT
TRACK TRACTION	<input type="checkbox"/> HIGH	<input checked="" type="checkbox"/> MEDIUM	<input type="checkbox"/> LOW
TRACK SURFACE	<input checked="" type="checkbox"/> SMOOTH	<input type="checkbox"/> MEDIUM	<input type="checkbox"/> BUMPY
TRACK TYPE	<input type="checkbox"/> HARD PACKED	<input type="checkbox"/> SOFT DIRT	<input checked="" type="checkbox"/> CLAY
	<input type="checkbox"/> CARPET	<input type="checkbox"/> BLUE GROOVE	<input type="checkbox"/> ASTRO TURF
		<input type="checkbox"/> GRASS	
TRACK CONDITION	<input checked="" type="checkbox"/> DRY	<input type="checkbox"/> DUSTY	<input type="checkbox"/> WET
		<input type="checkbox"/> MUD	

DIFFERENTIAL TYPE		
FRONT ↓	MIDDLE ↓	REAR ↓
GEAR DIFF <input checked="" type="checkbox"/>	GEAR DIFF <input checked="" type="checkbox"/>	GEAR DIFF <input checked="" type="checkbox"/>
BALL DIFF <input type="checkbox"/>	SLIPPER <input type="checkbox"/>	BALL DIFF <input type="checkbox"/>
OIL 10.000 cSt	OIL 1.000.000 cSt	OIL 8.000 cSt
SATELLITE GEARS		
COMPOSITE <input type="checkbox"/>	COMPOSITE <input type="checkbox"/>	COMPOSITE <input type="checkbox"/>
STEEL <input checked="" type="checkbox"/>	STEEL <input checked="" type="checkbox"/>	STEEL <input checked="" type="checkbox"/>
CROWN GEAR		
COMPOSITE <input type="checkbox"/>	COMPOSITE <input checked="" type="checkbox"/>	COMPOSITE <input type="checkbox"/>
STEEL <input type="checkbox"/>	STEEL <input type="checkbox"/>	STEEL <input type="checkbox"/>
ALU <input checked="" type="checkbox"/>	ALU <input type="checkbox"/>	ALU <input checked="" type="checkbox"/>

COMPOSITE <input type="checkbox"/>	PINION <input type="checkbox"/>	COMPOSITE <input type="checkbox"/>
STEEL <input checked="" type="checkbox"/>	STEEL <input checked="" type="checkbox"/>	STEEL <input checked="" type="checkbox"/>

GEARING	
PINION	21
SPUR GEAR	81

FRONT	SHOCKS	REAR
1dot	SPRINGS	1dot
cSt 600	OIL	cSt 500
% 0	REBOUND	% 0
mm 2mm	DOWNSTOP SHIM	mm 2mm
YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	UPSTOP TRAVEL ORING	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
<input type="checkbox"/> 2 HOLES	PISTONS	<input type="checkbox"/> 2 HOLES
<input type="checkbox"/> 3 HOLES	<input type="checkbox"/> ø1.0mm	<input type="checkbox"/> 3 HOLES
<input type="checkbox"/> 6 HOLES	<input type="checkbox"/> ø1.1mm	<input type="checkbox"/> 6 HOLES
	<input type="checkbox"/> ø1.2mm	<input type="checkbox"/> 2 HOLES
	<input type="checkbox"/> ø1.3mm	<input type="checkbox"/> 3 HOLES
	<input type="checkbox"/> ø1.4mm	<input type="checkbox"/> 6 HOLES
	CUSTOM PISTONS	
<input checked="" type="checkbox"/> 2 HOLES	<input type="checkbox"/> ø1.6mm	<input checked="" type="checkbox"/> 2 HOLES
	<input type="checkbox"/> ø1.7mm	

FRONT	ANTI ROLL BAR	REAR
1.2 mm	THICKNESS	1.4 mm

FRONT	TIRES	REAR
HoleShot M3	TYPE	HoleShot M3
Stock	INSERTS	Stock
Xray 12mm	WHEELS	Xray 12mm

ELECTRONICS		
MOTOR	ORCA RX3 6.5T	ORCA VX3
TIMING	Stock	ORCA 4800mAh
		BATTERIES

ELECTRONICS LAYOUT	
SERVO POSITION	LEFT <input type="checkbox"/> RIGHT <input checked="" type="checkbox"/>
MOTOR POSITION	FRONT <input type="checkbox"/> REAR <input checked="" type="checkbox"/>
SPEEDO POSITION	LEFT <input checked="" type="checkbox"/> RIGHT <input type="checkbox"/>
RECEIVER POSITION	LEFT <input type="checkbox"/> RIGHT <input checked="" type="checkbox"/>
BATTERY TYPE	SADDLE PACK <input type="checkbox"/> SHORT <input checked="" type="checkbox"/>

COMMENTS
 6mm spacer under camber link on rear alu. upright 363351/363352
 Xray alu. ackerman bar forward/inner holes 362573.
 Independent servo mount 366220.
 Alu. central bulkhead 364021.
 Shock rod ends unscrewed 1mm.

