


NAME _____ DATE _____ TEMPERATURE AIR / TRACK °C / °C

COUNTRY _____ ASPHALT OUTDOOR INDOOR CARPET

RACE _____ TRACK CONDITION BUMPY FLAT TECHNICAL MIXED FAST

TRACK _____ TRACTION LOW MEDIUM HIGH



STEERING HUB POSTS

ST1208

ST1208-C5

OTHER _____

SUSPENSION PLATE

C1205

C1205-ZT

C1205AL

C1205AL-ZT

OTHER _____

SERVO PLATE

C1201

C1201-ZT

STEERING BLOCKS

AT1204

AT1204-ZT

OTHER _____

FOAM BUMPER

P1215

OTHER _____

BUMPSTEER SHIMS _____ mm

JOINT SET

SS3X4 OR125

SCS OR127

AM1205

YES

NO

BODY HOLDER SHIMS _____ mm

DAMPER STD LW

DAMPER OIL _____

CAMBER

0.75 deg

1.00 deg

1.25 deg

1.50 deg

1.75 deg

OTHER _____

FRONT HUBS SETUP

SPRING SPR12FS SPR12FM SPR12FH

SPR12F- C0.9 C1.3 C1.7

TOP SHIMS _____ mm _____ pcs

BOTTOM SHIMS _____ mm _____ pcs

O-RINGS 0pcs 1pcs 2pcs

O-RING TYPE _____

GREASE _____

FLUID _____

WHEEL BASE

SHORT

LONG

SIDE BEAM SCREWS

SIDE SPRINGS

SPR12S-C0.5

SPR12S-C0.4

SPR12S-C0.6

OTHER _____

RIDE HEIGHT SPACERS _____ mm

REAR AXLE

SSS SPOOL BALL DIFF GEAR DIFF

CS-1 SPOOL LOOSE BRAND _____

CARBON MEDIUM OIL _____

STEEL TIGHT

DROOP SCREW DEPTH _____ mm

RIDE HEIGHT		FRONT DROOP	
FRONT (FRH)	mm	FRONT	mm
UNDER DAMPER (DRH1)	mm	REAR DROOP	mm
UNDER DAMPER (DRH)	mm	TRACK WIDTH	
REAR (RRH)	mm	FRONT	mm
		REAR	mm

SERVO	BATTERY
SERVOSAVER	BATTERY PLUGS FRONT <input type="checkbox"/> BACK <input type="checkbox"/>
TOE OUT	SERVO POSITION LEFT <input type="checkbox"/> RIGHT <input type="checkbox"/>
STEER. TRAVEL IN ° OUT °	ESC POSITION LEFT <input type="checkbox"/> RIGHT <input type="checkbox"/>

TIRES	FRONT	REAR	FRONT		REAR	
BRAND						
TYPE						
DIAMETER	mm	mm	TIME	min	TIME	min
ADDITIVE						

MOTOR	TOTAL WEIGHT	g
SPUR PINION ROLLOUT	F/R WEIGHT DISTRIBUTION	%
BODY	RECEIVER	
ESC	RADIO	
ESC SETTING		
BEST LAPTIME	QUALIF. / FINAL POSITION	/

COMMENTS: