



NAME **Marc Rheinard**
 COUNTRY **Germany**
 RACE **ETS round 3 Andernach**
 TRACK **Arena33**

DATE **03.09.2023** TEMP. °C AIR / TRACK /
 TRACK SURFACE ASPHALT CARPET
 TRACK LAYOUT TECHNICAL MIXED FAST
 TRACTION LOW MEDIUM HIGH



CAMBER ANGLE / °	2
CASTER ANGLE / °	4
TOE ANGLE / °	1
RIDE HEIGHT / MM	5
DOWNSTOP / MM	5.6
ANTI-ROLL BAR Ø / MM	1.2
ARB STIFFENER 1/4 <input type="checkbox"/> 1/2 <input type="checkbox"/> 3/4 <input type="checkbox"/> 1 <input type="checkbox"/>	
LOWER ARM EXTENSION	0MM
STEER. ARM AM14LS <input checked="" type="checkbox"/>	
WHEEL SPACER / MM	
DRIVE SPOOL <input checked="" type="checkbox"/> DIFF <input type="checkbox"/>	
DRIVE POSITION UP <input checked="" type="checkbox"/> DOWN <input type="checkbox"/>	
DIFF OIL	DIFF SHIMS

SHOCKS SETUP

DAMPER D3 <input checked="" type="checkbox"/>	ROTOR 2 HOLES <input checked="" type="checkbox"/>
SPRING STD <input type="checkbox"/> S <input checked="" type="checkbox"/>	SRS/RHS ARR. I <input checked="" type="checkbox"/> II <input type="checkbox"/>
PSS SETUP 25% <input checked="" type="checkbox"/> 15% <input type="checkbox"/>	DAMPING LINEAR <input type="checkbox"/> PROGRESSIVE <input checked="" type="checkbox"/>
C45 YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	2ND SPRING SPR-P1 <input type="checkbox"/>

CAMBER ANGLE / °	2.5
CASTER ANGLE / °	-2
TOE ANGLE / °	2.5
RIDE HEIGHT / MM	5.4
DOWNSTOP / MM	4.6
ANTI-ROLL BAR Ø / MM	1,1
ARB STIFFENER 1/4 <input type="checkbox"/> 1/2 <input type="checkbox"/> 3/4 <input type="checkbox"/> 1 <input type="checkbox"/>	
LOWER ARM EXTENSION	0MM
STEER. ARM AM23-R <input checked="" type="checkbox"/>	
WHEEL SPACER / MM	
DRIVE (surprise us) diff	
DRIVE POSITION UP <input checked="" type="checkbox"/> DOWN <input type="checkbox"/>	
DIFF OIL 6k	DIFF SHIMS big shim

SHOCKS SETUP

DAMPER D3 <input checked="" type="checkbox"/>	ROTOR 2 HOLES <input checked="" type="checkbox"/>
SPRING STD <input checked="" type="checkbox"/> S <input type="checkbox"/>	SRS/RHS ARR. I <input checked="" type="checkbox"/> II <input type="checkbox"/>
PSS SETUP 25% <input type="checkbox"/> 15% <input type="checkbox"/>	DAMPING LINEAR <input checked="" type="checkbox"/> PROGRESSIVE <input type="checkbox"/>
C45 YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	2ND SPRING SPR-P1 <input type="checkbox"/>

CHASSIS FLEX AND WEIGHT SETTINGS

LOWER DECK C01B-RA C01B-RC

BUMPER TOP PLATE CUT

C26

FRONT TOP DECK C127S C127 REAR TOP DECK C127S C127

SINGLE TOP DECK C27MMX

TIRES

Matrix D36

INSERTS **Matrix**

WHEELS **Matrix**

ADDITIVE **MR33 V3** TIME - FR **20** RR **20**

TOTAL WEIGHT **1307** WEIGHT DISTRIBUTION F **50** % R **50** %

NOTES:

MOTOR LATERAL SHIFT / MM	ACKERMANN SHIMS / MM full backwards
MOTOR Orca 4.5	SERVO PowerHD S15
SPUR 112 PINION 30 RATIO 7.09	STEER TRAVEL IN 26 OUT
BODY Xtreme Speciale UL	BATTERY Orca 6090
WING Twister 0.5	RECEIVER Flysky
ESC Orca OE1 WLE	RADIO Flysky Noble Pro
ESC SETTING	
BEST LAP TIME	QUALIF./FINAL POSITION 3 / 3

COMMENTS:
RC Maker Battery Mount (RCM-A800R-BM)