

# IF14

## SET-UP SHEET

NAME	Naoto MATSUKURA
DATE	18. June. 2017
TRACK	Hudy Arena
EVENT	ETS 2017 Round5

QUAL. POSITION	FINAL POSITION	BEST LAP	RACE LENGTH
3	3	sec	min

TEMPERATURE AIR	TEMPERATURE TRACK

TRACK	
TRACK SURFACE	<input checked="" type="checkbox"/> ASPHALT <input type="checkbox"/> CARPET
TRACK LAYOUT	<input type="checkbox"/> TECHNICAL <input checked="" type="checkbox"/> MIXED <input type="checkbox"/> FAST
TRACTION	<input type="checkbox"/> LOW <input checked="" type="checkbox"/> MEDIUM <input type="checkbox"/> HIGH

FRONT	TRANSMISSION	REAR
<input checked="" type="checkbox"/> SOLID AXLE		
<input type="checkbox"/> ONE WAY		
<input type="checkbox"/> GEAR DIFFERENTIAL	<input checked="" type="checkbox"/> GEAR DIFFERENTIAL	
OIL	OIL	Hudy 8000, 1.4g
PINION GEAR	SPUR GEAR	FINAL DRIVE RATIO
29	112	7.338





FRONT	SHOCKS	REAR
STD + PSS(XRAY)	SHOCK TYPE	STD + PSS(XRAY)
XRAY 2.5-2.8	SPRINGS	XRAY 2.5-2.8
Hudy 450	OIL	Hudy 450
0	REBOUND (%)	0
<input type="checkbox"/> 3 HOLES <input type="checkbox"/> 1.1mm	PISTONS	<input type="checkbox"/> 3 HOLES <input type="checkbox"/> 1.1mm
<input type="checkbox"/> 4 HOLES <input type="checkbox"/> 1.2mm		<input type="checkbox"/> 4 HOLES <input type="checkbox"/> 1.2mm
9.5 mm	LENGTH	9.5 mm
O-ring : AXON(M)	OTHER	O-ring : AXON(M)
1.3 mm	ANTI-ROLL BAR	1.3 mm

FRONT	TIRES	REAR
	TIRES	
	INSERTS	
	WHEELS	
	ADDITIVE	
	ADDITIVE TIMING	

SUSPENSION HOLDER			
<b>FF</b>	<b>RF</b>	<b>FR</b>	<b>RR</b>
HOLDER	HOLDER	HOLDER	HOLDER
<input type="checkbox"/> 0.0	<input type="checkbox"/> 0.0	<input type="checkbox"/> 0.0	<input type="checkbox"/> 0.0
<input type="checkbox"/> 4.5	<input type="checkbox"/> 4.5	<input type="checkbox"/> 4.5	<input type="checkbox"/> 4.5
<input checked="" type="checkbox"/> 6.0	<input checked="" type="checkbox"/> 6.0	<input checked="" type="checkbox"/> 6.0	<input checked="" type="checkbox"/> 6.0
ECCENTRIC BUSHINGS		ECCENTRIC BUSHINGS	
<input checked="" type="checkbox"/> 0.5	<input type="checkbox"/> 0.5	<input type="checkbox"/> 0.5	<input type="checkbox"/> 0.5
<input type="checkbox"/> 1	<input checked="" type="checkbox"/> 1	<input type="checkbox"/> 1	<input checked="" type="checkbox"/> 1

OTHER

MOTOR	TIMING
ESC	BATTERIES
BODY	WING



COMMENTS  
 Use ARS. Link high: chassis=6.0, Upright=2.0mm  
 Use Prototype shock tower (Front and Rear)  
 Use Prototype motor mount.