



Driver: Ollie Payne

Track: Chesterfield

Event: National Start Setup

Date:

Qualifying:

Final:

Best Lap:

## TRACK TYPE

Grip Level High ☐ Medium ☐ Low ☐

Type Tight ☐ Open ☐ Mixed ☐

Condition Flat ☐ Bumpy ☐ Mixed ☐

Carpet Type Lindau

Track Temp °C

Weather

## TYRES

Side Wall Glue F: Y ☐ N ☐

Tyres Front: K35 Rear: K30

Diameter Front: 40.5 mm Rear: 41.5 mm

Additive Coverage Front: 10mm

Additive On Time Front: 2 Rear: 40  
Total time before the race starts

Additive Off Time Front: 2 Rear: 4  
Total time the tyre is dry before the race

Tyre Age Runs: 0 Time Between Runs n/a

## Notes:

Pre production front spring used. For Bronze droop shims may vary slightly.

## FRONT

KEY: CF = Carbon Fibre, AL = Aluminium, P = Plastic, F = Front, R = Rear  
H = High, L = Low, Y = Yes, N = No, V = Vertical, H = Horizontal

Ride Height 3.2 mm

Toe Out 1.0 deg St Links mm



Servo Saver Type kit

Steering Travel 30 in out

Castor (+Ride Height Set) 4 deg

Wide Front End Y ☐ N ☐ Brace Y ☐

Droop 0.6 mm

Notes:  
use 1.5mm front spacers then slide in front height spacers 0.75+0.50 left and right.

## REAR

KEY: CF = Carbon Fibre, AL = Aluminium, P = Plastic, F = Front, R = Rear  
H = High, L = Low, Y = Yes, N = No, V = Vertical, H = Horizontal

Ride Height 3.6 mm

Droop 1.0 mm



Track width (total) 172 mm

Drive Type Diff ☐ Spool ☐ Hex ☐

Diff Preload (if applicable) titan °

Eccentric Height 0.25

Pod Angle 4.3 mm  
Kit = 4.2mm

Notes:  
Maximum forward lipo, titanium axle, must test gold side springs

## BODYSHELL

Body Ketter

Rear Wing Height 82 mm

Front Height 5 mm

Front Post Hole # N/A

Front Post Hanger #

Rear Post Hole #

Rear Post Hanger #

Body F/R Offset 0 mm

Body Weight 21 g

Foam Pads (U2840) F ☐ R ☐

Notes:  
150mm wide gurney 83.5mm, 4mm L

## CHASSIS

Chassis AL ☐ CF ☐

Centre Pivot AL ☐

Spacing 1 mm

Total Weight 735 g

Weight Distribution F : R

Motor Spacer 0 mm

Motor Fan No

Notes:

## ELECTRONICS

E.S.C. Hobbywing

Servo Sanwa

RX Sanwa

LiPo Aerxo

Motor Hobbywing

Rotor Dia. mm

Timing 45 deg

Gear Pitch 48 ☐ 64 ☐

Pinion 42 t

Spur 76 t

Rollout mm/rev

## Notes: