

Driver: Michal Orlowski Track: Rc Addict Event: TITC 26
 Date: 02/26 Qualifying: P1 Final: P1 Best Lap: 13.8

TRACK TYPE

Grip Level High Medium Low
 Type Tight Open Mixed
 Condition Flat Bumpy Mixed
 Surface Tarmac (Asphalt) Carpet
 Track Temp 25 °C
 Weather

Notes:

TYRES

Side Wall Glue Height Ø mm
 Tyres Sweep D40
 Cleaner Mighty Yellow
 Additive Mighty Yellow Wet on track
 Additive Time Front: 15 mins Rear: 15 mins
 Heating Time Front: 15 mins Rear: 15 mins
 Heating Temp Front: 80 °C Rear: 80 °C


Notes:

FRONT

KEY: CF = Carbon Fibre, AL = Aluminium, P = Plastic, ST = Steel
 F = Front, R = Rear

Ride Height 4.8 mm
 Camber 1.0 deg
 Droop 23.6 mm
 Castor 4.0 deg
 Toe -1.0 deg
 Anti Roll Bar 1.1 1.2 1.3 1.4
 Upper Link Mount 0 Notch 1 Notch 2 Notch
 Spool Height U8777 +0.5mm Alloy Eccentric U9523 Low Trans Housing
 Servo Horn Height 17 mm Saver
 Steering Travel 24 in out
 Shock Mount Position Inboard Outboard

Notes:




REAR

KEY: CF = Carbon Fibre, AL = Aluminium, P = Plastic, ST = Steel
 F = Front, R = Rear

Ride Height 5.4 mm
 Camber 1.5 deg
 Droop 22.6 mm
 Castor 1.5 deg
 Toe 3.0 deg
 Anti Roll Bar 1.1 1.2 1.3 1.4
 Upper Link Mount 0 Notch 1 Notch 2 Notch
 Diff Height U8777 +0.5mm Alloy Eccentric U9522 Low Trans Housing
 Diff Setting 10000 cSt Diff Checker # 190 Warming Duration: 1 min

Notes:



BODYSHELL

Body Speciale
 Wing Twister End Plates
 Wing Height 116 mm
 Splitter Height 7.0 mm
 Body Weight 65 g
 Body Offset Fwrd 66 mm
 Front Post 1dot 2dot 3dot Pin Hole 5
 Rear Post 1dot 2dot 3dot Pin Hole
 Type:

Notes:

CHASSIS

Chassis
 ST CF AL
 Top Deck Options 1 Pc TITC U9550
 Front 2 Piece C/F 1.6 C/F 2.0
 Rear 2 Piece C/F 1.6 C/F 2.0
 Motor Mount Screws R F
 PTFE Tape Total Weight 1305 g
 Weight Distribution 50% 50g - Rear

ELECTRONICS

E.S.C. Elceram Nitride + g
 Servo Power HD GTS 2S
 RX Sanwa +15 g
 LiPo Coyote 6300 + g
 Motor 4.5T Spacers mm
 Rotor Dia. 12.3 mm
 Timing 35 deg
 Gear Pitch 48 64
 Pinion 19 t
 Spur 69 t
 Ratio 6.6

SHOCKS

KEY: x = Stroke, e = external

	FRONT	REAR
Spring	<u>2.6-2.9</u>	<u>2.8</u>
Oil	<u>450</u> cSt	<u>450</u> cSt
Piston	Kit <input checked="" type="checkbox"/>	Kit <input type="checkbox"/>
Length (x)	<u>8.0</u> mm	<u>8.0</u> mm
Rebound	<u>0.0</u> mm	<u>0.0</u> mm
Limiters (e)	<u>0.0</u> mm	<u>0.0</u> mm
Body	Kit <input type="checkbox"/>	K-Coat U8770 <input checked="" type="checkbox"/>

Notes: