

Notes:



	Driver:	Track:	Event:	
	Date:	Qualifying:	Final:	Best Lap:
TRACK TYPE	TYRES		Notes:	
	Tyres			
Type Tight Open Mixe	Cleaner			
Condition Flat Bumpy Mixe	Additive			
Surface Tarmac (Asphalt) Carp	Additive Tin	ne Front: mins Rear:	mins	
Track Temp	*C Heating Tim	ne Front: mins Rear:	mins	
Weather Notes:	Heating Ten	np Front: °C Rear:	°C	
Notes.				
FRONT KEY: CF = Carbon Fibre, AL = Aluminium, P = Plastic, F = Front, R = Rear H = High, L = Low, Y = Yes, N = No, V = Vertical, H = Horizontal Shock Mount Position				
Ride Height	Option Front ST Arm	432 ₁ Inner Li	ink Height	Hub Carrier P AL
Camber	deg		***	FLI ALLI
Droop	mm B			
Castor	deg ABB			
Toe	deg Outer Link Height mm			
	.4			Bump Steer Spacer
Upper Link Mount 0 dot 1 d	ot 🗆 💮			g mm
Spool Height H		g	T	Ackermann Spacer
Diff Oil (if applicable)	cSt	F mm		
Servo Horn Height mm Save		Med R mm		mm
Steering Travel in	out ' '	Kit) Arm Spacers g		g
Notes:	Hex Spacers	mm		
REAR KEY: CF = Carbon Fibre, AL = Aluminium, P = Plastic, F = Front, R = Rear H = High, L = Low, Y = Yes, N = No, V = Vertical, H = Horizontal				
Ride Height	mm	Shock Mount Position Inner Link	k Height mm	
Camber	deg	54321		Hub Carrier P AL
Droop	mm (
Castor	deg Outer Link Height			
Toe	deg mm			изешнуэс
Anti Roll Bar (1.1 1.2 1.3 1	.4 🗆			Active Toe Spacer
Upper Link Mount 0 dot ☐ 1 d	ot 🗆	Cohumacher 44.00		mm
Diff Height H				Top Deck Dowel Position
Diff Oil	cSt	g		BO
Notes:	Hex Width Slim Med	R mm		A
	(-1mm) (Kit	Arm Spacers	g	
	Hex Spacers	mm	g	
BODYSHELL	CHASSIS	ELECTRONICS	SHOCK	V - Veriteu (Drilleu), 3 - Sealeu
Body	assis AL CF	E.S.C.	Cap Type	FRONT REAR
Wing	Deck 2mm Kit	Servo	Body	Kit Kashima Coated
Wing Height mm	1.6mm	RX [Oil	cSt cSt
Front Height mm	Brace Y N	LiPo		
	otor Mount Screws	Motor	Piston	
	1 2 3 4 ar 🔲 🔲 🔲 Front	Rotor Dia. (mm	Spring (s)	
I Ne	tal Weight 9	Timing deg	Length (x)	mm mm
		Gear Pitch 48 64	Rebound	mm mm
Body Offset Fwrd mm F	ss Damper cSt	Pinion t	(Limiters (e)	mm (mm)
Wing Offset Rwrd mm	cSt	Spur	Notes:	
Not	es:		≾	

Ratio