

Driver: *Bob Briere*

Track: *360v2*

Event: *NYGP 2024*

Date: *10-13-2024*

Qualifying: *10*

Final: *7*

Best Lap: *11.4*

TRACK TYPE

Grip Level High Medium Low
 Type Tight Open Mixed
 Condition Flat Bumpy
 Surface Tarmac (Asphalt) Carpet
 Track Temp _____ °C
 Weather _____

Notes

TYRES

Side Wall Glue Height Ø _____ mm
 Tyres *Gravity Handout*
 Cleaner _____
 Additive *SXT3.0* Wet on track
 Additive Time Front: *5* mins Rear: *5* mins
 Heating Time Front: _____ mins Rear: _____ mins
 Heating Temp Front: _____ °C Rear: _____ °C

Notes


Qualified 3rd in the B - tagn the win bumped me up to 10th in the A and finished 3 spots up to 7th overall.
 Krazed Builds EvoWurks Alloy chassis
 Krazed Builds 2.0Medium CF top deck
 KM Motorsports Spec white belts
 Didnt like the 1.3bar on the front - felt it caused some unwated washout on exit. The 1.2 bar was too aggressive on exit so compromised for the 1.3 and laying the shocks inward.

FRONT

KEY: CF = Carbon Fibre, AL = Aluminium, P = Plastic
 F = Front, R = Rear

Ride Height *5.2* mm
 Camber *2* deg
 Droop *23.6* mm
 Castor *4* deg
 Toe *-1* deg
 Anti Roll Bar 1.1 1.2 1.3 1.4
 Upper Link Mount 0 Notch 1 Notch
 Spool Height ↑ ↓ U8777 +0.5mm Alloy Eccentric U8729 High Trans Housing
 Servo Horn Height _____ mm Saver
 Steering Travel _____ in _____ out

Notes




REAR

KEY: CF = Carbon Fibre, AL = Aluminium, P = Plastic
 F = Front, R = Rear

Ride Height *5.4* mm
 Camber *2* deg
 Droop *22.4* mm
 Castor *4* deg
 Toe *1.5* deg
 Anti Roll Bar 1.1 1.2 1.3 1.4
 Upper Link Mount 0 Notch 1 Notch
 Diff Height ↑ ↓ U8777 +0.5mm Alloy Eccentric U8729 High Trans Housing
 Diff Setting Diff Checker # *7k*cSt Warming

Notes



BODYSHELL

Body *Zoo Wolverine*
 Wing _____
 Wing Height _____ mm
 Splitter Height _____ mm
 Body Weight _____ g
 Body Offset Fwrd _____ mm
 Wing Offset Rwrd _____ mm
 Wing End Plates
 Front Post 1dot 2dot 3dot Pin Hole *123456*
 Rear Post 1dot 2dot 3dot Pin Hole *123456*

Notes

CHASSIS

Chassis AL CF
 Top Deck Options
 CF 1 Piece 2mm
 Front 2 Piece S2 1.6 S2 1.6
 C/F 1.6 C/F 1.6
 C/F 2.0 C/F 2.0
 T-Brace PTFE Tape
 Motor Mount Screws
 R F
 Total Weight _____ g
 Weight Distribution
 Front: _____ : Rear _____

ELECTRONICS

E.S.C. _____ + _____ g
 Servo _____
 Receiver _____ + _____ g
 Battery _____ + _____ g
 Motor *R1 21.5* Spacers _____ mm
 Rotor Dia. _____ mm
 Timing *46** deg
 Gear Pitch 48 64
 Pinion *49* t
 Spur *96* t
 Ratio *3.562*

SHOCKS

KEY: x = Stroke, e = external

	FRONT	REAR
Spring	<i>ARC 2.6-2.9</i>	<i>ARC 2.7</i>
Oil	<i>400</i> cSt	<i>400</i> cSt
Piston	<i>kit</i>	<i>kit</i>
Length (x)	<i>kit</i> mm	<i>kit</i> mm
Rebound	<i>0</i> mm	<i>0</i> mm
Limiters (e)	_____ mm	_____ mm
Body	Kit <input type="checkbox"/>	Kashima Coated <input type="checkbox"/>

Notes