

Driver: Michal Orlovski Track: Aigen Event: ETS rd2
 Date: July 2024 Qualifying: 1st Final: 1st Best Lap: 14.6

TRACK TYPE

Grip Level High Medium Low
 Type Tight Open Mixed
 Condition Flat Bumpy Mixed
 Surface Tarmac (Asphalt) Carpet
 Track Temp _____ °C
 Weather _____

Notes:

TYRES

Side Wall Glue Height Ø _____ mm
 Tyres Matrix D36
 Cleaner WURTH
 Additive MR33 v3 Wet on track
 Additive Time Front: 20 mins Rear: 20 mins
 Heating Time Front: 20 mins Rear: 20 mins
 Heating Temp Front: 70 °C Rear: 70 °C


Notes:

U8729 x2
 U8570
 U8730 x2

FRONT

KEY: CF = Carbon Fibre, AL = Aluminium, P = Plastic
 F = Front, R = Rear

Ride Height 5.0 mm
 Camber 2 deg
 Droop 23 mm
 Castor 4 deg
 Toe 1 deg
 Anti Roll Bar 1.1 1.2 1.3 1.4
 Upper Link Mount 0 Notch 1 Notch
 Spool Height U8777 +0.5mm Alloy Eccentric U8729 High Trans Housing
 Servo Horn Height 17 mm Saver
 Steering Travel 24 in _____ out




Notes:

REAR

KEY: CF = Carbon Fibre, AL = Aluminium, P = Plastic
 F = Front, R = Rear

Ride Height 5.2 mm
 Camber 2 deg
 Droop 21.6 mm
 Castor 3 deg
 Toe 3.0 deg
 Anti Roll Bar 1.1 1.2 1.3 1.4
 Upper Link Mount 0 Notch 1 Notch
 Diff Height U8777 +0.5mm Alloy Eccentric U8729 High Trans Housing
 Diff Setting Diff Checker # _____ 12k cSt Warming



Notes:

BODYSHELL

Body Speciale UL
 Wing MR33 STD 0.5
 Wing Height _____ mm
 Splitter Height _____ mm
 Body Weight _____ g
 Body Offset Fwrd _____ mm
 Wing Offset Rwrld _____ mm
 Wing End Plates
 Front Post 1dot 2dot 3dot Pin Hole 123456 (xxxxxx)
 Rear Post 1dot 2dot 3dot Pin Hole 123456 (xxxxxx)

Notes:

CHASSIS

Chassis AL CF
 Top Deck Options CF 1 Piece 2mm
 Front 2 Piece S2 1.6 C/F 1.6 C/F 2.0
 Rear 2 Piece S2 1.6 C/F 1.6 C/F 2.0
 T Brace PTFE Tape
 Motor Mount Screws R F
 Total Weight 1300 g
 Weight Distribution
 Front: _____ : _____ : _____ Rear

ELECTRONICS

E.S.C. HW _____ + g
 Servo PowerHD
 RX RX-493i _____ + g
 LiPo Sunpadow _____ + g
 Motor 4.5 _____ Spacers mm
 Rotor Dia. 12.3 mm
 Timing 35 deg
 Gear Pitch 48 64
 Pinion 29 _____ t
 Spur 112 _____ t
 Ratio _____

SHOCKS

KEY: x = Stroke, e = external

	FRONT	REAR
Spring	Black CORE RC	Yellow CORE RC
Oil	450 cSt	400 cSt
Piston	<input type="checkbox"/> Kit <input type="checkbox"/>	<input type="checkbox"/> Kit <input type="checkbox"/>
Length (x)	8 mm	8 mm
Rebound	0 mm	0 mm
Limiters (e)	_____ mm	_____ mm
Body	<input type="checkbox"/> Kit <input type="checkbox"/>	<input type="checkbox"/> Kashima Coated <input type="checkbox"/>

Notes: