

Driver: _____ Track: _____ Event: _____
 Date: _____ Qualifying: _____ Final: _____ Best Lap: _____

TRACK TYPE

Grip Level High Medium Low
 Type Tight Open Mixed
 Condition Flat Bumpy
 Surface Tarmac (Asphalt) Carpet
 Track Temp _____ °C
 Weather _____

Notes

TYRES

Side Wall Glue Height Ø _____ mm
 Tyres _____
 Cleaner _____
 Additive _____ Wet on track
 Additive Time Front: _____ mins Rear: _____ mins
 Heating Time Front: _____ mins Rear: _____ mins
 Heating Temp Front: _____ °C Rear: _____ °C


Notes

FRONT

KEY: CF = Carbon Fibre, AL = Aluminium, P = Plastic
 F = Front, R = Rear

Ride Height _____ mm
 Camber _____ deg
 Droop _____ mm
 Castor _____ deg
 Toe _____ deg
 Anti Roll Bar 1.1 1.2 1.3 1.4
 Upper Link Mount 0 Notch 1 Notch
 Spool Height ↑ ↓ U8777 +0.5mm Alloy Eccentric U8729 High Trans Housing
 Servo Horn Height _____ mm Saver
 Steering Travel _____ in _____ out

Notes




REAR



KEY: CF = Carbon Fibre, AL = Aluminium, P = Plastic
 F = Front, R = Rear

Ride Height _____ mm
 Camber _____ deg
 Droop _____ mm
 Castor _____ deg
 Toe _____ deg
 Anti Roll Bar 1.1 1.2 1.3 1.4
 Upper Link Mount 0 Notch 1 Notch
 Diff Height ↑ ↓ U8777 +0.5mm Alloy Eccentric U8729 High Trans Housing
 Diff Setting Diff Checker # _____ cSt Warming

Notes




BODYSHELL

Body _____
 Wing _____
 Wing Height _____ mm
 Splitter Height _____ mm
 Body Weight _____ g
 Body Offset Fwrd _____ mm
 Wing Offset Rwrd _____ mm
 Wing End Plates
 Front Post 1dot 2dot 3dot Pin Hole 
 Rear Post 1dot 2dot 3dot Pin Hole 

Notes

CHASSIS

Chassis AL CF
 Top Deck Options
 CF 1 Piece 2mm
 Front 2 Piece S2 1.6 S2 1.6
 Rear 2 Piece C/F 1.6 C/F 1.6
 C/F 2.0 C/F 2.0
 T-Brace PTFE Tape
 Motor Mount Screws

 Total Weight _____ g
 Weight Distribution
 Front: _____ : Rear _____

ELECTRONICS

E.S.C. _____ + _____ g
 Servo _____
 Receiver _____ + _____ g
 Battery _____ + _____ g
 Motor _____ Spacers _____ mm
 Rotor Dia. _____ mm
 Timing _____ deg
 Gear Pitch 48 64
 Pinion _____ t
 Spur _____ t
 Ratio _____

SHOCKS

KEY: x = Stroke, e = external

	FRONT	REAR
Spring		
Oil	cSt	cSt
Piston		
Length (x)	mm	mm
Rebound	mm	mm
Limiters (e)	mm	mm
Body	Kit <input type="checkbox"/> Kashima Coated <input type="checkbox"/>	

Notes