

INTRODUCTION

Thank you very much for selecting this Serpent rc car and thus become a member of the ever growing worldwide Serpent racing family. Serpent started in 1980 and has been growing its product-line and fan -base ever since.

The Serpent X20'23 medius is a state of the art 1/10 scale 4WD touringcar which will give you the true Serpent racing experience. The assembly manual will guide you through all the steps to complete the car, so you can hit the track with a good base-set-up soonest. The Serpent design department succeeded to create a superbly performing car combined with eas of assembly and maintenance. The high quality standards of all parts and hardware will make racing your Serpent car a very rewarding activity!

Through our team, website and social media we will keep you up-to-date on all developments of the Serpent cars. We hope to meet you on the track and through our various media! Enjoy the drive!

Team Serpent Multiple World Champions

Instructions

Serpent's long tradition of excellence extends to the instruction manuals, and this instruction manual is no exception. The easy-to-follow layout is richly illustrated with 3D-rendered full-color images to make your building experience quick and easy. Following the instructions will result in a well-built, high-performance race-car that will soon be able to unleash its full potential at the racetrack. The kit includes bags, with bagnumbers, which refer to the same step in the manual. Open only the indicated bag(s) per step and finish that part of the assembly. Remaining parts will be needed lateron in the assembly process.

PLASTIC PARTS

The Serpent moulded parts are very durable and hard. When assembling longer screws in new composite parts, make sure to use new hex bits in your (power) tools. Pre-threading also helps to avoid screw damage.

SETUP

In certain assembly steps you need to make basic adjustments, which will give you a good initial setup for your Serpent X20'23 medius Fine-tuning the initial setup is an essential part of building a high-performance racecar like your Serpent

EXPLODED NIEWS AND PARTS LIST

The exploded views and parts lists for the X20'23 medius are presented in the Reference Guide section in the back of this manual. The exploded views show all the parts of a particular assembly step along with the Serpent part number and hotlink to the Serpent website. Partnumbers in orange indicates that this part is an optional. Optionals part names and numbers are showed below.

CUSTOMER SERVICE

Serpent has made a strong effort to make this manual as complete and clear as possible. Additional info may be published in our website: www.serpent.com or you may ask your dealer or the Serpent distributor for advice, or email Serpent direct: info@serpent.com. The Serpent Facebook, Twitter and Youtube pages give additional means of support and communications.

SAFETY

Read and take note of the 'Read this First section' before proceeding to assemble the car-kit. This car-kit is intended for persons aged 16 or older.

READ THIS FIRST!

- This is a highly technical hobby product, intended to be used in a safe racing environment. This car is capable of speeds in excess of 80 km/h or 50mph. Please follow these guidelines when building and operating this model.
- Parental guidance is required when the builder/user of this car is under 16.
- Follow the building instructions. If in doubt, contact your dealer or importer.
- Be sure to use the proper tools when assembling the car. Always exercise caution when using electric tools, knives and other sharp objects.
- Be careful when using liquids like lubrication oil, fuel or glue. Do not swallow.
- Follow the manufacturer's instruction in case you experience irritation after using the product.
- Be careful when operating the car. Stay away from any rotating parts such as wheels, gears and transmission. Stay away from motor, engine and exhaust pipe system or speedo during and immediately after use, as these parts may be very hot. We advise to use protective hand cloves.
- Only operate this car in a safe environment, like a special racing track or a closed parking lot. Avoid using this car on public roads, crowded places or near infants.
- Before operating this car, always check the mechanical status of the car. Also check that the transmitter and receiver frequencies correspond and are not used by any other racer at the same time. Check that the batteries of the transmitter and receiver- are fully charged.
- After use, always check all the mechanics of the car. We advise to clean the car immediately after use, and inspect the parts for wear or fractures. Replace when necessary. Do not use water, methanol, thinner or other solvents to clean the car.
- Empty the fuel tank (depending on model) if needed and disconnect the receiver battery.
- Store the car in a dry and heated place to avoid corrosion of metal parts.
- Avoid using this car in wet conditions as the water will cause corrosion on the metal parts and bearings and these parts will cease to function properly. If driven in the wet, ensure that all the electric equipment is waterproofed and after use, that all moving parts are dried immediately.

CONTENTS


DIFF ASSEMBLY	4
DJC ASSEMBLY	6
CVD ASSEMBLY	7
THOM A HEAR ACCEMPET	8
moronimoon raddember	11
REAR ASSEMBLY	.13
FRONT ASSEMBLY	.18
ANTIROLLBAR ASSEMBLY	.21
STEERING ASSEMBLY	.22
CENTRAL ASSEMBLY	25
SHOCK ASSEMBLY	28
BUMPER ASSEMBLY	31
FINAL ASSEMBLY	.33
EXPLODED VIEWS	37
TEAM SERPENT NETWORK	48

HOW TO USE THE MANUAL



Lines Description

Each step contains a variety of numbers, lines, and symbols. The numbers represent the order in which the parts should be assembled. The lines are described below.



ICONS DESCRIPTION

Each step contains a variety of symbols described below.



Carefull, read and check very well.



Apply a small amount of cyano glue. Use wear protection for eyes and hands.



Detail view to explain assembly or order of parts better.



Default set-up: This symbol indicates the default setup.



Grease: apply a small amount of grease to the parts shown.



Left and right parts should be assembled in the same way.



Thread lock: apply a small amount on the parts shown. Before to apply the threadlock, make sure to degrease the parts very well, as otherwise the threadlock will not work.



Silicone oil: use the indicated silicone oil for the shocks and differentials.



Parts or items not included in the kit.




Optional part, not standard in the kit.


STEP 1 DIFF BAG











1.2






Use a digital scale to measure the exact amount of oil in the diff.

Differential weight with volume compensators = 8.4 grams













5x8x2.5

M2.5x5









STEP 1

SOLID AXLE BAG

<u>1.4</u>














DJC ASSEMBLY

















1.5x7.8



 \odot 1.5x4x1

 \bigcirc 1.5x4x2


E-CLIP R1

CUD ASSEMBLY


CUD BAG STEP 2

<u> 2.4</u>





2.5





1.5x7.8



(a) 1.5x4x1

FRONT & REAR ASSEMBLY



STEP 3

BAG 1

3.1 FRONT


4X






























*M3*x6



STEP 4





Front 0 degree










OPT 402024 suspension insert lw 0.5deg (4) X20 '23

Rear 0 degree













STEP 5 BAG 2

5.1 FRONT



5.2 REAR

































⊘ □ M3x6





8x12x3.5


C-CLIP R9























REAR ASSEMBLY


STEP 7 BAG 3







7	7	7



Lower arm 0 toe in	Rear	Lower arm 1 toe in
	•	
	0	
~	0	
	0	
	0	✓
	0	











<u>7.3</u>



2X




<u>7.4</u>







<u>7.5</u>























7.6























STEP 8 BRG 4







Lower arm 0 toe, caster angle:		Front		Lower arm 1 toe, caster angle:
-	3 °	0	1°	-
~	4°	0	2 °	
	5°	0	3°	
	6°	0	4°	✓
	7°	0	5 °	
	8°	0	6°	
































<u>8.4</u>



<u>8.5</u>














STEP 9 BAG 5














○ □ M3x2.5


STEERING ASSEMBLY


STEP 10

<u> 18.1</u>



<u> 18.2</u>























<u> 10.3</u>






















<u> 18.4</u>















BAG 6

<u>11.1</u>















11.2 R=L
















<u>11.3</u>










STEP 12 SHOCK BAG







12.4



12.5



12.6






160156 Shock spring support low onroad alu (4)








STEP 13 BAG 7
















2x10






<u>14.4</u>















15.1



15.2



Lock the pinion screw from that way.












15.3



<u>15.4</u>











15.5




<u> 15.6</u>

















402022 Chassis 2.25mm carbon X20 '23 402024

Suspension insert lw 0.5deg (4) X20 '23 402030 Wishbone stiffner carbon S (4) X20 '23

402032 Wishbone stiffner carbon H (4) X20 '23










401917 Bearing excenter fr/rr (4) alu X20402066 Motormount weight 5gr X20 '23402067 Motormount weight 10gr X20 '23

120007 Spur gear 64P / 100T 120008 Spur gear 64P / 104T 120009 Spur gear 64P / 108T 120010 Spur gear 64P / 112T 120012 Spur gear 64P / 114T 120013 Spur gear 64P / 106T










401387 Wheelhexagon 1mm offset (2) 500211 Wheelhexagon +0.75mm offset (2)










401387 Wheelhexagon 1mm offset (2) 500211 Wheelhexagon +0.75mm offset (2)










401856 Antirollbar 1,2mm X20 401857 Antirollbar 1,3mm X20 401859 Antirollbar 1,5mm X20










401857 Antirollbar 1,3mm X20 401858 Antirollbar 1,4mm X20 401859 Antirollbar 1,5mm X20 402063 Topdeck carbon soft set X20 '23402064 Topdeck carbon hard set X20 '23








401997 Bumperset carbon X20 '21
















402050 DJC BB driveshaft set (2) X20 '23 402051 CVD BB driveshaft set (2) X20 '23










402011 Shockset (2) X20 '23





401852 Spring fr/rr 2,5 (2)

401854 Spring fr/rr 2,7 (2)

401855 Spring fr/rr 2,8 (2)

160156 Shock spring support low onroad alu (4)





402044 Geardiff set alu X20 '23



OPT

TEAM SERPENT NETWORK

X20'23 SPARE PARTS







X20' 23 OPTIONALS PARTS







SERPENT TOOLS







SERPENT MERCHANDISING



SERPENT WEBSITE AND BLOG www.serpent.com www.teamserpent.com www.dragon-rc.com

SERPENT PROMO PAGES http://promo.serpent.com **SERPENT SOCIAL MEDIA**



www.facebook.com/SerpentMRC



www.youtube.com/user/SerpentMRC

INSTRUCTION MANUAL

