RC10	Drilvers	[	EFRA 1:10 Electric Off-Road Championship					
	July 24, 2018		Tradle			Reims Enduro Model Car		
TEAM KIT	Qualify <sub>B</sub> 1st	<i>च</i> ?ঃ □	Mcfine_		3rd	Best Lego	emili	N/A
Front Suspension:						Ţ.		et Forms
Ride Height: 22 mm	Anti Roll Bar:	Bump Si	eer Spacin	<b>g:</b> 2.5 mm	Axie He	ight: Ball Sto	vd Spacing	0 mm
Camber: -1	White (0.8mm)		9		+3			
<b>70e:</b> 0* (Tierod Gap = 27.8 mm)	Gray (0.9mm)   Blue (1.0mm)	H			+2 +1	HI	`	
Arm Type: #91674 Gullwing, Hard	Other:	H		ann I	0	HI		
<b>Tower Type:</b> #91768 Gullwing			9				(	
Caster Block Insert: 5*	Steering Plate:	#91680 +1					`	30
Steering Block: 4	Steering Stop S			6				21
<b>Bulkhead Type:</b> #91658 Aluminum				Ba	II Stud S	pacing: 0 mr	n L	
Kick-Up Angle: 25*	□ \				BA			0.0
Wheel Hex: #91683 Titanium		1		74	$\infty$	`	\ .	0.00
Notes: #1366 FT Aluminum Servo Horn, 25T					2		0	2 1
#91667 Plastic Steering Assembly					<b>PG</b>			
	_			- ' W	6			
	/   Caster Block Sp	acina: 1 mm				CBA		
Rear Suspension:	_ Custer Block op	ading.		-		CBA		
Ride Height: 23 mm	Anti Roll Bar:	Rear Hu	b Link Sett	ina:			1	
-1.5* (Tierod Gap = 26.7 mm)	White (1.2mm)	☐ Plastic Hub		minum Hub 🔲	Ball Stu	d Spacing:	321	
Tower Type: #91770 Tall	☐ Gray (1.3mm)						27	
<b>Wheel Hex:</b> #91610 FT 7.0 mm			(CA)	own D B		08		
CVA Bone Length: #91434 67 mm	Other:	-	<b>B</b>		A	EQ.		
CVA Pin Location: Towards Diff	C Mount Inserts						_	
Hub Spacing:		Brass 🗌			100			
Forward Middle Back						ſ		321
Shock Mounting Position:	₹ 888	888				67mm		7
Front of Arm Rear of Arm	D Mount Inserts			1				
Notes:		Brass 🗌 💮				0000		
			Hub Ins	<b>ert:</b> -2 🔲 +1 🔲 0[	⊣  ⊢	DCBA		_
[ ]						all Stud Spacin	ig: 4 mm	
Electronics:	Drive			Shocks:				
Radio: Sanwa M12S Servo: #27109			lown: 🔲 📗 oack: 🔲 📗	Distant.	_		Rear	
Till office and the state of th	94% %       3 Gear	= -	d Up: 🗆 🗆	Piston: Fluid:	_		7 Flat Machined	
ESC: Reedy Blackbox 510R  ESC Settings: See Brent Thielke JC S				Spring:	_	30 wt 0 V2 Green #91	27.5 wt 839 V2 White	1
Motor: Reedy M3 (#271 12.0 Spec Ro	III A -	Dun	Diff: 🔲 🛚 r Diff: 🔲 📗	Limiters:	#3103	2	0	
Wind: 7.5 Timing:	20* Notes:			Stroke:	20	2.8 mm	29 mm	1 1 - <del></del>
Pinion: 22 Spur:		er Gluidhe		Eyelet Lengt		Short	Short	Stroke
Battery: #27310 Reedy 3600 mAh Zapp		#91803 & #91804 B6.1	Slipper Hubs	Cup Offset:		5 mm	5 mm	i "
Battery Position: 3F	# of P			Notes:	_	91494 Machined Shock		1
Track Info:		Tîres:		1101001		Body, Wing,		) )
	arge 🔲 Extra Large		res: J	Concepts Dirt Webs		<i>E</i> ©	Concepts S2 (Ligh	
	stroturf Multi Surface		mpound:	Gold		Wing: JC Lower Front		
	igh Very High	Front In:		pts Dirt Webs (Nubs C		Wing Angle:		
	/et	Rear Tir	_	Concepts Dirt Webs		Servo Weights:		
	usty  Hard Packe	= ==	mpound:	Gold	===	None Aluminu		Other 🗆
	mooth Loamy	Rear Ins		ncepts Dirt Tech (V-C	==	Electronic Weig		754 FT Graphite
Temperature: Ambient: 28C	Track: 28C	Wheel (i	_	JConcepts Mono	== II.	None 🔲 🛮 Aluminu		
Notes:		Notes:	•	uns After 2-3 Uses		Total Vehicle V		N/A
Vehicle Comments:								
Notes: #91755 Ti Screw Kit (only used above chass	is); #91652 Side Rails, Standard	; #91696 & 91620 Chrome	e Shock Shafts; #	91576 & 91578 Fox Sh	nock Bodies;	JConcepts Servo Brace:	JConcepts Adjus	stable Battery Brace