RCIO				ROAR 1:10 Ele	ROAR 1:10 Electric Off-Road Nationals			
	August 19, 2018		<i>Treals</i>		Hobby Ad	Hobby Action R/C Raceway		
TEAM KIT	Quelliye 1st	<i>1</i> 7Q≥ □	Mcfins_	हीतिड	78 <u>1st</u> Bes	_स्टापि द्या	N/A	
Front Suspensions	2000						et Forms	
Ride Height: 20 mm	Anti Roll Bar:	Bump S	teer Spacin	g: 0 mm	Axle Height: B	all Stud Spacing	1 mm	
Camber: -1*	White (0.8mm)		9		+3			
<b>70e:</b> 0* (Tierod Gap = 27.6 mm)	Gray (0.9mm)			/	+2			
Arm Type: #91674 Gullwing, Hard	⊟ Blue (1.0mm)	븨	\ \ <b>\</b>		+1			
Tower Type: #91768 Gullwing	Other:	_ 🗀		5.000 L	0	a		
Caster Block Insert: 5°	╡					4	200	
Steering Block: 4	Steering Plate:						2 1	
Bulkhead Type: #91656 Plastic	Steering Stop S	Steering Stop Spacing: 0 mm			Ball Stud Spacing: 1 mm			
Kick-Up Angle: 25*	i \ 🔛	7			B <i>A</i>		06	
Wheel Hex: #91683 Titaninum	╡ \█	1					O(1)	
Notes: #1366 FT Aluminum Servo Horn, 25T	<u> </u>	)			23	3.	2 1	
#91667 Plastic Steering Rack					<b>4</b>			
#91668 Aluminum Steering Bellcranks	- 34			1.74				
JConcepts Servo Mount	-				9 0	0		
	Caster Block Spe	acing: 1 mm			C B	A		
Rear Suspension:								
Ride Height: 20 mm	Anti Roll Bar:	Rear Hu	b Link Sett	<b>'ing:</b> minum Hub 🗌	Ball Stud Spacing:	2 mm		
Camber: -1*	White (1.2mm)   Gray (1.3mm)		J AIU		bull slou spacing:_	327		
Tower Type: #91769 Standard	Blue (1.4mm)	Up E	CA	own D B				
<b>Wheel Hex:</b> #71034 FT 6.0 mm	Other:		0 B	E ()	E C	<b>1</b>		
CVA Bone Length: #91434 67 mm  CVA Pin Location: Towards Hex	╡ <u>├</u>	L°□ 0.5°□	1				\ . I	
CVA Pin Location: Towards Hex C Mount Inserts: 1° [ Hub Spacing: Aluminum Brass [					<b>/ </b>			
Forward Middle Back	Aldillillilli	)Iuss					321	
Shock Mounting Position:	$\dashv$ 888 $-$	- 888				67mm	7	
Front of Arm Rear of Arm	D Mount Inserts	: 1°□ 0.5°□		3.				
Notes:	Aluminum 🔲 E	Brass 🗌			(0) (0)			
			Hub Ins		DCBA			
		000	+3  +	-2 -1 -1 0 -	Ball Stud S	<b>pacing:</b> 4 mm		
Electronics:	Drive			Shocks:				
Radio: Sanwa M12S Servo: #27109			down: 🔲 📗		Front	Rear		
The fine inc.	100 % 3 Gear	· —,	back:      1d Up:	Piston:	1x1.6+1x1.7 Flat Machined	2 x 1.7 Flat Drilled		
#27004 Reedy Blackbox 510R				Fluid:	32.5 wt	30 wt		
ESC Settings: See Setup Sheet		Duii	Diff:	Spring: Limiters:	#91329 V1 Gray	#91337 V1 White		
Motor: Reedy M3  Wind: 7.5 Timing:	20* Height		r Diff: 🔲	Stroke:	24.0 mm	0 Internal / 2 External		
Pinion: #1340 FT 22T Pinion Spur:		er Gluidhe		Eyelet Length		Short	Stroke	
Battery: #27323 Reedy Zappers SG 580		B6.1 Vented Slipp	er Hubs	Cup Offset:	5 mm	5 mm	i 🉏	
Battery Position: 5F	# of Po			Notes:		Shock Spacers V2	1	
Track Info:		Titress		110100		ing, Weights		
	arge 🔲 Extra Large		res: Jo	Concepts Space Bars	Body:	JConcepts F2 Ligh		
				Prototype	Wing: JC L	Wing: JC Lower Front Wing / JC S-Type (Flush With Tower)		
				Concepts 2wd Dirt Tech	Wing Ang	Wing Angle: 0° 3° 6° 1		
Moisture: Dry Damp Wet			Rear Tires: JConcepts Space Bars			Servo Weights:		
Condition: Indoor Outdoor D	usty 🔲 Hard Packed	Rear Co	mpound:	Prototype	None □ A	Aluminum 🔲 Steel	Other 🗌	
Bumpy Grooved Si	mooth Loamy	Rear In	sert:	JConcepts Dirt Tech	Electroni	: Weights:		
Temperature: Ambient: 70F Track: 70F			Wheel (F/R): JConcepts Mono			None Aluminum Steel Other		
Notes:		Notes:	Liquid Wi	rench Penetrating Oil	Total Veh	icle Weight:	1580g	
Vehicle Comments:								
Notes: #91755 Ti Screw Kit (only used above chass	is); #91652 Side Rails, Standard	i; #91697 & 91620 Chro	me Shock Shafts;	#91576 & 91577 Fox S	hock Bodies; #27304 Reed	y Battery Weight (36 g);		