

## Front Suspension:

Ride Height:	17mm
Camber:	-1 deg
Toe:	0 deg
Anti-Roll Bar:	1.3mm
Arm Type:	Kit
Tower Type:	Kit
Wheelbase Shim:	Arm Middle
Wheel Hex:	5mm
Steering Block Type:	B74
Caster Block:	6° <input type="checkbox"/> 7° <input type="checkbox"/> 8° <input checked="" type="checkbox"/> 9° <input type="checkbox"/> 10° <input type="checkbox"/>
Chassis Brace Material:	Kit
Top Plate Brace Material:	Kit
Front Axles:	CVA <input checked="" type="checkbox"/> DCV <input type="checkbox"/>
Notes:	

Lower Brace Type: Fixed ☐ Pivot ☒


Ball Stud Spacing: 2mm

Arm Mount A: 1° ☐ 0.5° ☐  
Gray ☒ Black ☐

Arm Mount B: 1° ☐ 0.5° ☐  
Gray ☒ Black ☐


Diff Height:

+3 ☐  
+2 ☐  
+0 ☒


Axle Height:

+3 ☐ +2 ☒ +1 ☐ 0 ☐

Ball Stud Spacing: 0

Steering Plate: +2

Ball Stud Spacing: 1mm



## Rear Suspension:

Ride Height:	17mm
Camber:	-1 deg
Anti-Roll Bar:	1.4mm
Arm Type:	Kit - B7
Tower Type:	Kit
Wheelbase Shim:	Arm Middle
Wheel Hex:	6mm
Hub Type:	Kit - B7 Standard
Drive Shaft Type:	69mm Bone
Chassis Brace Material:	Kit
Upper Chassis Brace Material:	
Hub Spacing:	Fwd <input type="checkbox"/> Mid <input type="checkbox"/> Back <input type="checkbox"/>
Notes:	

Lower Brace Type: Fixed ☐ Pivot ☒


Rear Chassis Brace Screws:

Arm Mount C: 1° ☐ 0.5° ☐  
Gray ☒ Black ☐

Arm Mount D: 1° ☐ 0.5° ☐  
Gray ☒ Black ☐


Axle Height:

▼0 3▲ +3  
▼1 2▲ +2  
▲1 2▼ +1  
▲0 3▼ +0

Diff Height:


+3 ☐  
+2 ☐  
+1 ☒  
+0 ☐

Gearbox:

Standard ☒  
+2 ☐

Camber Link Spacing: 0

Ball Stud Spacing: 1mm



## Electronics:

Radio:	Servo:
EPA: Throttle: %	Brake: %
ESC:	
ESC Settings:	
Motor / Wind:	Timing:
Pinion:	Spur:
Motor Position: Forward: <input type="checkbox"/> Back: <input checked="" type="checkbox"/>	
Battery Position:	
Back 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input checked="" type="checkbox"/> 4 <input type="checkbox"/> 5 <input type="checkbox"/> Forward	
Battery:	Weight:
Notes:	

## Differential:

	Front	Center	Rear
Fluid:	15K	200K	15K
Gears:	LTC	LTC	LTC
Type:	Plastic	Plastic	Plastic
Notes:			

## Slipper Clutch:

Type:
# of Pads:
Setting:
Notes:

## Shocks:

	Front	Rear
Piston:	2x1.7	2x1.9
Thickness:	2.5mm	2.5mm
Fluid:	35wt	30wt
Spring:	Red	Yellow
Limiters:	Int: 2 Ext: 1	Int: 0 Ext: 0
Stroke:	22mm	28mm
Eyelet:	0	+2
Cup Offset:	0 <input type="checkbox"/> +5 <input type="checkbox"/> +9 <input checked="" type="checkbox"/>	0 <input checked="" type="checkbox"/> +5 <input type="checkbox"/> +9 <input type="checkbox"/>
Kashima Bodies:	<input type="checkbox"/>	Chrome Shafts: <input type="checkbox"/> Machined Spacers: <input type="checkbox"/>
Notes:		



## Track Info:

Size:
Surface:
Traction:
Moisture:
Condition:
Temperature:
Notes:

## Tires:

Front Tires:
Front Compound:
Front Insert:
Rear Tires:
Rear Compound:
Rear Insert:
Wheel (F/R):
Notes:

## Body, Weight:

Body:	B84
Front Wing:	Nose
Rear Wing:	B7
Rear Wing Mount:	0 <input checked="" type="checkbox"/> -2 <input type="checkbox"/>
Wing Angle:	0° <input type="checkbox"/> 3° <input type="checkbox"/> 6° <input checked="" type="checkbox"/>
Chassis Length:	Standard
Total Vehicle Weight:	
Notes:	

## Vehicle Comments:

Notes: