

RCB3e TEAM KIT

#80916 RC8B3e Team Kit



1:8 Scale Electric 4WD Off Road Buggy Kit Manual & Catalog

TEAM ASSOCIATED



Designed in California, USA

:: Introduction

Thank you for purchasing this Team Associated product. This assembly manual contains instructions and tips for building and maintaining your new RC8B3e Kit. Please take a moment to read through this manual to help familiarize yourself with these steps. We are continually changing and improving our designs; therefore, actual parts may appear slightly different than in the illustrations. New parts will be noted on supplementary sheets located in the appropriate parts bags. Check each bag for these sheets before you start to build.

:: KIT Features

RC8B3e Team Kit #80916 Features:

- 7075-T6 hard anodized aluminum chassis features an optimized weight bias layout for improved handling and stability
- Front suspension features pillow ball uprights for increased adjustability and improved durability
- Light weight ring gears and optimized precision ball bearing sizing, reduces drivetrain rotational mass for improved acceleration and battery efficiency
- Gearboxes feature a 3.38:1 internal gear ratio with fast access differentials for quick removal, tuning and maintenance
- Six universal drive shafts for efficient drivetrain power delivery and ease of maintenance
- 7075-T6 aluminum 16mm "Big Bore" threaded shocks with TiN coated 3.5mm shafts, larger diameter precision springs, and optimized bladders for more precise volume compensation
- 7075-T6 aluminum shock towers front and rear feature finely tuned shock mounting and upper arm positions
- Refined suspension geometry with lower hinge pin inserts for quick and easy roll center adjustments
- Light weight one-piece wing mounts feature height and forward positioning adjustment for more precise handling
- Two piece sliding motor mount for easy gear mesh adjustment and motor removal
- Proline RC8B3e clear body and Team Associated molded wing included
- The RC8B3e shares over 95% parts compatibility with the RC8B3 nitro buggy, offering the perfect solution for multi-class racers

:: Additional

Your new RC8B3e Kit comes as a kit. There are some items you will need to complete your kit (refer to catalog for suggestions):

- 2 channel radio/transmitter set with switch – FM/PCM/2.4GHz recommended
- Transmitter batteries (#302 recommended)
- Steering servo (#29133, 29134, 29166, 29167, 29168, 27100, 27101 recommended)
- 14.8v LiPo battery pack (#311, 318, 756, 757 recommended)
- Quick charger (#616, 27200 recommended)
- 1/8 scale specific electronic speed control
- 1/8 scale specific electric motor (#988, 989, 993 recommended)
- 1/8th scale buggy tires
- Polycarbonate specific spray paint or polycarbonate specific bottled paint and airbrush
- Thread locking compound (#1596 recommended)
- Hobby knife
- CA (Cyanoacrylic) glue (#1597 recommended)
- Needle nose pliers
- Shock shaft pliers (#1675 recommended)
- Reamer/hole punch
- Ride height gauge (#1449 recommended)

:: Other Helpful Items

- Silicone shock/Diff fluids (Refer to catalog for complete listings)
- FT turnbuckle wrench (AE #89240)
- FT hex wrenches (AE #1655)
- FT nut drivers (AE #1663-1668)
- Soldering iron
- Calipers or precision ruler
- Green Slime shock lube (AE #1105)
- Body scissors (AE #1737)
- Wire cutters

Associated Electrics, Inc.
26021 Commercentre Dr.
Lake Forest, CA 92630



Customer Service
Tel: 949.544.7500
Fax: 949.544.7501

:: Hardware - 1:1 Scale View

Flat Head (fhcs)

	2.5x6mm (4675)
	2.5x8mm (31448)
	3x6mm (31541)
	3x8mm (25201) Titanium (91592)
	3x10mm (25202) Titanium (91593)
	3x12mm (25203) Titanium (91594)
	3x14mm (89208) Titanium (91595)
	4x10mm (81262)
	4x12mm (89214)
	4x14mm (89217)
	4x16mm (81263)
	4x20mm (81264)

Button Head (bhcs)

	2.5x6mm (31520)
	2.5x8mm (31521)
	2.5x18mm (81259)
	3x6mm (31531) Titanium (91580)
	3x10mm (25211)
	3x14mm (25187) Titanium (91584)
	3x16mm (89203) Titanium (91585)
	3x20mm (25188)
	3x24mm (89204) Titanium (91589)
	4x14mm (81260)
	4x16mm (81261)


Socket Head (shcs)

	2x5mm (31511)
	2x16mm (7184)
	3x8mm (89223)
	3x10mm (25620)
	3x24mm (89225)

Set Screws

	3x3mm (25225)
	3x6mm (81257)
	3x10mm (4671)
	3x12mm (81258)
	4x4mm (7732)
	5x4mm (89221)

Ball Bearings

	5x8x2.5mm (89161)
	5x10x4mm (91560)
	6x10mm (31404)
	6x12x4mm (91561)
	8x16x5mm (91564)
	8x16x5mm flanged (91565)

:: Table of Contents

1..... Cover	16.....Center Bulkhead Build (Bag M, N)
2..... Introduction	17 - 18Anti-Roll Bars Build (Bag O)
3..... 1:1 Hardware "Fold Out"	18 - 19.....Shocks Build (Bag P, Q)
4..... Table of Contents	20.....Battery Tray Build (Bag R)
5 - 7.....Differentials Build (Bag A, B, C)	21.....Receiver Box / Linkage Build (Bag S)
7 - 8.....Steering / Chassis Build (Bag D, E)	22.....Tire/Body Build (Misc. Bag)
9 - 10.....Front Gearbox Build (Bag F, G)	23.....Droop Settings
11 - 12.....Front Uprights Build (Bag H, I)	24 - 33.....Catalog
12 - 14.....Rear Gearbox Build (Bag J, K)	34.....Back Cover
15 - 16.....Rear Uprights / Turnbuckles Build (Bag L)	

:: Notes



This symbol indicates a special note or instruction in the manual.



This symbol indicates a Racers Tip.



Scanning this QR code will take you to Team Associated's Tech Tips videos. These videos will help you with your build and setup!



There is a 1:1 hardware foldout page in the front of the manual. To check the size of a part, line up your hardware with the correct drawing until you find the exact size. Each part in the foldout has a number assigned to it for ordering replacement parts.


**Associated Electrics, Inc.
26021 Commercentre Dr.
Lake Forest, CA 92630**





**Customer Service
Tel: 949.544.7500
Fax: 949.544.7501**

<http://www.TeamAssociated.com> • <http://www.RC10.com> • http://twitter.com/Team_Associated • <http://bit.ly/AEonFacebook>

:: Differential Build (Front and Rear) - Bag A, B, C - Step 1





Racer's Tip:
Use black grease
[#6588] to
lube the O-Rings
before installation!



:: Differential Build (Front and Rear) - Bag A, B, C - Step 2



Align pin with
groove in sun gear




:: Differential Build (Front and Rear) - Bag A, B, C - Step 3




Racer's Tip:
Use black grease
[#6588] to
lube the O-Rings
before installation!




:: Differential Build (Front and Rear) - Bag A, B, C - Step 4




:: Differential Build (Center) - Bag A, B, C - Step 5




:: Differential Build (Center) - Bag A, B, C - Step 6




:: Differential Build (Center) - Bag A, B, C - Step 7




:: Differential Build (Center) - Bag A, B, C - Step 8




:: Steering / Chassis Build - Bag D, E - Step 1




:: Steering / Chassis Build - Bag D, E - Step 2




:: Steering / Chassis Build - Bag D, E - Step 3




:: Steering / Chassis Build - Bag D, E - Step 4




:: Front Gearbox Build - Bag F, G - Step 1



:: Front Gearbox Build - Bag F, G - Step 2



:: Front Gearbox Build - Bag F, G - Step 3



:: Front Gearbox Build - Bag F, G - Step 4

Kit Setup:



81260 $\Sigma 2$
4x14mm
BHCS

81045
Arm Mount
(A)

81050 $\Sigma 2$
Arm Mount
Insert,
Middle Down

89214
4x12mm
FHCS

89216
M4
Locknut

81112
Body Post,
Front

81030
Top Plate

25201
3x8mm
FHCS

81032
Chassis
Brace,
Front

:: Front Gearbox Build - Bag F, G - Step 5

Kit Setup:



81049
Upper Link
Mount

25201 $\Sigma 2$
3x8mm
FHCS

#1596
thread lock

81050 $\Sigma 2$
Arm Mount
Insert,
Center

89214 $\Sigma 2$
4x12mm
FHCS

81196 $\Sigma 2$
Shock
Bushing

89225 $\Sigma 2$
3x24mm
SHCS

#1596
thread lock

81026
Shock Tower,
Front

81050 $\Sigma 2$
Arm Mount
Insert,
Center

Kit Setup:



:: Front Gearbox Build - Bag F, G - Step 6

Caster
Clips



1mm 2mm

89214 $\Sigma 4$
4x12mm
FHCS

81055
Caster
Clip, 2mm

81060
Hinge Pin,
Front Upper


81055
Front
Upper Arms

81055 $\Sigma 2$
Caster
Clip, 1mm




Note that each arm is marked with a R for the Right Arm or an L for the Left Arm.


:: Front Uprights Build - Bag H, I - Step 1




:: Front Uprights Build - Bag H, I - Step 2




:: Front Uprights Build - Bag H, I - Step 3




:: Front Uprights Build - Bag H, I - Step 4



:: Rear Gearbox Build - Bag J, K - Step 1



:: Rear Gearbox Build - Bag J, K - Step 2



:: Rear Gearbox Build - Bag J, K - Step 3

Kit Setup:



81047
Arm
Mount (C)

81050
Arm Mount
Insert,
Center

81261
4x16mm
BHCS

81059
Rear Arm
Mud Guard

81058
Rear Arm

Note that each arm is marked with a R for the Right Arm or an L for the Left Arm.

31531
3x6mm
BHCS

89317
Drop
Screw

:: Rear Gearbox Build - Bag J, K - Step 4

Kit Setup:



81058
Rear Arm
Shim

81048
Arm
Mount
(D)

81060
Hinge
Pin

81261
4x16mm
BHCS

81050
Arm Mount
Insert
(Center, Down)

:: Rear Gearbox Build - Bag J, K - Step 5

25188
3x20mm
BHCS


81032
Chassis
Brace
Mount

81032
Chassis
Brace,
Rear


25215
M3
Locknut

89214
4x12mm
FHCS


:: Rear Gearbox Build - Bag J, K - Step 6




:: Rear Gearbox Build - Bag J, K - Step 7



:: Rear Gearbox Build - Bag J, K - Step 8



:: Rear Uprights / Turnbuckles Build - Bag L - Step 1





:: Rear Uprights / Turnbuckles Build - Bag L - Step 2

Kit Setup:

Mount the rear hub to the rear arm in the lower hole.

Kit Setup:




81094
Rod End,
5mm

89269
Steel
Turnbuckle,
38mm

81094
Rod End,
5mm

Rear Hub Turnbuckle
14.50mm (0.57")





:: Rear Uprights / Turnbuckles Build - Bag L - Step 3


Kit Setup:

Mount the rear camber link in the outside hole on the rear hub.


Kit Setup:





89216
M4
Locknut





:: Rear Uprights / Turnbuckles Build - Bag L - Step 4



Steering Turnbuckle
26.40mm (1.04")





:: Center Bulkhead / Brakes Build - Bag M, N- Step 1




:: Center Bulkhead / Brakes Build - Bag M, N- Step 2


Motor
not
included!




:: Anti-Roll Bars Build - Bag 0 - Step 1




:: Anti-Roll Bars Build - Bag 0 - Step 2




:: Anti-Roll Bars Build - Bag 0 - Step 3



:: Anti-Roll Bars Build - Bag 0 - Step 4



Rear Hub Turnbuckles removed for view clarity.



25225 
3x3mm
Set Screw


31521 
2.5x8mm
BHCS

81257 
3x6mm
Set Screw



Tighten #81257 set screws just enough to still allow the anti-roll bar to move freely.

:: Shocks Build - Bag P, Q - Step 1



81200
Shock
Piston
(6x1.3
flat)

89215
Shock
Piston
Locknut

89278 
2.5mm
Washer

81170
Shock Shaft,
30.5mm
(Front)

81171
Shock Shaft,
39.5mm
(Rear)

81185
Shock Body
O-Ring

81185
O-Ring Hat
Bushing

81188
Shock Body
Seal
Retainer



81160
Shock Body,
30.5mm
(Front)

81161
Shock Body,
39.5mm
(Rear)

81186 
Shock
O-Ring

81185
O-Ring
Spacer




Racer's Tip:
Use shock fluid
or green slime
[# 1105] to
lube the O-Rings
before installation!

81190
Shock
Boots

81193
Shock
Rod End
and Ball




:: Shocks Build - Bag P, Q - Step 2



81181
Shock Cap
Insert

81180
Shock Cap

81182
Shock
Bladder



When installing the shock bladder, make sure it is correctly seated within the shock cap as shown.

Front Shock Fluid:
37.5wt #5433

Rear Shock Fluid:
30wt #5422



:: Shocks Build - Bag P, Q - Step 3

!
Leave a gap when installing the shock cap.



!
Compress shock shaft half way. Let shock fluid bleed from cap, then tighten cap.

For less rebound, compress shock shaft farther before tightening the shock cap.


For more rebound, do not compress shock shaft as far before tightening the shock cap.




!
Some residual shock fluid may appear from your first few runs around the shock cap as a result of bleeding.

:: Shocks Build - Bag P, Q - Step 4

!
The shock springs come with colored heat shrink tubing. Install them on the springs for easy identification.




81193
Spring Cup




:: Shocks Build - Bag P, Q - Step 5


Kit Setup:
Mount the front shock in the outside hole on the front arm.



Kit Setup:
Mount the rear shock in the outside hole on the rear arm.




:: Battery Tray Build - Bag R - Step 1




:: Battery Tray Build - Bag R - Step 2





Install the ESC wire as shown first.
Then run the hook and loop straps
as shown.





:: Battery Tray Build - Bag R - Step 3





:: Receiver Box Build - Bag S - Step 1




:: Receiver Box Build - Bag S - Step 2






:: Receiver Box Build - Bag S - Step 3



:: Tires / Body - Misc. - Step 1**Tires:**

When gluing tires to wheels, use a fast-curing tire glue [CA] [AE # 1597]. This is available at your local hobby shop. Make sure to clean the mounting surface of the tire and wheel with alcohol for best adhesion.

:: Tires / Body - Misc. - Step 2**:: Tires / Body - Misc. - Step 3****Painting Tips:**

Your RC8BB3e Kit comes with a clear polycarbonate body. You will need to prep the body before you can paint it. Wash the inside thoroughly with warm water and liquid detergent. Dry the body using a clean, soft, lint-free cloth. Install the window masks on the inside of the body. (RC cars get painted from the inside). Using high quality masking tape, apply tape to the inside of the body to create a design. Spray (either rattle can or airbrush R/C specific paint) the paint to the inside of the body (preferably dark colors first, lighter colors last).

NOTE: use ONLY paint that is recommended for use with (polycarbonate) plastics. If you do not, you can destroy the polycarbonate body!!!

After painting, cut the body along the trim lines. Make sure to drill or use a body reamer to make the holes for the body mounts and antenna!


:: Droop Settings

Set droop by measuring overall length of shock (from standoff to shock pin) while the chassis is elevated above your working surface. The shocks should be fully extended.

Kit setup for front droop is 104mm shock length, and 124mm shock length for the rear.

If the shock length is too long, adjust by turning the droop screws clockwise.

If the shock length is too short, adjust by turning the droop screws counter-clockwise.



Front Droop: Increasing front droop (loosen droop screws) will increase off-throttle steering. It also allows the front end to lift more, giving more rear grip and less front grip on-power. Remember to never loosen the screws beyond the FULL DROOP setting. Decreasing front droop (tighten droop screws) yields more on-power steering and quicker response at the expense of some stability in bumpy sections. It will also give less off-throttle steering.

Rear Droop: Increasing rear droop (loosen droop screws) will increase traction in bumpy sections, but will reduce high-speed stability. Remember to never loosen the screws beyond the FULL DROOP setting. Decreasing rear droop (tighten droop screws) will increase stability in high speed sections, but will reduce stability in bumpy sections.

Setup Sheets:


Most often the best way to get your car handling right is to go to our website www.rc10.com and click on the "Setup Sheets" link, then the link to your vehicle, then search for your vehicle. Our team of professional drivers help develop these setups at National events. Also, most drivers have a "base" setup that they use as a starting point for every event. Try running some of our base setups OR look for track conditions and tires that are similar to your local track and mimic that setup. Remember, each adjustment has a purpose, so copy everything from the setup sheet and then make adjustments based on the recommendations in here at <http://www.rc10.com/rc/tuning>.

:: Shocks

81156	RC8B3 Shock Kit (Front)	1
81157	RC8B3 Shock Kit (Rear)	1
81160	RC8B3 Shock Body, 30.5mm	2
81161	RC8B3 Shock Body, 39.5mm	2
81170	RC8B3 Shock Shaft, 30.5mm	2
81171	RC8B3 Shock Shaft, 39.5mm	2
81180	RC8B3 Shock Cap	2
81181	RC8B3 Shock Cap Insert	2
81182	RC8B3 Shock Bladder	2
81183	RC8B3 Spring Collar	2
81185	RC8B3 Shock Rebuild Kit	2
81186	RC8B3 Shock O-Ring	8
81188	RC8B3 Shock Body Seal Retainer	2
81190	RC8B3 Shock Boots	4
81193	RC8B3 Shock Rod End & Spring Cup	2
81200	RC8B3 Shock Pistons	2 ea.
	(6x1.3 - KIT, 6x1.3 T, 8x1.2 T)	
89215	Shock Piston Locknut	10
89278	Washer, 2.5mm	20

:: Shock Fluid


5420	10 Weight Silicone Shock Fluid	2oz.
5421	20 Weight Silicone Shock Fluid	2oz.
5422	30 Weight Silicone Shock Fluid	2oz.
5423	40 Weight Silicone Shock Fluid	2oz.
5424	22.5 Weight Silicone Shock Fluid	2oz.
5425	80 Weight Silicone Shock Fluid	2oz.
5426	27.5 Weight Silicone Shock Fluid	2oz.
5427	15 Weight Silicone Shock Fluid	2oz.
5428	25 Weight Silicone Shock Fluid	2oz.
5429	35 Weight Silicone Shock Fluid	2oz.
5430	45 Weight Silicone Shock Fluid	2oz.
5431	55 Weight Silicone Shock Fluid	2oz.
5432	32.5 Weight Silicone Shock Fluid	2oz.
5433	37.5 Weight Silicone Shock Fluid	2oz.
5434	42.5 Weight Silicone Shock Fluid	2oz.
5435	50 Weight Silicone Shock Fluid	2oz.
5436	60 Weight Silicone Shock Fluid	2oz.
5437	70 Weight Silicone Shock Fluid	2oz.
5438	47.5 Weight Silicone Shock Fluid	2oz.

**:: Springs**


81213	RC8B3 Front Spring, 4.7lb/in, Gray	Pr.
81214	RC8B3 Front Spring, 5.0lb/in, Blue - KIT	Pr.
81215	RC8B3 Front Spring, 5.4lb/in, Yellow	Pr.
81218	RC8B3 Rear Spring, 4.1lb/in, Gray	Pr.
81219	RC8B3 Rear Spring, 4.3lb/in, Blue - KIT	Pr.
81220	RC8B3 Rear Spring, 4.6lb/in, Yellow	Pr.

:: Front / Rear Gear Differential

81002	RC8B3 Diff Ring Gear, 44T	1
81008	RC8B3 Diff Outdrives	2
89115	Diff Housing	1
89116	Diff Gasket	4
89117	Diff Shims	8
89120	Diff Sun/Planet Gears, Includes Washers and Pins, Set	1
89121	Diff O-Rings, Big and Small, Set	1
89208	3 x 14mm FHCS	10
91564	8 x 16 x 5 Bearings	2

**:: Center Gear Differential**

81008	RC8B3 Diff Outdrives	2
89115	Diff Housing	1
89116	Diff Gasket	4
89120	Diff Sun/Planet Gears, Includes Washers and Pins, Set	1
89121	Diff O-Rings, Big and Small, Set	1
89208	3 x 14mm FHCS	10
89519	Plastic Spur Gear, 46T - Kit	1
89520	Plastic Spur Gear, 48T	1
89521	Plastic Spur Gear, 50T	1
91564	8 x 16 x 5 Bearings	2


**:: Center Bulkhead**

25211	3 x 10mm BHCS	20
25224	M4 x 4mm Set Screw	20
31448	2.5 x 8mm FHCS	6
31532	3 x 8mm BHCS	6
81262	4 x 10mm FHCS	6
81299	RC8B3e Motor Mount	1
81300	RC8B3e Motor Mount Slide	1
81304	RC8B3e Center Bulkhead / Cover / Guide	1
89206	4 x 10mm BHCS	10
89512	Pinion, 12T	1
89513	Pinion, 13T	1
89514	Pinion, 14T - Kit	1
89515	Pinion, 15T	1
89516	Pinion, 16T	1
89517	Pinion, 17T	1




:: Front Gearbox

4675	2.5 x 6mm FHCS	6
25620	3 x 10mm SHCS	20
31521	2.5 x 8mm BHCS	6
81003	RC8B3 Diff Pinion Gear, 13T	1
81015	RC8B3 Gearbox	2
81020	RC8B3 Center Universal, 76mm	1
81045	RC8B3 Arm Mount, A	1
81046	RC8B3 Arm Mount, B	1
81050	RC8B3 Arm Mount Insert	12 ea.
81054	RC8B3 Front Arms	Pr.
81060	RC8B3 Hinge Pin Set	1
81113	RC8B3 Front Bumper	1
81257	3 x 6mm Set Screw	6
81259	2.5 x 18mm BHCS	6
81260	4 x 14mm BHCS	6
81261	4 x 16mm BHCS	6
81264	4 x 20mm FHCS	6
89214	4 x 12mm FHCS	10
89221	5 x 4mm Set Screw	10
91561	Bearing, 6 x 12 x 4mm	2


**:: Rear Gearbox**

4675	2.5 x 6mm FHCS	6
25620	3 x 10mm SHCS	20
81003	RC8B3 Diff Pinion Gear, 13T	1
81015	RC8B3 Gearbox	2
81047	RC8B3 Arm Mount, C	1
81048	RC8B3 Arm Mount, D	1
81050	RC8B3 Arm Mount Insert	12 ea.
81058	RC8B3 Rear Arm	Pr.
81060	RC8B3 Hinge Pin Set	1
81257	3 x 6mm Set Screw	6
81259	2.5 x 18mm BHCS	6
81261	4 x 16mm BHCS	6
81264	4 x 20mm FHCS	6
89214	4 x 12mm FHCS	10
89221	5 x 4mm Set Screw	10
91561	Bearing, 6 x 12 x 4mm	2




:: Steering


25201	3 x 8mm FHCS	20
25211	3 x 10mm BHCS	20
31404	Bearing, 6 x 10 x 3mm	2
31511	2 x 5mm SHCS	6
81086	RC8B3 Steering Bellcrank	1
81087	RC8B3 Servo Saver Tube	1
81088	RC8B3 Steering Bellcrank Nut	2
81089	RC8B3 Steering Rack	1
81091	RC8B3 Steering Post	2
81093	RC8B3 Rod End, 4mm (4 ball joints, 2 rod ends, 2 offset rod ends)	1
81262	4 x 10mm FHCS	6
89161	FT Steering Bearing Set, 5 x 8 x 2.5mm & 6 x 10 x 3mm	4 ea.

**:: Front Shock Tower**

25612	M3 Locknut with Flange, Black	20
81026	RC8B3 Shock Tower, Front	1
81050	RC8B3 Arm Mount Inserts	12 ea.
81196	RC8B3 Shock Bushing	4
89214	4 x 12mm FHCS	10
89225	3 x 24mm SHCS	10


**:: Rear Shock Tower**

2208	Large Hood Pins	6
25203	3 x 12mm FHCS	20
25211	3 x 10mm BHCS	20
25612	M3 Locknut with Flange, Black	20
81027	RC8B3 Shock Tower, Rear	1
81112	RC8B3 Body Post	Pr.
81196	RC8B3 Shock Bushing	4
89214	4 x 12mm FHCS	10
89225	3 x 24mm SHCS	10




:: Front Suspension

25202	3 x 10mm FHCS	20
25211	3 x 10mm BHCS	20
25225	3 x 3mm Set Screw	20
81019	RC8B3 Universal, 93.5mm	2
81054	RC8B3 Front Arms	Pr.
81055	RC8B3 Front Upper Arms	Pr.
81056	RC8B3 Suspension Arm Endcap	4
81060	RC8B3 Hinge Pin Set	1
81065	RC8B3 Steering Block	Pr.
81066	RC8B3 Steering Block Arm	2
81067	RC8B3 Pillow Ball	2
81070	RC8B3 Pillow Ball Nut	4
81072	RC8B3 Pillow Ball Shim	6
81081	RC8B3 Hex Drives, 17mm Blue	2
81082	RC8B3 Wheel Nuts, 17mm Blue	2
81093	RC8B3 Rod End, 4mm (4 ball joints, 2 rod ends, 2 offset rod ends)	1
81197	RC8B3 Shock Pin	4
81257	3 x 6mm Set Screw	6
89096	Wheel Hex Pin	4
89203	3 x 16mm BHCS	10
89221	5 x 4mm Set Screw	10
89317	Droop Screw	8
89526	4 x 50mm Turnbuckle	2
91565	8 x 16 x 5 Flanged Bearing	4




:: Rear Suspension

25215	M3 Locknut, Black	20
25225	3 x 3mm Set Screw	20
31531	3 x 6mm BHCS	6
81018	RC8B3 Universal, 90.5mm	2
81058	RC8B3 Rear Arm	Pr.
81059	RC8B3 Rear Arm Mud Guard	Pr.
81075	RC8B3 Rear Hub	Pr.
81076	RC8B3 Hub Hinge Pin	2
81081	RC8B3 Hex Drives, 17mm Blue	2
81082	RC8B3 Wheel Nuts, 17mm Blue	2
81094	RC8B3 Rod End, 5mm (4 ball joints, 2 rod ends, 2 offset rod ends)	1
81197	RC8B3 Shock Pin	4
81257	3 x 6mm Set Screw	6
89096	Wheel Hex Pin	4
89203	3 x 16mm BHCS	10
89204	3 x 24mm BHCS	10
89221	5 x 4mm Set Screw	10
89269	Steel Turnbuckle, 38mm	2
89317	Droop Screw	8
91565	8 x 16 x 5 Flanged Bearing	4



:: Front Chassis Brace


2208	Large Hood Pins	6
25201	3 x 8mm FHCS	20
81030	RC8B3 Top Plate	1
81032	RC8B3 Chassis Brace	Pr.
81049	RC8B3 Upper Link Mount	1
81050	RC8B3 Arm Mount Insert	12 ea.
81112	RC8B3 Body Post	Pr.
81262	4 x 10mm FHCS	6
89214	4 x 12mm FHCS	10
89216	M4 Locknut	10

**:: Rear Chassis Brace**

25188	3 x 20mm BHCS	20
25215	M3 Locknut, Black	20
81032	RC8B3 Chassis Brace	Pr.
89214	4 x 12mm FHCS	10
89216	M4 Locknut	10


**:: Chassis**

25201	3 x 8mm FHCS	20
31541	3 x 6mm FHCS	6
81001	RC8B3 Side Guards	Pr.
81295	RC8B3e Chassis	1




:: Anti-Roll Bars

25225	3 x 3mm Set Screw	20
81130	RC8B3 Front Anti-Roll Bars, (2.3 - Brown, 2.4 - Black, 2.5 - Green)	1 ea.
81131	RC8B3 Front Anti-Roll Bars, (2.6 - White, 2.7 - Gray, 2.8 - Blue)	1 ea.
81140	RC8B3 Rear Anti-Roll Bars, (2.5 - Green, 2.6 - White, 2.7 - Gray)	1 ea.
81141	RC8B3 Rear Anti-Roll Bars, (2.8 - Blue, 2.9 - Yellow, 3.0 - Red)	1 ea.
81150	RC8B3 Anti-Roll Bar Drop Link / Collet	1
81258	3 x 12mm Set Screw	6

**:: Wing**

25187	3 x 14mm BHCS	20
25203	3 x 12mm FHCS	20
25215	M3 Locknut, Black	20
81106	RC8B3 Wing, Black (1 wing, 2 wing buttons)	1
81108	RC8B3 Wing Mount, 1 high, 1 low	1 ea.
81263	4 x 16mm FHCS	6

**:: Wheels / Tires / Bodies / Decals**

716	Reedy 2009 Sticker Set	1
3816	American Bumper Sticker	1
3820	AE Logo Decal Sheet	1
3834	AE Blue Embossed Logo Sticker	2
9787	FT Chassis Protective Sheet	1
89152	RC8 Wheels (White)	4
89153	RC8 Wheels (Yellow)	4
89255	RTR Pre-Glued Wheel/Tire (White)	Pr.
89296	RC8 83mm Wheels (White)	4
89297	RC8 83mm Wheels (Yellow)	4
81305	RC8B3e Decal Sheet	1
81306	RC8B3e Proline Body, Clear	1

**:: Lubes & Adhesives / Misc.**

1105	FT Green Slime Shock Lube	1
1596	FT Locking Adhesive	1
1597	FT Tire Adhesive, Medium	1
5450	Silicone Diff Fluid 1,000CST	1
5451	Silicone Diff Fluid 2,000CST	1
5452	Silicone Diff Fluid 3,000CST	1
5444	Silicone Diff Fluid 4,000CST	1
5453	Silicone Diff Fluid 5,000CST	1
5446	Silicone Diff Fluid 6,000CST	1
5447	Silicone Diff Fluid 15,000CST	1
5454	Silicone Diff Fluid 7,000CST	1
5455	Silicone Diff Fluid 10,000CST	1
5456	Silicone Diff Fluid 20,000CST	1
5457	Silicone Diff Fluid 30,000CST	1
5458	Silicone Diff Fluid 60,000CST	1
5448	Silicone Diff Fluid 80,000CST	1
5459	Silicone Diff Fluid 100,000CST	1
5461	Silicone Diff Fluid 200,000CST	1
5463	Silicone Diff Fluid 500,000CST	1
5465	Silicone Diff Fluid 1,000,000CST	1
6588	Black Grease - 4cc	1
6591	S.Diff Lube - 4cc	1
6636	Silicone Grease - 4cc	1
6727	Servo Tape	2
7710	FT Foam Prefilter Treatment, 1 oz.	1



:: Factory Team and Option Parts

25392	3mm Blue Locknut, Flanged	10
29213	Servo Wire Extension	1
31550	M3 Aluminum Lock Nut	6
89094	Nyloc Wheel Hex Nuts, Blue	2
89095	Wheel Hex, Aluminum	2
89161	Steering Bearing Set	1
89229	Blue Countersunk Washer	10
89405	Nyloc Wheel Nuts (Silver)	4
89406	Nyloc Wheel Nuts (Black)	4
89473	Steel Shock Standoff	2

:: XP Electronics

304	LiPo Pro RX Battery 1600mAh 7.4V Flat	1
305	LiFe Pro RX Battery 1300mAh 6.6V Flat	1
612	NiMH RX Battery 1600mAh 6.0V Hump	1
613	NiMH RX Battery 1600mAh 6.0V Flat	1
631	LiPo RX Battery 2100mAh 7.4V	1
636	6.0V 5A Voltage Regulator	1
638	LiFe RX Battery 1700mAh 6.6V	1
29133	XP DS1903 Digital Servo	1
29134	XP DS1903MG Digital Servo	1
29128	C1016 Micro Servo	1
29116	4-AA Battery Harness	1
29166	XP DS1313 Digital Servo	1
29167	XP DS1015 Digital Servo	1
29168	XP DS1510 Digital Servo	1
29209	Gear Set, DS1313	1
29210	Gear Set, DS1015	1
29211	Servo Case, DS1313/DS1015	1
29212	Accessory Pack, DS1313/DS1015	1
29215	XP2G 2.4GHz Radio System	1
29216	XP3G 2.4GHz Radio System	1

:: Reedy Batteries

302	AA Alkaline 1.5V (4)	1
304	LiPo Pro TX/RX Battery 1600mAh 7.4V Flat	1
305	LiFe Pro TX/RX Battery 1300mAh 6.6V Flat	1
311	LiPo 65C 4600mAh 14.8V	1
315	LiPo Pro TX/RX Battery 2100mAh 7.4V Flat	1
318	LiPo 65C 6500mAh 14.8V w/T-plug	1
637	LiPo TX Battery - M11X 2500mAh 7.4V	1
643	Low Profile Bullet Plug 4mm x 14mm (2)	1
644	Low Profile Bullet Plug 4mm x 14mm (10)	1
645	Low Profile Bullet Plug 5mm x 14mm (2)	1
646	Low Profile Bullet Plug 5mm x 14mm (10)	1
647	Silicone Wire 12AWG-Black (1m)	1
648	Silicone Wire 14AWG-Black (1m)	1
649	Silicone Wire 16AWG-Black (1m)	1
756	Wolfpack LiPo 4000mAh 35C 14.8V w/T-Plug	1
757	Wolfpack LiPo 5400mAh 30C 14.8V w/T-Plug	1
998	5.0mm 4S Balance Charge Lead	1

:: Reedy Electronics

616	423-S AC 35W Compact Balance Charger	1
27100	RS1206 Digital HV Hi-Speed Competition Servo	1
27101	RT1508 Digital HV Hi-Torque Competition Servo	1
27102	RS1206 Servo Case Set w/screws	1
27103	RS1206 Servo Gear Set	1
27104	RT1508 Servo Case Set w/screws	1
27105	RT1508 Servo Gear Set	1
27200	1216-C2 Dual AC/DC Competition Battery Charger	1

:: Reedy Motors

978	Flat Sensor Wire 70mm	1
979	Flat Sensor Wire 110mm	1
980	Flat Sensor Wire 150mm	1
981	Flat Sensor Wire 200mm	1
982	Flat Sensor Wire 270mm	1
988	Sonic 1512 1800kV Competition Brushless Motor	1
989	Sonic 1512 2100kV Competition Brushless Motor	1
993	Sonic 1512 2400kV Competition Brushless Motor	1
994	Flat Sensor Wire 125mm	1
995	Flat Sensor Wire 175mm	1

:: Qualifier Series Vehicles

7062	Pro SC 4x4 RTR, 1/10 Scale (ready-to-run)	1
7070	Pro Rally 4wd RTR, 1/10 Scale (ready-to-run)	1
20111	Rival Mini Monster Truck 1/18 Scale (ready-to-run)	1
20119	APEX Mini Touring 1/18 Scale (ready-to-run)	1
20510	RIVAL Electric Monster Truck RTR, 1/8 Scale (ready-to-run)	1
30112	APEX Touring V-Type, 1/10 Scale (ready-to-run)	1
30113	APEX Scion Racing FR-S 1/10 Scale (ready-to-run)	1
30113D	APEX Scion Racing FR-S Drift 1/10 Scale (ready-to-run)	1
30114	APEX Scion Racing tC 1/10 Scale (ready-to-run)	1
30114D	APEX Scion Racing tC Drift 1/10 Scale (ready-to-run)	1
30115	APEX Lexus RC F, 1/10 Scale (ready-to-run)	1

:: 1/18 Kits and RTR's

20103	RC18B2 - RC18T2 Team Kit	1
20121	SC18 RTR Brushless (ready-to-run)	1

:: 1/12, 1/10 Kits and RTR's

4020	FT 12R5.2 Kit	1
7030	SC10 KMC Wheels Race Truck RTR (ready-to-run)	1
7038	FT SC10.2 Kit	1
7039	RC10T4.2 RS RTR 2.4GHz Brushless (ready-to-run)	1
7046	SC10 RS RTR, Lucas Oil (ready-to-run)	1
7049	SC10 RS RTR, Rockstar/Makita (ready-to-run)	1
7093	SC10GT RTR (ready-to-run)	1
9042	RC10B4.2 RS RTR 2.4GHz Brushless (ready-to-run)	1
9050	SC10B RS RTR (ready-to-run)	1
9063	FT B44.3 4WD Buggy Kit	1
30101	TC4 Club Racer 4WD Touring Car Race Roller	1
30109	FT TC6.2 Kit	1
70001	RC10T5M Team Kit	1
90000	RC10B5M FT Lite	1
90001	RC10B5 Team Kit	1
90003	RC10B5M Team Kit	1

:: 1/8 Kits and RTR's

20501	MGT 4.60 SE RTR (ready-to-run)	1
20502	MGT 8.0 Nitro RTR (ready-to-run)	1
20504	Limited Edition MGT 8.0 Nitro RTR, w/flag body (ready-to-run)	1
80907	RC8.2e Electric Buggy FT Kit	1
80908	RC8.2e Electric Buggy RTR (ready-to-run)	1
80909	RC8.2RS Nitro Buggy RTR (ready-to-run)	1
80912	RC8T Championship Edition	1
80914	RC8B3 Team Kit - Nitro	1
80916	RC8B3e Team Kit - Electric	1

:: RePlay Cameras

RP004	Replay XD1080 Mini Complete Camera System	1
RP005	Replay XD PrimeX Camera System	1
RP021	Replay XD1080 Lens Bezel Kit	1
RP022	Replay XD1080 Clear Lens Cover	1
RP023	Replay XD1080 Lens Bezel & Rear Cap O-Ring	1
RP029	Replay XD1080 HDMI to Mini-HDMI	1
RP030	Replay XD1080 Mini 8-pin USB Charge Data Cable	1
RP032	USB DC Car Charger 1A Stubby	1
RP034	Micro SDHC USB Reader	1
RP036	3M VHB 4991 Mount Adhesive for SnapTray	1
RP042	Replay XD Suction Cup Short Arm Base	1
RP043	Replay XD Skateboard Mount	1
RP044	Replay XD VHB SnapTray, Convex	1
RP045	Replay XD VHB SnapTray, Flat	1
RP046	Au Plug for Universal DC Wall Charger	1
RP047	Eu Plug for Universal DC Wall Charger	1
RP048	Uk Plug for Universal DC Wall Charger	1
RP049	Universal USB DC Wall Charger 1A	1
RP050	Au Plug for Uni DC Wall Charger	1
RP054	Replay ReView Field Monitor	1
RP055	Replay PrimeX Lens 5 pack	1
RP056	Replay PrimeX HDMI Cable	1
RP057	Replay PrimeX Deep Dive Waterproof Case	1
RP058	Replay PrimeX Heim Lock Mount	1
RP059	Replay PrimeX Low Boy Mount	1
RP060	Replay PrimeX Tilt Mount	1

:: Apparel

SP17**	AE INT'L T-Shirt - Black (S, M, L, XL-5XL)	1
SP18**	AE INT'L T-Shirt - White (S, M, L, XL-5XL)	1
SP19**	AE INT'L Hoodie - Black (S, M, L, XL-3XL)	1
SP20	AE Patch Trucker Hat	1
SP22**	Reedy Vintage '81 T-Shirt - Blue (S, M, L, XL-3XL)	1
SP23**	AE Splash T-shirt - Black (S, M, L, XL-5XL)	1
SP24**	AE Splash T-shirt - Blue (S, M, L, XL-5XL)	1
SP29**	Team Associated Countertop / Setup Mat	1
SP31**	Reedy Countertop / Setup Mat	1
SP32**	AE Kids T-shirt - Blue (S, M, L)	1
SP38	Reedy Trucker Hat	1
SP39	Reedy Patch	1
SP84**	Reedy 3D T-Shirt, Black (S, M, L, XL-3XL)	1
SP87**	AE 2013 Zip Hoodie (S, M, L, XL-3XL)	1
SP90**	AE Retro T-shirt, Blue (S, M, L, XL-5XL)	1
SP91**	AE Retro T-shirt, Black (S, M, L, XL-5XL)	1
SP92**	AE Retro T-shirt, White (S, M, L, XL-5XL)	1
SP93**	AE 2013 Worlds T-shirt - Blue (S, M, L, XL-5XL)	1
SP96**	AE Womens Retro - Pink (S, M, L, XL)	1
SP110*	Reedy R-Powered T-Shirt - Black (S, M, L, XL-3XL)	1
SP111*	Reedy W15 Sweatshirt - Black (S, M, L, XL-3XL)	1
SP420**	AE Pit Gloves (XL)	Pr.
SP421S	AE 2012 Hat, Black, Flat Bill, S/M	1
SP421L	AE 2012 Hat, Black, Flat Bill, L/XL	1
SP422S	AE 2012 Hat, Black, Curved Bill, S/M	1
SP422L	AE 2012 Hat, Black, Curved Bill, L/XL	1
SP423S	AE 2012 Hat, White, Flat Bill, S/M	1
SP423L	AE 2012 Hat, White, Flat Bill, L/XL	1
SP424S	AE 2012 Hat, White, Curved Bill, S/M	1
SP424L	AE 2012 Hat, White, Curved Bill, L/XL	1
SP425	FT Fluid Carrier	1
715	Reedy 2009 Track Banner	1
110684	Team Associated Track Banner	1
110685	Team Associated Cloth Banner	1

** Use part number plus the desired size when ordering!

:: Kicker

29269	KICKER KPw Wireless Speaker System, black	1
29270	KICKER KPw Wireless Speaker System, white	1

:: Tools

1111	FT Turnbuckle Wrench	1
1112	FT 4mm Turnbuckle Wrench	1
1449	Offroad Ride Height Gauge	1
1541	FT Hex Driver Set, (7 pcs)	1
1542	FT .050" Silver Hex Driver	1
1543	FT 1/16" Black Hex Driver	1
1544	FT 1.5mm Purple Hex Driver	1
1545	FT 5/64" Blue Hex Driver	1
1546	FT 3/32" Gold Hex Driver	1
1547	FT 2.5mm Green Hex Driver	1
1548	FT 3mm Red Hex Driver	1
1553	FT Phillips Silver Screwdriver	1
1554	FT Silver Spring Hook Tool	1
1562	FT 3/16" Black Nut Driver	1
1563	FT 1/4" Red Nut Driver	1
1564	FT 5.5mm Red Nut Driver	1
1565	FT 11/32" Green Nut Driver	1
1567	FT 8mm Gold Nut Driver	1
1589	FT 5/64" Blue Ball Hex Driver	1
1590	FT 3/32" Gold Ball Hex Driver	1
1592	FT Ball Hex Driver Set, (3 pcs)	1
1655	FT 8-Piece 1/4" Hex Drive Set	1
1656	FT 1/4" Hex Drive Handle, without tips	1
1657	FT 1/4" Hex Drive .050" Tip	1
1658	FT 1/4" Hex Drive 1/16" Tip	1
1659	FT 1/4" Hex Drive 5/64" - 2.0mm Tip	1
1660	FT 1/4" Hex Drive 3/32" Tip	1
1661	FT 1/4" Hex Drive 1.5mm Tip	1
1662	FT 1/4" Hex Drive 2.5mm Tip	1
1663	FT 1/4" Hex Drive 3/16" Nut Driver Tip	1
1664	FT 1/4" Hex Drive 1/4" Nut Driver Tip	1
1665	FT 1/4" Hex Drive 11/32" Nut Driver Tip	1
1666	FT 1/4" Hex Drive 5.5mm Nut Driver Tip	1
1667	FT 1/4" Hex Drive 7.0mm Nut Driver Tip	1
1668	FT 1/4" Hex Drive 8.0mm Nut Driver Tip	1
1669	FT 1/4" Hex Drive 5/64" - 2.0mm Ball End Tip	1
1670	FT 1/4" Hex Drive 3/32" Ball End Tip	1
1671	FT 1/4" Hex Drive Standard Screwdriver Tip	1
1672	FT 1/4" Hex Drive Phillips Screwdriver Tip	1
1673	FT 1/4" Hex Drive 2.5mm Ball End Tip	1
1674	FT 1/4" 5 Piece Power Tool Tips Set (5/64-2.0mm, 1.5mm, 2.5mm, 5/64"- 2.0mm ball, 2.5mm ball)	1
1675	FT Shock Shaft Pliers	1
1719	FT Camber + Track Width Tool	1
1737	FT Body Scissors	1
3718	12 Inch Nylon Wire Ties	12
3719	6 Inch Nylon Wire Ties	12
3720	8 Inch Nylon Wire Ties	12
3987	FT Droop Gauge	1
7709	4 Inch Nylon Wire Ties	12
89240	FT RC8 Turnbuckle Wrench	1
89358	16mm Big Bore Shock Tools	1
91107	13mm Shock Tools	1

Associated Electrics, Inc.
 26021 Commercentre Drive
 Lake Forest, CA 92630-8853 USA
<http://www.TeamAssociated.com>
<http://www.RC10.com>
<http://twitter/TeamAssociated>
<http://bit.ly/AEonFacebook>

call: (949) 544-7500

fax: (949) 544-7501

Check out the following web sites for all
 of our electric kits, current products, new
 releases, setup help, tips, and racing info!

www.TeamAssociated.com - www.RC10.com

Front Suspension:

RESET

Ride Height: _____

Camber: _____

Toe: _____

Anti-Roll Bar

Size: _____

Gap: _____

Ackerman

1 2 3 4 5

Notes: _____

Caster Shim: _____

Upper Ball Type: _____

Upper Ball Shim: _____

Lower Ball Shim: _____

Wheelbase Shim: _____

Lower Ball Type: _____

Upper Arm Mount: _____

Arm Mount A: _____

Arm Mount B: _____

Rear Suspension:

Ride Height: _____

Camber: _____

Anti-Roll Bar

Size: _____

Gap: _____

Notes: _____

Hub Shim: _____

Arm Mount C: _____

Arm Mount D: _____

Wheelbase Shim: _____

Electronics:

Radio: _____

Servo: _____

EPA: Throttle: _____ % Brake: _____ %

EXPO: Throttle: _____ % Brake: _____ %

ESC: _____

Motor: _____

Battery: _____

Notes: _____

Differential Fluid:

Front: _____

Center: _____

Rear: _____

Notes: _____


Gearings:

Spur Gear: _____ **Pinion:** _____

Notes: _____

Shocks:

	Front	Rear
Piston:	_____	_____
Fluid:	_____	_____
Spring:	_____	_____
Stroke:	_____	_____
Free Length:	_____	_____
Notes:	_____	



Track Info:

Size: Small ☐ Medium ☐ Large ☐ Extra Large ☐

Surface: Dirt ☐ Carpet ☐ Astroturf ☐ Multi Surface ☐

Traction: Low ☐ Medium ☐ High ☐ Very High ☐

Moisture: Dry ☐ Damp ☐ Wet ☐

Condition: Indoor ☐ Outdoor ☐ Dusty ☐ Hard Packed ☐

Bumpy ☐ Grooved ☐ Smooth ☐ Loamy ☐

Temperature: Ambient: _____ Track: _____

Notes: _____

Tires:

Front Tires: _____

Front Compound: _____

Front Insert: _____

Rear Tires: _____

Rear Compound: _____

Rear Insert: _____

Wheel (F/R): _____

Notes: _____

Body, Wings:

Body: _____

Wing: _____

Wing Height: High: ☐ Low: ☐

Gap to Tower: _____

Weight:

Total Vehicle Weight: _____

Notes: _____

Vehicle Comments:

Notes: _____



**Associated Electrics, Inc.
26021 Commercentre Dr.
Lake Forest, CA 92630 USA**

<http://www.TeamAssociated.com>

<http://www.RC10.com>

https://twitter/Team_Associated

<https://bit.ly/AEonFacebook>

call: (949) 544-7500 - fax: (949) 544-7501

**Check out the following web sites for all of our kits,
current products, new releases, setup help, tips, and racing info!
www.TeamAssociated.com - www.RC10.com**