

Front Suspension:

Ride Height: **23mm (body on)**

Camber: **-1**

Toe: **0 Degree**

Anti-Roll Bar: **1.4mm**

Arm Type: **Kit**

Tower Type: **Kit**

Wheel Hex: **8.5mm**

Steering Block KPI: **4 trail, 0 kpi**

Caster Block Insert: 0 ☐ +2.5 ☒ +5 ☐


Bulkhead Type: **Aluminum**

Kick-Up Angle: -2.5 ☐ 0 ☐ +2.5 ☒

Steering Stop Spacing: **0mm**

Caster Block Spacing: Fwd ☒ Back ☐

Notes:



Rear Suspension:

Ride Height: **23mm (body on)**

Camber: **-1**

Anti-Roll Bar: **Optional - 1.2mm**

Arm Type: **Kit**

Tower Type: **Kit**

Arm Spacing: Fwd ☐ Mid ☒ Back ☐


Wheel Hex: **7mm**

Hub Type: Std ☒ HRC ☐

Hub Spacing: Fwd ☐ Mid ☒ Back ☐

Drive Shaft: CVA's ☒ Universals ☐

Notes:



Electronics:

Radio: Servo:

EPA: Throttle: % Brake: %

ESC:

ESC Settings:

Motor / Wind: Timing:

Pinion: Spur:

Battery Mount: Std ☒ Offset ☐

Back 1 ☐ 2 ☐ 3 ☒ 4 ☐ 5 ☐ Forward

Battery: Weight:

Notes:

Drivetrain:

Differential: Ball Diff: ☒

Height: **3** Gear Diff: ☐

Diff Setting:

Notes:

Slipper Clutch:

Type: **Standard**

of Pads: **2 x 19mm**

Setting:

Notes:

Shocks:

	Front	Rear
Piston:	2 x 1.7	2 x 1.9
Thickness:	2.5	2.5
Fluid:	30	30
Spring:	Purple	Gray
Limiters:	Int: <u></u> Ext: <u></u>	Int: <u></u> Ext: <u></u>
Stroke:	24.5	30
Eyelet:	0	0
Cup Offset:	0 ☐ +5 ☒ +9 ☐	0 ☐ +5 ☒ +9 ☐
Kashima Bodies:	☐	Chrome Shafts: ☐ Machined Spacers: ☐
Notes:	<u></u>	

Stroke

Track Info:

Size:

Surface:

Traction:

Moisture:

Condition:

Temperature:

Notes:

Tires:

Front Tires:

Front Compound:

Front Insert:

Rear Tires:

Rear Compound:

Rear Insert:

Wheel (F/R):

Notes:

Body, Weight:

Body:

Chassis Length: **0**

Servo Weights: **None**

Electronic Weights: **Aluminum**

Total Vehicle Weight:

Vehicle Comments:

Notes: