

Driver		Date	Track / Event		Engine	Plug	Manifold	Muffler
Reno Savoya		11/01/2026	Silverstate 2026		Picco DIX	Os P4	Picco	Picco 2166
Spur Gear	Clutch Bell	Clutch Spring	Clutch Shoe	Tire	Tire Insert	Wheel	Body	Fuel
<input checked="" type="checkbox"/> 0.8 <input type="checkbox"/> 1.0 59 T	<input checked="" type="checkbox"/> 0.8 <input type="checkbox"/> 1.0 16 T	<input type="checkbox"/> 0.90 <input type="checkbox"/> 1.00 <input checked="" type="checkbox"/> 0.95 <input type="checkbox"/> 1.10	Carbon <i>IFW52B</i> x3 AL. _____ X _____	Tire : <i>Neutron</i> Compounds: <i>Soft</i>	<i>Matrix</i>	<i>Matrix</i>	<i>Mp11</i>	<i>30%</i>

Diff. Gear Set-Up

	Front	Center	Rear
Diff. Gear	<input checked="" type="checkbox"/> 10/20 <input type="checkbox"/> 12/18 <input type="checkbox"/> LSD Ring Gear <input checked="" type="checkbox"/> 43/13 <input type="checkbox"/> 42/12 Diff. Position <input checked="" type="checkbox"/> Low <input type="checkbox"/> Mid. <input type="checkbox"/> High	<input checked="" type="checkbox"/> 10/20 <input type="checkbox"/> 12/18 <input type="checkbox"/> LSD Diff. Size <input checked="" type="checkbox"/> Small <input type="checkbox"/> Large # <i>10k</i>	<input checked="" type="checkbox"/> 10/20 <input type="checkbox"/> 12/18 <input type="checkbox"/> LSD Ring Gear <input checked="" type="checkbox"/> 43/13 <input type="checkbox"/> 42/12 # <i>10k</i> <input type="checkbox"/> Low <input type="checkbox"/> Mid. <input checked="" type="checkbox"/> High

Shock Set-Up

	Front	Rear
Shock Type	P : w/Diaphragm A : Aeration Size <i>50 A</i> Type	Size <i>58 A</i> Type
Shock Piston	B : Black W : White T : Taper <i>6x1.2mm</i>	<i>6x1.3mm</i>
Shock Oil	<i>300</i>	<i>300</i>
Shock Spring	<i>Purple 81mm</i>	<i>Purple 81mm</i>
Shock Length (Ball to Ball)	<i>106 mm</i>	<i>121 mm</i>

Front

☐ Suspension Holder Bushing
☒ Wheel Nut
☐ Wheel Hub ☐ Narrow ☒ Std. ☐ Wide
☐ Camber *-2 deg.*
☒ Spacer
☐ Hub Carrier Washer
☐ Steering Plate
☐ Servo Saver Bushing
☐ Tie Rod *3° toe out* mm
☒ Universal Swing Shaft ☒ Std. (Cap Type) ☐ IFW703
☐ Suspension Arm Plate ☐ None ☒ Upper ☐ Lower
☐ Servo Horn ☐ AL. 18.5mm ☐ Plastic ☒ AL. 20.5mm
☒ Sway Bar *2,3 mm*

Rear

☐ Suspension Holder Bushing
☐ Wheel Nut
☐ Wheel Hub ☐ Narrow ☒ Std. ☐ Wide
☐ Camber *-3 deg.*
☐ Wheelbase
☐ Torque Rod Plate ☐ Plastic ☒ Carbon ☐ None
☐ Torque Rod Bush ☒ Plastic ☐ Rubber
☐ Servo Horn ☐ Plastic ☒ AL.
☒ Universal Swing Shaft ☒ Std. (Cap Type) ☐ IFW703
☐ Suspension Arm Plate ☐ None ☒ Upper ☐ Lower
☐ Sway Bar *2,8 mm*

Other

☐ Chassis Weight
☐ Battery Position
☐ Wing ☒ Plastic ☐ PC
☐ Chassis Height
 Front *27 mm* Rear *31 mm*
 Wing Position ☒ Front ☐ Rear
 Wing Spacer *none*
13 mm

Front: 92mm CVA, rear: 94mm CVA

Droop measured with 30mm blocks: FR: 0mm, RR: -5mm

Front and rear Kyosho prototype carbon arm plates upper and lower