



Name _____	Date _____	Track / City _____	Event _____
------------	------------	--------------------	-------------

Front Suspension



Upper Spacer: _____ mm



4.8mm Ball Stud: _____
 UM128 (Std)
 UMW508 (+2mm High Mount)

Camber: _____ °

4.8mm Ball Stud Spacer: _____ mm

Axle Spacer: Out _____ mm
 In _____ mm

Wheel Hub: _____ mm

Caster Block position: IN (wide/Std)
 OUT (Narrow)

Caster: 25° Spacer: 25° 30° 0.5 1.0 None
 0° 2° 4°

Caster Block: IN (wide/Std)
 OUT (Narrow)

Axle Height Spacer: _____ mm
 _____ mm

Toe: In Out _____ °


Tie Rod: _____

Front Bulkhead Weight Placement:
 None
 Bulkhead Inside _____ oz _____ g
 On the skid plate _____ oz _____ g


*1oz=28g

Front Axle: UM569 (RB6) UM506 (RB5)

Comments: _____




Ackerman Steer Spacer: _____ mm



Bump Steer Spacer: _____ mm

Wheelbase: F: _____ mm R: _____ mm

Rear Suspension



RR: _____

Mid: _____

Sus Holder Spacer:
 F 0.5 1.0 None
 R 0.5 1.0 None

Anti-Squat: _____ °

4.8mm Ball Stud: UM129
 UMW508 (+2mm High Mount)
 97050M
 UM128 (Std)

Sway Bar: None
 _____ mm

Camber: _____ °

Universal Swing Shaft: _____

Axle Spacer: Out _____ mm
 In _____ mm

Arm: UM713 UM521
 UM566 UM521-1
 UM503

Upper Spacer: _____ mm

Wheelbase: F: _____ mm R: _____ mm

Rear Hub Toe:
 0° Type-B (UM519)
 0° Type-B2 (UM519-2)
 0° Alu (UMW516-0)
 0.5° Alu (UMW516-05)
 1° Alu (UMW516-1)


Motor Position
 Rear Motor
 Midship Motor

Diff.
 Gear Diff. # _____
 Ball Diff.

Comments: _____



Shock

	Front		Rear	
Shock Piston:	_____	_____	_____	_____
Shock Oil:	# _____	# _____	# _____	# _____
Shock Spring:	_____	_____	_____	_____
Limiters:	in _____ mm out _____ mm	in _____ mm out _____ mm	in _____ mm out _____ mm	in _____ mm out _____ mm
Shock Length(A):	_____ mm	_____ mm	_____ mm	_____ mm
Shock Length(B):	_____ mm	_____ mm	_____ mm	_____ mm
O-ring:	_____	_____	_____	_____
Ball End type Front:	S <input type="checkbox"/> M <input type="checkbox"/> L <input type="checkbox"/>		S <input type="checkbox"/> M <input type="checkbox"/> L <input type="checkbox"/>	
Rear:	S <input type="checkbox"/> M <input type="checkbox"/> L <input type="checkbox"/>		S <input type="checkbox"/> M <input type="checkbox"/> L <input type="checkbox"/>	



Battery Placement

Comment: _____

Front _____ mm Ride Height _____ mm R _____ mm

Battery Type

Comment: _____

Front _____ mm Ride Height _____ mm R _____ mm

Other

Motor: _____

ESC: _____

Pinion/Spur: _____

Track Condition

<input type="checkbox"/> Smooth	<input type="checkbox"/> Sandy	<input type="checkbox"/> Blast-S
<input type="checkbox"/> Bumpy	<input type="checkbox"/> Soft Dirt	<input type="checkbox"/> Blast-L
<input type="checkbox"/> Low Traction	<input type="checkbox"/> Grass	<input type="checkbox"/> Step-S
<input type="checkbox"/> Med. Traction	<input type="checkbox"/> BlueGroove	<input type="checkbox"/> Step-M
<input type="checkbox"/> High Traction	<input type="checkbox"/> Clay	<input type="checkbox"/> Step-L
<input type="checkbox"/> Wet	<input type="checkbox"/> Dusty	<input type="checkbox"/> Step 2.0
<input type="checkbox"/> Dry	<input type="checkbox"/> _____	<input type="checkbox"/> _____

Wing

Wing Mount: Narrow Wide

Wing Angle: 4° 7° 10°

Lip: _____

Tire

Tire	Compound	Insert	Wheel
Front: _____	_____	_____	_____
Rear: _____	_____	_____	_____
Comment: _____	_____	_____	_____
Comment: _____	_____	_____	_____