

Name _____ Date _____ Truck / City _____ Event _____

Front Suspension

Upper Spacer: _____ mm

4.8mm Ball Stud: Camber: _____ °

UM128 (Std)

UMW508 (+2mm High Mount)

4.8mm Ball Stud:

LA246 (-1mm Low Mount)

UM129 (Std)

Ackerman Steer Spacer: _____ mm

Axle Spacer:

Out _____ mm

In _____ mm

Wheel Hub: _____ mm

Bump Steer Spacer: _____ mm

Toe: In Out _____ °

Caster:

25° 30°

Spacer: 0.5 1.0 None

Caster Block: 0° 2° 4°

Block position: IN OUT

Axle Height Spacer:

_____ mm

_____ mm

Front Bulkhead Weight Placement:

None

Bulkhead Inside _____ oz _____ g

On the skid plate _____ oz _____ g * 1oz=28g

Wheelbase: F: _____ mm R: _____ mm

Comments: _____

Rear Suspension

Sus Holder Spacer:

F 0.5 1.0 None

R 0.5 1.0 None

Anti-Squat: _____ °

Upper Spacer: _____ mm

4.8mm Ball Stud:

UM129 (Std)

UMW508 (+2mm High Mount)

97050M

Sway Bar: None _____ mm

Camber: _____ °

Wheelbase: F: _____ mm R: _____ mm

Rear Hub add Toe:

0° Type-B (UM519)

0° Type-B2 (UM519-2)

0° Alu (UMW516-0)

0.5° Alu (UMW516-05)

1° Alu (UMW516-1)

Axle Spacer:

Out _____ mm

In _____ mm

RR: _____ mm

Lower Sus Holder:

Normal RF Aluminum(Opt) UMW511+UMW512

Narrow RF2 Wide UMW514+UMW515

Motor Position

Rear Motor

Midship Motor

Diff.

Gear Diff. # _____

Ball Diff.

Comments: _____

Shock

	Front	Rear
Shock Piston:	_____	_____
Shock Oil:	# _____	# _____
Shock Spring:	_____	_____
Limiters:	in _____ mm out _____ mm	in _____ mm out _____ mm
Shock Length(A):	_____ mm	_____ mm
Shock Length(B):	_____ mm	_____ mm
Shock Length(C):	_____ mm	_____ mm
Ball End type:	Front: <input type="checkbox"/> S <input type="checkbox"/> M <input type="checkbox"/> L	Rear: <input type="checkbox"/> S <input type="checkbox"/> M <input type="checkbox"/> L

Chassis

Screw:

Ride Height: F _____ mm R _____ mm

Battery Position

Battery Type:

Straight

Separate

Short

Battery Placement:

Front

Rear

Tire

	Front	Rear
Tire:	_____	_____
Inserts:	_____	_____
Wheel:	_____	_____
Traction Compound:	_____	_____

Electronics

Motor: _____

Pinion/Spur: _____

Battery: _____

ESC: _____

Truck Condition

<input type="checkbox"/> Smooth	<input type="checkbox"/> Sandy
<input type="checkbox"/> Bumpy	<input type="checkbox"/> Soft Dirt
<input type="checkbox"/> Low Truction	<input type="checkbox"/> Grass
<input type="checkbox"/> Med. Truction	<input type="checkbox"/> Blue Groove
<input type="checkbox"/> Higt Truction	<input type="checkbox"/> Clay
<input type="checkbox"/> Wet	<input type="checkbox"/> Dusty
<input type="checkbox"/> Dry	<input type="checkbox"/> Other

Wing

Wing Mount:

Blast-S Narrow

Blast-L Wide

Step-S

Step-M

Step-L

Step 2.0

Wing Angle:

4°

7°

10°

Lip: _____

Comment
