


Name \_\_\_\_\_ Date \_\_\_\_\_ Track / City \_\_\_\_\_ Event \_\_\_\_\_

### Front Suspension



**Upper Spacer:** \_\_\_\_\_ mm

**Front Tower:**  
 Std  
 Carbon

**Toe:**  In  Out \_\_\_\_\_°

**Tie Rod:** \_\_\_\_\_

**Front Bulkhead Weight Placement:**  
 None  
 Bulkhead Inside \_\_\_\_\_ oz \_\_\_\_\_ g  
 On the skid plate \_\_\_\_\_ oz \_\_\_\_\_ g

**4.8mm Ball Stud:**  
 UM128 (Std)  
 UMW508 (+2mm High Mount)

**4.8mm Ball Stud Spacer:** \_\_\_\_\_ mm

**Caster:**  
 25°  30°  0.5  1.0  None  0°  2°  4°  
 IN (wide/Std)  
 OUT (Narrow)

**Caster Block position:**  
 IN (wide/Std)  
 OUT (Narrow)

**Front Axle:**  UM569 (RB6)  UM506 (RB5)

**Front Arm:**  Std  Carbon

**4.8mm Ball Stud:**  
 Forward (Std)  
 Reverse

**Ackerman Steer Spacer:** \_\_\_\_\_ mm

**4.8mm Ball Stud:**  
 LA246 (-1mm Low Mount)  
 97050M (Std)

**Wheel Hub:** \_\_\_\_\_ mm

**Knuckle:**  Std  Carbon


**Bump Steer Spacer:** \_\_\_\_\_ mm

**Axle Height Spacer:**  
 \_\_\_\_\_ mm  
 \_\_\_\_\_ mm

**Comments:** \_\_\_\_\_

**Wheelbase:** F: \_\_\_\_\_ mm R: \_\_\_\_\_ mm

### Rear Suspension



**Rear Tower:**  
 Std  
 Carbon

**RR:** \_\_\_\_\_

**Mid:** \_\_\_\_\_

**Sus Holder Spacer:**  
 F  0.5  1.0  None  
 R  0.5  1.0  None

**Anti-Squat:** \_\_\_\_\_°

**4.8mm Ball Stud:**  
 UM129  
 UMW508 (+2mm High Mount)  
 97050M  
 UM128 (Std)

**Sway Bar:**  None  \_\_\_\_\_ mm

**Universal Swing Shaft:** \_\_\_\_\_

**Upper Spacer:** \_\_\_\_\_ mm

**Lower Sus Holder:**  
 Normal Aluminum(Opt)  
 Narrow  RF  UMW511+UMW512  RM UMW705+UMW706  
 Wide  RF2  UMW514+UMW515  MM UMW705+UMW707

**Upper Spacer:** \_\_\_\_\_ mm

**Hub Spacing:**  
 F: \_\_\_\_\_ mm  
 R: \_\_\_\_\_ mm

**Outer Bearing:**  
 5x10  
 5x11  
 5x13

**Wheelbase (arm):** F: \_\_\_\_\_ mm R: \_\_\_\_\_ mm

**Camber:** \_\_\_\_\_°

**Axle Spacer:**  
 Out \_\_\_\_\_ mm  
 In \_\_\_\_\_ mm

**Rear Arm:**  
 UM713  
 UM521/566  
 UM521-1  
 UM503 (Short)  
 UM711 (Carbon)

**Rear Hub Toe:**  
 UM519  
 UM519-2  
 0° Alu (UMW704-0)  
 0.5° Alu (UMW704-05)  
 1° Alu (UMW704-1)

**Comments:** \_\_\_\_\_

### Motor Position

Rear Motor  
 Midship Motor

### Diff.

Gear Diff. # \_\_\_\_\_  
 Ball Diff.

### Shock

**Shock Piston:** Front \_\_\_\_\_ Rear \_\_\_\_\_

**Shock Oil:** # \_\_\_\_\_ # \_\_\_\_\_

**Shock Spring:** \_\_\_\_\_

**Limiters:** in \_\_\_\_\_ mm out \_\_\_\_\_ mm


**Shock Length(A):** \_\_\_\_\_ mm

**Shock Length(B):** \_\_\_\_\_ mm

**O-ring:** \_\_\_\_\_

**Ball End type:** Front:  S  M  L  
 Rear:  S  M  L

**Shock Cap:**  UM719 (Std)  UM753-1 (Bleeder)




### Battery Placement:

UM787  None  Screw

**Comment:** \_\_\_\_\_

**Foam:**  
 Front  
 Rear  
 None




### Battery Type

Straight  
 Separate  
 Short  
 Type: \_\_\_\_\_

### Chassis

Kit  UMW720 (LW)



F \_\_\_\_\_ mm Ride Height R \_\_\_\_\_ mm

### Other

Motor: \_\_\_\_\_  
 ESC: \_\_\_\_\_  
 Pinion/Spur: \_\_\_\_\_

### Tire

Tire \_\_\_\_\_ Compound \_\_\_\_\_ Insert \_\_\_\_\_ Wheel \_\_\_\_\_

Front: \_\_\_\_\_  
 Rear: \_\_\_\_\_  
 Comment: \_\_\_\_\_

### Comments

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

### Track Condition

Smooth  
 Bumpy  
 Low Traction  
 Med. Traction  
 High Traction  
 Wet  
 Dry

Sandy  
 Soft Dirt  
 Grass  
 Blue Groove  
 Clay  
 Dusty

### Aero

Blast-S  
 Blast-L  
 Step-S  
 Step-M  
 Step-L  
 Step 2.0  
 \_\_\_\_\_  
 Lip: \_\_\_\_\_

Body: \_\_\_\_\_  
 Wing Mount:  
 Narrow  
 Wide  
 Wing Angle:  
 4°  
 7°  
 10°