

LC10B5V2 **SETUP SHEET**

RACE		
TRACK		
NAME		DATE

LAPS	BEST LAP TIME	sec
QUALIFYING POSITION	FINAL POSITION	

TRACK SIZE	<input type="checkbox"/> OPEN	<input type="checkbox"/> MEDIUM	<input type="checkbox"/> TIGHT
TRACK TRACTION	<input type="checkbox"/> HIGH	<input type="checkbox"/> MEDIUM	<input type="checkbox"/> LOW
TRACK SURFACE	<input type="checkbox"/> SMOOTH	<input type="checkbox"/> MEDIUM	<input type="checkbox"/> BUMPY
TRACK TYPE	<input type="checkbox"/> HARD PACKED	<input type="checkbox"/> SOFT DIRT	<input type="checkbox"/> CLAY
	<input type="checkbox"/> CARPET	<input type="checkbox"/> BLUE GROOVE	<input type="checkbox"/> ASTRO TURF
TRACK CONDITION	<input type="checkbox"/> DRY	<input type="checkbox"/> DUSTY	<input type="checkbox"/> WET
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> MUD

DIFFERENTIAL TYPE		
FRONT ↓	MIDDLE ↓	REAR ↓
GEAR DIFF <input type="checkbox"/>	GEAR DIFF <input type="checkbox"/>	GEAR DIFF <input type="checkbox"/>
OIL	OIL	OIL
	SLIPPER <input type="checkbox"/>	
SATELLITE GEARS		
COMPOSITE <input type="checkbox"/>	COMPOSITE <input type="checkbox"/>	COMPOSITE <input type="checkbox"/>
STEEL <input type="checkbox"/>	STEEL <input type="checkbox"/>	STEEL <input type="checkbox"/>

GEARING	
PINION	SPUR GEAR

FRONT	SHOCKS	REAR
	SPRINGS	
	OIL	
	REBOUND (%)	
	PISTONS	

ANTI-ROLL BAR
THICKNESS (MM)

TIRES	
	BRAND
	COMPOUND
	INSERTS
	WHEELS

ELECTRONICS	
MOTOR	ESC
TIMING	BATTERY

ELECTRONICS LAYOUT	
MOTOR POSITION	FRONT <input type="checkbox"/> REAR <input type="checkbox"/>
BATTERY POSITION	FRONT <input type="checkbox"/> REAR <input type="checkbox"/>
BATTERY SIZE	STD. SHORT <input type="checkbox"/> LOW SHORT <input type="checkbox"/>

COMMENTS

FRONT	APPLIED <input checked="" type="checkbox"/>	APPLIED <input checked="" type="checkbox"/>	REAR
STEERING BLOCK STANDARD <input type="checkbox"/> ALUMINIUM <input type="checkbox"/>	SHIM mm	SHOCK TOWER STANDARD <input type="checkbox"/> ALUMINIUM <input type="checkbox"/>	REAR UPRIGHT SHIM mm
LONGER BUSHINGS UP <input type="checkbox"/> DOWN <input type="checkbox"/>	ROLL CENTER 1 2 3	REAR HUB STANDARD <input type="checkbox"/> ALUMINIUM <input type="checkbox"/>	
DOWNSTOP (MM)			

CASTER 6° <input type="checkbox"/> 9° <input type="checkbox"/> 12° <input type="checkbox"/>	CASTER BLOCK STANDARD <input type="checkbox"/> ALUMINIUM <input type="checkbox"/>	SHOCK TOWER POSITION FRONT <input type="checkbox"/> REAR <input type="checkbox"/>
OFFSET mm	BUMP STEER SHIM mm	SHOCK POSITION FRONT <input type="checkbox"/> REAR <input type="checkbox"/>
		UPRIGHT WHEELBASE SHIM /mm

FF <input type="checkbox"/> 1° <input type="checkbox"/> 0.5°	ROLL CENTER ECCENTRIC BUSHINGS	RF <input type="checkbox"/> 1° <input type="checkbox"/> 0.5°
FR <input type="checkbox"/> 1° <input type="checkbox"/> 0.5°		RR 2mm <input type="checkbox"/> 0mm <input type="checkbox"/>

FRONT TOE OUT	BUMP STEER SHIM mm	REAR TOE IN
ARM SHIM mm	SERVO SAVER SOFT <input type="checkbox"/> MEDIUM <input type="checkbox"/> TIGHT <input type="checkbox"/>	GRAPHITE REAR BRACE YES <input type="checkbox"/> NO <input type="checkbox"/>
	MATERIAL STANDARD <input type="checkbox"/> ALUMINIUM <input type="checkbox"/>	ARM SHIM mm

CAMBER (°)	
DOWNSTOP SHIM mm	DOWNSTOP SHIM mm
LENGTH mm	LENGTH mm
UPSTOP SHIM mm	UPSTOP SHIM mm
RIDE HEIGHT (mm)	

BODY STANDARD <input type="checkbox"/> LIGHT <input type="checkbox"/>	BALANCE g	BALANCE g
CHASSIS FLEX SCREW USED <input checked="" type="checkbox"/> SCREW NOT USED <input type="checkbox"/>	BALANCE g	BALANCE g
		WING THICKNESS 1.0mm <input type="checkbox"/> 1.5mm <input type="checkbox"/> 2.0mm <input type="checkbox"/>
		WING CUTTING LINE 4 3 2 1