


Name: _____
Date: _____
Track: _____

Track Conditions

Size: ☐ Open ☐ Med. ☐ Tight
Traction: ☐ High ☐ Med. ☐ Low
Surface: ☐ Smooth ☐ Med. ☐ Bumpy

Front Suspension




Kingpin ball spacer _____ mm
Camber angle _____ °
Upper arm spacer _____ mm
Toe angle _____ °
Rebound stop _____ mm
Anti-roll bar ϕ _____ mm
Wheel Hub _____ mm
Lower arm mount (Kick up)



Lower arm plate (E0154A)


Upper arm position (E0148B, E0148C)

Lower arm spacer _____ mm




Front Shocks

Piston _____
Oil # _____
Spring _____
Spring adjustment _____ mm




Shock position



Steering Ackerman



Rear Suspension






Camber angle _____ °
Lower arm mount ☐ E0185 (Aluminium)
(Toe angle) _____ °
(Anti-squat) ☐ 0 ☐ 1

Rebound stop _____ mm
Anti-roll bar ϕ _____ mm
Anti-squat (E0111C, E0111D)


Upright ☐ E0152
☐ E0173 (Aluminium)

Wheelbase adjustment




Rear Shocks


Piston _____
Oil # _____
Spring _____
Spring adjustment _____ mm



Shock position



Wing Position



Engine

Type _____
Gasket _____ mm Reducer ϕ _____
Plug _____ Fuel _____
Muffler _____

Diff. Oil

Front # _____ O-Ring _____ pcs. ☐ Other _____
Center # _____ pcs. ☐ Other _____
Rear # _____ pcs. ☐ Other _____

Tire

Front Type _____ Rear Type _____
Foam _____ Foam _____

Clutch

Clutch shoes ☐ Aluminium _____
☐ Other _____
Spring _____ mm
Clutch bell / Spur gear T / T

Result

Race time / Lap _____
Best lap (1Lap) _____

Comments:

