

S35-T

1/8 OffRoad Nitro Power Pro Truggy

SWORKz S35-T

INSTRUCTION MANUAL





1/8 OffRoad Nitro Power Pro Truggy

INTRODUCTION

The S35-T is a brand new SWORKz 1/8 nitro Truggy based on the SWORKz S35-3 nitro Buggy.

The Evolution of the S35-T project is the result of SWORKz passion for racing and race development. Combining every detail into a more balanced and improved truggy called the "S35-T". The SWORKz S35-T Pro Truggy Kit comes standard with many SWORKz Factory Team Option Parts which provide strength and performance.

The S35-T newly designed front Ackerman steering system and unique front shock tower design allow you to change the front upper angle position easily.

The centre plastic BBD differential system provides better acceleration for the S35-T.

A new simpler radio tray system gives better and more precise throttle and braking response.

Based on the S35-3 lightened transmission gear box system with a truggy crown gear ratio, provides powerful punch as needed in truggy racing.

A longer T-7075 aluminum chassis comes with several new designs. The L.F.C (Lower Friction Coefficient) chassis allows users to install 15-75g balance weights on the chassis CG position.


The S35-T includes high quality parts, a refined shock system, more options and an optimized suspension geometry. Arms are made from a strong standard nylon material.

SWORKz utilizes only the highest quality materials and industry leading manufacturing processes, resulting in a faster, stronger and more reliable vehicle. The SWORKz S35-T Pro Truggy Kit from SWORKz has been designed to out-perform the competition on any Off-Road terrain, while offering amazing performance to drivers of all levels.

S35-T Kit Features :

1. S35-T series Nitro Truggy T-7075 Aluminum Lightened Main Chassis with L.F.C system (Lower Friction Coefficient)
2. S35 Series Front and Rear Pro Shock Towers made of Lightened T-7075 Aluminum for longer BBS shocks system.
3. S35 Series BBS Emulsion Shock Caps.
4. S35-3 Lightened Transmission Gear Box System with High Performance Crown Gears and Pinion Gears.
5. Front and Rear Universal Drive Shafts
6. S35-3 Series Aluminum Rear Lower Fully Adjustable Toe-In Block (A).
7. S35-3 Series Competition Aluminum Steering Knuckle Plates.
8. S35 Series P-BBD (Plastic Big Bore Diff.) Competition Large Centre Differential System.
9. Double Protection Bumper Design.
10. Heavy Duty Front and Rear Arms
11. Professional 2.0 Metal Brake Calipers.
12. New 150cc Floating Fuel Filter System Tank.
13. Adjustable Front Upper and Lower Suspension Arm System.
14. Speed Rhinoceros 2.0 Body Shell included.

Specification	
Length:	585mm
Width:	415mm
Height:	230mm
Ground Clearance:	75mm
Wheelbase:	375-380mm
Track:	F:355mm / R:355mm
Gear Ratio:	C:48/13T, F/R 46/10T
Weight:	3980g



WARRANTY

Your SWORKz S35-T kit warranty covers workmanship and manufacturing defects of the original and unmodified parts. Warranty claims resulting from crashes, abuse, improper operation, improper mounting, improper adjustment or lack of maintenance will not be honored.

Contact your local hobby shop or SWORKz distributor for all claims and questions. Claims must be well documented. All Claims are subject to expert examination approval by SWORKz.



INSTRUCTION	2
Warranty	3
INDEX	4
Required Equipment for Operation	5
Operation Guide	6
Assembly Steps	7-38
Blank Set-up Sheet	39-40
S35-T Key No. List	41-42
S35-T Spare Part List	42-43
S35-T Option Part List	43
End cover	44





This radio controlled racing car is not a toy!

This high-performance R/C model is recommended for ages 14 and older.


Required Equipment for Operation

Radio Gear



Nitro fuel


We recommend that you use fuel containing 20~25% nitro.




Engine Recommended






Engine Starting Equipment



Tools Recommended




Included items




Operation Guide



Assemble front and rear



Assemble in the specified order




Assemble both left and right sides



Assemble for 2 sets



Assemble for 4 sets




overturn



Thread Locking Compound



Grease



Pure Silicone Oil




Air filter oil

Safety Precautions

The SWORKz S35-T is a high performance radio control model which needs to be operated with caution and common sense.

The S35-T Pro Kit is not intended for children under the age of 14 without adult supervision. SWORKz shall not be held liable for any loss or damages, whether direct, indirect, act of nature, arising from the abuse or misuse of this product or any other product required while operating this model.

- The nitro fuel can be dangerous is improperly handled.
- Always keep your nitro fuel in a cool area and never use near flame, sparks, or while smoking.
- Keep your nitro fuel, and all other flammables, out of the reach of children.
- Always run your model in a well ventilated area outdoors. Never run your model indoors.
- After running your car, all parts of the engine and exhaust can become extremely hot. Be careful not to touch these parts especially when refueling, or making repairs.
- This model is controlled by your radio controller and is sometimes vulnerable to interference from many outside sources. This interference can cause a loss of control so it is necessary to operate this model in an open area to avoid personal, or property damage. Always ensure turning on your radio first.
- Keep all the parts included in the package out of reach of children.
- This model contains many fast rotating parts. Never touch them during operation.
- Follow the instructions included with your radio gear.
- Never operate your model near people or property. The speed of this model has the potential to injure and or damage people and or property.
- Always use original SWORKz spare parts and option parts.
- Always ensure that the buggy is in proper working condition before use.




330015
Pin M2.2x9.9mm x2



400002
O-ring S5 4.8X1.5 x2



116006
Ball Bearing 8x16x5mm x2




Remember to apply a very light coat of grease to the o-ring, then slide it over the shaft of the out drive and seat it in the diff case.


Insert the pin through the hole in the diff case and through the hole in the shaft of the out drive.




108001
M3x12mm FH/ST HEX Screw x4



330013
Bevel Gear Shaft x2



101004
Washer 3.5X10X0.2mm x4



OK!

NG!

Fill the differentials with oil up to 80% above the satellite gears. Put the SWORKz Diff. Oil 7000cps for the center Diff.




104010
M5x4mm Set Screw (Flat Bottom) **x1**



108001
M3x12mm FH/ST HEX Screw **x4**




116016
Ball Bearing 5x11x4mm **x2**



101018
SHIM 13x16x0.2mm **x3**

Pro Tip:

Before installing the M5x4 set screw (104010), remember to clean the set screw and center driver joint (330661A) first. Then apply TLC on the set screw.




Note:

The aluminum front lower arm holder (330215A) can offer 0° or 1° kick-up for your front lower suspension.

You may use the inserts 2503260-14 to get 0° kick-up or 2503260-15 to get 1° for your front lower suspension.

2503260-14 Front Lower Aluminum Arm Holder Inserts (0 degree)

2503260-15 Front Lower Aluminum Arm Holder Inserts (1 degree)



Note:

101018 SHIM 13x16x0.2mm

Please use 13x16x0.2mm shims to adjust the play between the crown gear and pinion gear.

Standard suggestion is 1pc shim on the diff crown gear side and 2pcs on the other side.

6 Rear




104010
M5x4mm Set Screw (Flat Bottom) x1




108001
M3x12mm FH/ST HEX Screw x4



116016
Ball Bearing 5x11x4mm x2



101018
SHIM 13x16x0.2mm x3



Pro Tip:
Before installing the M5x4 set screw (104010), remember to clean the set screw and center driver joint (330661A) first. Then apply TLC on the set screw.

Note:
101018SHIM 13x16x0.2mm
Please use 13x16x0.2mm shims to adjust the play between the crown gear and pinion gear. Standard suggestion is 1pc shim on the diff crown gear side and 2pcs on the other side.

BAG E1

7 **L R** **x2**




106005
M3x15mm Hex Socket OH/TP Screw x2



108019
M2.6x6mm FH/ST HEX Screw x10



106021A
M4x10mm Hex Socket OH/TP Screw x2



Left

8

330103
Front/Rear Lower Arm HingPin x2

108008
M3x35mm FH/ST HEX Screw x2



101020A
3mm Countersunk Washers (GM) x2

330642

101020A
118008

2503260-3


2503260-24.25

330103

2503260-24.25

2503260-3

Use a 2mm Hex Wrench and slowly tighten the Hinge Pins.



9



104004
M3x3mm Set Screw x2

2503261-1

Pop in the Stabilizer Guide.

104004

104004

115008A


10



104005
M3x4mm Set Screw x2



106013
M2.5x8mmH ex Socket OH/TPScrew x2



11




x2



108003
M3x10mm FH/ST HEX Screw x2



108006
M3x8mm FH/ST HEX Screw x2



Note:


The aluminum front upper arm holder (330772) can offer either 0° or + -1° kick-up for your front upper arm suspension. You may use the inserts 2503260-18 to get 0° kick-up or 2503260-11 to get + -1° for your front upper suspension.

2503260-11

S35-3 Aluminum Front Upper Arm Holder Insert (+/- 1.0 Degree)

2503260-18

S35-3 Aluminum Front Upper Arm Holder Insert (0 Degree)



Pro Tip:


The S35-3 Front Upper Arm Adjust Inserts can give different steering adjustments (Ackerman). Put all inserts behind the front upper arms, you will get faster steering response. Otherwise put all inserts in front of the upper arms, you will get more stable steering response. Try to use 2503260-1 or 2503260-3 to adjust the front upper arm position.



108001
M3x12mm FH/ST HEX Screw x4



106015
M3x5mm Hex Socket OH/TP Screw x2



330119
Front Upper Arm HingPin x2

330820

2503260-9
2503260-10

106015

108001

108001

106015

2503260-1
2503260-2
2503260-3
2503260-4

2502039B

2503260-11
2503260-18

2503260-11
2503260-18

330119

330119

2503260-1
2503260-2
2503260-3
2503260-4

2502039B

Note:

2503260-9
S35-3 Front Shock Tower Upper Arm Holder Insert (+/- 1.0 Degree)
2503260-10
S35-3 Front Shock Tower Upper Arm Holder Insert (0 Degree)

Note:

2503260-1
S35-3 Front Upper Arm Adjust Insert (0.9mm)
2503260-2
S35-3 Front Upper Arm Adjust Insert (1.0mm)
2503260-3
S35-3 Front Upper Arm Adjust Insert (1.1mm)
2503260-4
S35-3 Front Upper Arm Adjust Insert (2.0mm)



106021A
M4x10mm Hex Socket OH/TP Screw x2



106005
M3x15mm Hex Socket OH/TP Screw x2



108019
M2.6x6mm FH/ST HEX Screw x12

330136

2501121C-6

330134

108019

2502038B

2502038B

106005

106021A

14



108001
M3x12mm FH/ST HEX Screw

x2



108005
M3x14mm FH/ST HEX Screw

x2



106002
M3x10mm Hex Socket OH/TP Screw

x1

106002

108001

108001

330669A

2502040-02

108005

330399B

15

2503260-16.17

2503260-1

330103

2503260-21
2503260-22
2503260-23

330770

108008

2503260-16.17

2503260-1


330103

2503260-21
2503260-22
2503260-23



108008
M3x35mm FH/ST HEX Screw

x2



330103
Front/Rear Lower Arm HingPin

x2

Pro Tip:

The 330770 Aluminum Rear Lower Fully Adjustable Toe-In Block (A) can use 3 types of square inserts to get 1.0/2.0/3.0 3 different toe in angles. Also plus 3 different rear lower arm kick up degrees.

For the option parts SW-330795

S35-3 Aluminum Rear Lower Fully Adjustable Toe-In Block (B), you will have 0.5 degree more than Type A, so 1.5/2.5/3.5 can be set.

Note:

2503260-21

S35-3 Aluminum Rear Lower Fully Adjustable Toe-In Block (A) Insert (+- 1 degree)

2503260-22

S35-3 Aluminum Rear Lower Fully Adjustable Toe-In Block (A) Insert (0 degree)



2503260-23

S35-3 Aluminum Rear Lower Fully Adjustable Toe-In Block (A) Insert (+- 1 Kick up degree)



104004
M3x3mm Set Screw x2

16




104005
M3x4mm Set Screw x2




106013
M2.5x8mmH ex Socket OH/TPScrew x2

17






106002
M3x10mm Hex Socket OH/TP Screw **x4**



Screw and adjust 330118A Knuckle Pivot Ball Nut so as the pivot ball can be moved smoothly.




104010
M5x4mm Set Screw (Flat Bottom) **x2**







33124A
Pin M3.0x16.8mm **x2**



116006
Ball Bearing 8x16x5mm **x4**









103001
M3 Nut Lock x4




105011
M3x12mm Cap Screw x2



106003
M3x16mm Hex Socket OH/TP Screw x2

26 x2




27



103001
M3 Nut Lock x4



106008
M3x12mm Hex Socket OH/TP Screw x4



28


106006



106006
M3x20mm Hex Socket OH/TP Screw x2



106005
M3x15mm Hex Socket OH/TP Screw x2



BAG F

29





106007
M3x12mm Hex Socket OH/TP Screw(HT) x4



104004
M3x3mm Set Screw x2




108006
M3x8mm FH/ST HEX Screw x4



30



106009
M3x25mm Hex Socket OH/TP Screw **x4**




BAG F

31



106010
M3x6mm Hex Socket OH/TP Screw **x8**



32


108003
M3x10mm FH/ST HEX Screw x2




108010
M4x10mm FH/ST HEX Screw x2




108012
M4x16mm FH/ST HEX Screw x4


**33**

108003
M3x10mm FH/ST HEX Screw x2




108011
M4x12mm FH/ST HEX Screw x4





108011
M4x12mm FH/ST HEX Screw **x1**



108012
M4x16mm FH/ST HEX Screw **x4**




106006
M3x20mm Hex Socket OH/TP Screw **x1**




103001
M3 Nut Lock **x1**




103002
Flange Nylon Nut M4 **x1**






330459
Steering Linkage Turnbuckle M4x75mm x2



1:1



106002
M3x10mm Hex Socket OH/TP Screw x4




37



106008
M3x12mm Hex Scket OH/TP Screw **x4**



106005
M3x15mm Hex Scket OH/TP Screw **x4**



38




103001
M3 Nut Lock **x2**



106002
M3x10mm Hex Scket OH/TP Screw **x3**

Receiver and switch are not included in the kit.


The switch is not included in the kit.



39



108006
M3x8mm FH/ST HEX Screw **x4**




104004
M3x3mm Set Screw **x1**



106001
M3x8mm Hex Socket OH/TP Screw **x2**


40





108006
M3x8mm FH/ST HEX Screw **x6**

41



106007
M3x12mm Hex Socket
OH/TP Screw(HT) **x1**




103001
M3 Nut Lock **x1**



330155
Steering Servo Turnbuckle (M3x30mm) **x1**

42



BAG M 1 43




106002
M3x10mm Hex Socket OH/TP Screw x1




108006
M3x8mm FH/ST HEX Screw x1



103001
M3 Nut Lock x1



SW-330423A S350 PSP System Aluminum Setting Bellcrank Upper (A 2H) Assembly Note



If servo saver arms are not included use this:

Position A: Standard steering response location. Use of a 2.5mm longer servo saver arm is required.

If servo saver arms are included use this:



Position A: Standard steering response location. Use of the included 2.5mm longer servo saver arm is required.

Position B: Quick steering response location. Standard servo saver arm can be used.

BAG G 44





108006
M3x8mm FH/ST HEX Screw x2



106020
M2.5x5mm Hex Socket OH/TP Screw x3




106002
M3x10mm Hex Socket OH/TP Screw x3





108003
M3x10mm FH/ST HEX Screw x2

45



BAG


46



105005
M3x12mm Cap Screw x4



101013
3mm Spring Washer x4





105001
M3x8mm Cap Screw x1



101012
M3x6xT0.6mm x1




101015
M5x8xT0.4mm x5




116010
Ball Bearing 5x10x4mm x2

47



105007A
M4x8mm I-Head Screw x4

48




104011
M4x4mm Set Screw (Flat Bottom) x2



108013
M4x8mm FH/ST HEX Screw x1

49



104004
M3x3mm Set Screw x6

105004
M2.6x6mm Cap Screw x1



106007
M3x12mm Hex Socket OH/TP Screw(HT) x1

115016
Throttle Rod 50mm x1

115018
Brake Rod 60mm x2



330157A
Brake Adjuster Knob x2

106020
M2.5x5mm Hex Socket OH/TP Screw x3

108006
M3x8mm FH/ST HEX Screw x1






330156A
Adjuster Knob x4

115015
Brake Spring x2

115017
Throttle Rod Spring x1

103001
M3 Nut Lock x1



※ Turn on the transmitter and receiver. Set the throttle servo trim in neutral. Adjust the idle adjustment screw to make the carburettor opening no more than 1mm. Adjust the position of servo horn. Check that it operates smoothly without making the operation of the other parts difficult. Make sure the brake does not work in this setting.

※ Adjust the servo horn to fully open the carburettor. Change the position of servo horn if the carburettor is not fully open or opens too much. If your transmitter has a function to adjust throttle end points, make an adjustment this way.

※ Adjust the position of servo horn to make the brakes function. Make sure the brakes do not work when the servo trim is in neutral.

330635(L)
S350 New BBS System +5.5mm Shock Shaft (L) x2

330636(S)
S350 New BBS System +1.3mm Shock Shaft (S) x2

103004
M2.5mm Nut Lock x4

330567
Shock Seal Washer 3.5X7X1.0mm x4

330561
Shock Seal Washer 3.6X7X2.5mm x8

101011
M2.6x6xT0.6mm x4

400006
Shock Seal O-Ring x8

400020
Shock Seal O-Ring x4

400019
Shock Spring Adjust Nut O-Ring x4

Front 330634(S)

Rear 330633(L)

Front 330636(S)

Rear 330635(L)

103004

330562(F)
330563(R)

101011

330567

330561

400006

330557

2501121C-8

Front 400010(S)

Rear 400009(L)

54

330644

410047

F R

108020

2501121C-10

1:1

Slowly push the shock shaft to the end of shock cap.
Then tight screw M2x4mm

36~36.5 mm

46.5~47 mm

55

F R

x2

For Front

x2

For Rear

115108(L)
S350 BBS Option Shock SpringB-1(90X1.4X7.5) x2

115106(S)
S350 BBS Option Shock SpringA-1(75X1.4X6.5) x2

2501121C-5

330560

330134



Front 115106(S)

Rear 115108(L)

400019





105013A
M3x25mm Cap Screw x4



103003A
Flange M3 Nut Lock x4





106005
M3x15mm Hex Socket OH/TP Screw x4






105005
M3x12mm Cap Screw x2




330122A
Wheel Nut x4



62





Use body scissors
to cut along the
body lines.



250049


63

Use water/washing
solution to clean
body.




510100

Apply window masks
as shown.



Paint body.



S35-T

1/8 OffRoad Nitro Power Pro Truggy

Name: _____
Date: _____
Track: _____

Diff. Oil
Front: _____
Center: _____
Rear: _____

Tire

Front
Type: _____
Foam: _____
Rear
Type: _____
Foam: _____

Track Conditions

Size: ☐ Open ☐ Med. ☐ Tight
Traction: ☐ High ☐ Med. ☐ Low
Surface: ☐ Smooth ☐ Med. ☐ Bumpy

Engine

Type: _____
Gasket: _____ mm Muffler: _____
Plug: _____ Fuel: _____

Clutch

Clutch shoes: _____
Spring: _____ mm
Clutch bell / Spur gear: _____


Front Suspension

☐ 1
☐ 2
☐ 3
☐ 4
☐ 5


Front Toe-In

☐ -1
☐ 0
☐ +1

☐ 0
☐ +1



Rebound stop




F: _____ mm

R: _____ mm

Front Shocks

Oil: _____
Pistons: _____
Spring: _____
Spacer: _____ mm

Steering Ackerman


☐ 1
☐ 2
☐ 3
☐ 4

Track width _____ mm
Camber angle Upper _____ mm
Lower _____ mm
Toe angle _____ mm
Rebound stop _____ mm
Sway bar ☐ Use _____ mm
☐ None

Camber Angle

L: _____ °

R: _____ °

Notes: _____




Rear Suspension

☐ 1
☐ 2
☐ 3
☐ 4
☐ 5


Rear Toe-In

☐ 1
☐ 2
☐ 3

☐ 3.0
☐ 2.0
☐ 1.0
☐ 3.0+1KUp
☐ 3.0-1KUp
☐ 2.0+1KUp
☐ 2.0-1KUp



Rebound stop



F: _____ mm

R: _____ mm

Upper arm position


☐ 4
☐ 5
☐ 6

Camber angle _____ mm
Rebound stop _____ mm

Rear Shocks

Oil: _____
Pistons: _____
Spring: _____
Spacer: _____ mm

Wing Position

☐ 1
☐ 2
☐ 3
☐ 4
☐ 5
☐ 6
☐ 7
☐ 8

Wheelbase F _____ mm
adjustment R _____ mm

Sway bar ☐ Use _____ mm
☐ None

F: _____ mm
R: _____ mm

Notes: _____

S35-T

1/8 Offroad Nitro Power Pro Truggy


Name: _____
Date: _____
Track: _____

Diff. Oil
Front: _____
Center: _____
Rear: _____

Tire


Front
Type: _____
Foam: _____
Rear
Type: _____
Foam: _____

Front Suspension



Front Toe-In


☐ -1	☐ 0	☐ +1
☐ 0	☐ +1	


Track width _____ mm
Camber angle Upper _____ mm
Lower _____ mm
Toe angle _____ mm
Rebound stop _____ mm
Sway bar ☐ Use _____ mm
☐ None

Front Shocks


Oil: _____
Pistons: _____
Spring: _____
Spacer: _____ mm

Camber Angle

L: _____ °
R: _____ °


Notes: _____


Steering Ackerman



Body: _____

Wing: _____

Rear Suspension



Rear Toe-In

☐ 1	☐ 3.0
☐ 2	☐ 2.0
☐ 3	☐ 1.0
	☐ 3.0+1K-Up
	☐ 3.0-1K-Up
	☐ 2.0+1K-Up
	☐ 2.0-1K-Up



Upper arm position


Camber angle _____ mm
Rebound stop _____ mm

Rear Shocks

Oil: _____
Pistons: _____
Spring: _____
Spacer: _____ mm

Wing Position


Wheelbase F _____ mm
adjustment R _____ mm

Sway bar ☐ Use _____ mm
☐ None

F: _____ mm
R: _____ mm

Notes: _____

Parts No. List

Part No.	Part Name	Q'ty in Use	Item No.	Part No.	Part Name	Q'ty in Use	Item No.
210002A	Diff Case with Matel part	2	SW-210002A		S350T Fuel Sprinkle Guard	1	
210048	S350T Fuel Tank Set (150cc)	1	SW-210048		S350 Fuel Tank Ring-pull	1	
210079	S35-3 Series Pleastic Center Big Bore Diff Case	1	SW-210079		S350 Fuel Tank Ring-pull Holder	1	
2501095A	S350 Rear Hub Carrier Set (Also for LDS) (L)	1	SW-2501095A	200193	Antenna Tube	1	SW-200193
	S350 Rear Hub Carrier Set (Also for LDS) (R)	1		210074	S350T Series Universal Cross Drive Shaft Set 131.5mm	4	SW-210074
2501097	Front Bumper	1	SW-2501097	250049	S35-T Speed Rhinocero II Body Shell	1	SW-250049
	Wing Stay (L)	1		320003	Diff. Bevel Gear 18T	6	SW-320003
	Wing Stay (R)	1		320004	Diff. Bevel Gear 10T	12	SW-320004
	Wing Stay Holder	1		330006	Tornado Clutch Shoes	3	SW-330006
	Wing Support (L)	1		330008A	SWORKz Tornado Fly Wheel Set (GM)	1	SW-330008A
	Wing Support (R)	1		330009	Tornado Fly Wheel Center Nut	1	SW-330008A
	Rear Body Mount	1		330012	Fly Wheel Collect	1	SW-330008A
	Front Body Mount	1		330013	Bevel Gear Shaft	6	SW-330013
2503264A	S35-3 Front Steering Knuckle Set L	1	SW-2503264A	330014A	S35 Series Front/Rear Diff. Outdrive (2pc)	2	SW-330014A
	S35-3 Front Steering Knuckle Set R	1		330015	Pin M2.2x9.9mm	6	SW-330015
2503261	S35-3 Series Gear Box Set (F)	2	SW-2503261	330017	Center Diff. Outdrive	2	SW-330017
	S35-3 Series Gear Box Set (R)	2		330100A	S350 Engine Mount (L) (HC)	1	SW-330100A
	S-Way Bar Holder	2		330101A	S350 Engine Mount (R) (HC)	1	SW-330100A
220014BK	SWORKz 1/8 Off Road Speed Wing (BK)	1	SW-220014BK	330103	Front/Rear Lower Arm HingPin	4	SW-330103
2501116-01	Wing Holder	2		330104	Brake Cam (S)	1	SW-330104
2501121C	Rear Upper Arm Ball End (For Wheel Side)	2	SW-2501121C	330105	Brake Cam (L)	1	SW-330104
	Rear Upper Arm Ball End	2		330106	Brake Cam	1	SW-330104
	Steering Ball End	2		330114A	S350 Sseries Servo Saver Post (HC)	1	SW-330114A
	Steering Ball End (For Wheel Side)	2		330117A	S350 Series Knuckle Pivot Ball Washer(GM)	2	SW-330117A
	Shock Cap Insert	4		330118A	S350 Series Knuckle Pivot Ball Nut(GM)	4	SW-330118A
	Shock Ball End	4		330113	Servo Saver Shaft	2	SW-330113
	Shock Spring Holder	4		330119	Front Upper Arm HingPin	2	SW-330119
	Sway Bar Linkage	4		330122A	S350 Wheel Nut (HC)	4	SW-330122A
	Steering Linkage Ball End	2		330124A	Pin M3.0x16.8mm (With Flat Holder)	4	SW-330124A
	Throttle Linkage Ball End	1		330125	Rear Upper Sus. Arm Ball Stud	4	SW-330125
2501122A	Settring Bellcrank Upper (R)	1	SW-2501122A	330134	Shock Ball Stud	12	SW-330134
	Settring Bellcrank (R)	1		330136	Sway Bar Ball Stud	4	SW-330136
	Settring Bellcrank (L)	1		330137	Clutch Bell 13T	1	SW-330137
	Rear Chassis Brace Mount	1		330138A	S350 EVO Shock Cap Stud	4	SW-330138A
	Steering Servo Horn (For Futaba)	1		330140A	Pipe Holder(GM)	1	SW-330140A
	Steering Servo Horn (For S&K)	1		330155	Steering Servo Turnbuckle (M3x30mm)	2	SW-330155
	Steering Servo Horn (For Hitec)	1		330156A	Adjuster Knob(GM)	4	SW-330156A
	Servo Mount	2		330157A	Brake Adjuster Knob(GM)	2	SW-330156A
	Throttle Servo Horn (For Futaba)	1		330215A	S35 Sries Aluminum Front Changeable Lower Arm Holder (BK)	1	SW-330215A
	Throttle Servo Horn (For S&K)	1		330252	S350 BX1/BR1 Steering Knuckle Pivot Ball Turnbuckle	4	SW-330252
	Throttle Servo Horn (For Hitec)	1		330399B	S35-3 Series Aluminum Rear Chassis Brace Mount (GM)	1	SW-330399B
	Brake Servo Horn	1		330423A	S350 PSP System Aluminum Series Settring Bellcrank Upper (A 2H)	1	SW-330423A
2501123	Side Guard (R)	1	SW-2501123	330435	S350 Professional Matel Brake Calipers 2.0 A Side	2	SW-210043
	Side Guard (L)	1		330436	S350 Professional Matel Brake Calipers 2.0 B Side	2	SW-210043
2501124	Center Diff. Mount (Lower)	2	SW-2501124	330458	S350T Rear Upper Arm Turnbuckle M5x72mm	2	SW-330458
	Center Diff. Mount (Upper)	2		330459	S350T Steering Linkage Turnbuckle M4x75mm	2	SW-330459
2501125C	Fuel Tank Post	2	SW-2501125C	330502A	S35-T Truggy Crown Gear 46T (Fit for SW-330650/330501A)	2	SW-330502A
	Fuel Tube Holder	2		330551	S350T 17mm Wheel Hub (L11.5mm)	4	SW-330551
2501126A	Ail Filter Base	1	SW-2501126A	330557	S350 New BBS System Shock Seal Cap (GM)	4	SW-330557
	Ail Filter End Cap	1		330560	S350 New BBS System Shock Spring Adjust Nut	4	SW-330560
2501529	S350 BX1/BR1 Rear Chassis Brace	1	SW-2501529	330561	S350 New BBS System Shock Seal Washer 3.6X7X2.5mm	8	SW-210058
	S350 BX1/BR1 Front Chassis Brace	1		330562	S350 New BBS System Shock Piston 1.3mmX6 Holes	2	SW-330562
2503262	S35-3 Series One Unit Radio Tray	1	SW-2503262	330563	S350 New BBS System Shock Piston 1.4mmX6 Holes	2	SW-330563
	S35-3 Series One Unit Radio Tray Battery Cover	1		330567	S350 New BBS System Shock Seal Washer 3.5X7X1.0mm	4	SW-210058
	S35-3 Series One Unit Radio Tray Receiver Cover	1		330580	S350 Competition Series Professional Brake Disc	2	SWC-330580
	S35-3 Series One Unit Radio Servo Mount	2		330633	S350 BBS System +5.6mm Shock Body L (HD)	2	SW-330633
2503260	S35-3 Series Lower Arm Holder Square Inserts (+1/+1 degree)	2	SW-2503260	330634	S350 BBS System +5mm Shock Body S (HD)	2	SW-330634
	S35-3 Series Lower Arm Holder Square Inserts (0/+1 degree)	2		330635	S350 New BBS System +5.5mm Shock Shaft (L)	2	SW-330635
	S35-3 Series Lower Arm Holder Square Inserts (0 degree)	2		330636	S350 New BBS System +1.3mm Shock Shaft (S)	2	SW-330636
	S35-3 Series Front Lower Suspension Plate Inserts (1 degree)	2		330642	S35 Series Adjust Front Lower Arm Plate	1	SW-330642
	S35-3 Series Front Lower Suspension Plate Inserts (0 degree)	2		330644	S35-3 Seies BBS Emulsion Shock Cap	4	SW-330644
	S35-3 Series Front Rear Lower Arm Holder Inserts (1 degree)	2		330647	S350 BBD Special Brake Cam	1	SWC-330647
	S35-3 Series Front Rear Lower Arm Holder Inserts (0 degree)	2		330650	S35-T Pinion Gear 10T (Only Fit for SW-330502A)	2	SW-330650
	S35-3 Series Rear Front Lower Suspension Plate Inserts (+/-1 degree)	2		330661A	S35-T/S35 Series Competition Center Drive Join (5mm set screw)	2	SW-330661A
	S35-3 Series Rear Front Lower Suspension Plate Inserts (0 degree)	2		330669A	S35-T T7075 Aluminum Rear Shock Tower	1	SW-330669A
	S35-3 Series Front Upper Arm Holder Inserts (+/-1 degree)	2		330821	S35-T T7075 Lightened Main Chassis	1	SW-330821
	S35-3 Series Front Upper Arm Holder Inserts (0 degree)	2		330767A	S35-3 Series Steel F-Center Dive Shaft (88mm)	1	SW-330767A
	S35-3 Series Front Shock Tower Arm Inserts (+/-1 degree)	2		330784	S35-3 Series Center Spur Gear for Big Bore Diff Case (48T)	1	SW-330784
	S35-3 Series Front Shock Tower Arm Inserts (0 degree)	2		330769	S35-3 Series Rear Front Lower Suspension Plate	1	SW-330769
	S35-3 Series Adjust Clip Inserts (2mm)	4		330770	S35-3 T-7075 Aluminum Rear Lower Fully Adjustable Toe-In Block (Type A)	1	SW-330770
	S35-3 Series Adjust Clip Inserts (1.1mm)	2		330772	S35-3 Series T-7075 Aluminum Front Upper Arm Holder	1	SW-330772
	S35-3 Series Adjust Clip Inserts (1mm)	2		330773	S35-3 Series T-7075 Aluminum Steering Plate	1	SW-330773
	S35-3 Series Adjust Clip Inserts (0.9mm)	2		330774	S35-3 T-7075 Aluminum Steering Knuckle Plate (1PC)	2	SW-330774
	S35-3 Series Adjust Clip Inserts for Rear Wheel Hub (3mm)	2		330776	S35-3 Series Servo Saver Big Nut	1	SW-330776
	S35-3 Series Adjust Clip Inserts for Rear Wheel Hub (2mm)	4		330777	S35-3 Series Aluminum Steering Linkage 7mm Ball Stud(4pc)	4	SW-330777
	S35-3 Series Adjust Clip Inserts for Rear Wheel Hub (1mm)	8		330782	S35-3 Series Rear Hub Carriers Hinge Pin	2	SW-330782
	S35-3 Series Ball Bearing Inserts for 8x16x5	4		330820	S35-T T7075 Aluminum Front Shock Tower	1	SW-330820
	S35-3 Series Ball Bearing Inserts for 6x12x4	4		330822	S35-T Steel Center Rear Drive Shaft 165mm	1	SW-330822
	S35-3 Series Ball Bearing Inserts for 8x14x4	4		340002	S35-3 Pro-composite Carbon Steering Bellcrank Plate (Suit for Nitro Buggy)	1	SW-340002
	Pivot Ball Cup	4		420011	Fuel Tube	2	SW-420011
	Brake Linkage Holder	2		420010	Antenna Cup	1	SW-420010
	Throttle Linkage Holder	1		420026	S350/S350T Series Option Air Filter Extension Adapter	1	SW-420026
	Throttle Linkage Holder (Done)	1		410047	S102 Shock Cap O-Ring (SP)	4	SW-410047
	Throttle Linkage Holder (Up)	1		400020	S350 New BBS System Shock Seal O-Ring	4	SW-400020
2502037B	S35-T/S350T Race-composite Front Lower Arm +3mm Set	1	SW-2502037B	400019	S350 New BBS System Shock Spring Adjust Nut O-Ring	4	SW-400019
2502038B	S35-T/S350T Race-composite Rear Lower Arm +3mm Set	1	SW-2502038B	400010	Shock Boot (S)	2	SW-400010
2502039B	S35-T/S350T Race-composite Front Upper Arm +3mm Set	1	SW-2502039B	400009	Shock Boot (L)	2	SW-400009
2502040-01	S350T Rear Chassis Brace	1	SW-2502040-01	400005	Shock Spring Adjust Nut O-Ring	4	SW-400005
2502040-02	S350T Raer Body Mount	1	SW-2502040-02	400002	O-ring S5 4.8X1.5	6	SW-400002
	S350T Front Body Mount	2		610005	Air Filter Outer Foam	1	SW-610004

Parts No. List				Spare Part List	
Part No.	Part Name	Q'ty in Use	Item No.	Item No.	Part Name
610004	Air Filter Foam	1	SW-610004	SW-2501095A	S350 Rear Hub Carrier Set (Also for LDS) (L&R)
610002	Diff. Gasket (0.5T)	2	SW-610002	SW-2501097	S350 Wing Stay Set with Bumper
610019	S35-3 Series Servo Saver Spring Dusty Protect Sponge	1	SW-610019	SW-2501121C	S35/S350 Series Ball End Set with Shock Plastic Parts (2 Set)
610020	S35-3 Series Center Big Bore Plastic Diff. Case Gasket	1	SW-610020	SW-2501122A	S35-3 Settring Bellcrank Set with Servo Horn Set
115003A	SWORKz Tornado Clutch Spring II (1.0mm)	3	SW-115003A	SW-2501123	S350 Side Guard Set (L&R)
115004	Servo Saver Spring	1	SW-330114	SW-2501124	S350 Center Diff. Mount Set (2 Set)
115005	Rear Sway Ball 2.8mm	1	SW-115005	SW-2501126A	S350/S350T Series Option Air Filter Extension Set
115006	Rear Sway Ball 2.6mm	1	SW-115006	SW-2501529	S350 BX1/BR1 Plastic Chassis Brace Set
115008	Front Sway Ball 2.3mm	1	SW-115008	SW-2502037B	S35-T/S350T Race-composite Front Lower Arm +3mm Set
115011	Pipe Spring	1	SW-330140A	SW-2502038B	S35-T/S350T Race-composite Rear Lower Arm +3mm Set
115015	Brake Spring	2	SW-210018	SW-2502039B	S35-T/S350T Race-composite Front Upper Arm +3mm Set
115016	Throttle Rod 50mm	1	SW-210018	SW-2502040-01	S350T Rear Chassis Brace
115017	Throttle Rod Spring	1	SW-210018	SW-2502040-02	S350T Body Mount with Fuel Tank Ring-pull
115018	Brake Rod 60mm	2	SW-210018	SW-2503260	S353 Series Plastic Inserts Set
115019	Body Clip	3	SW-115019	SW-2503261	S35-3 Series Gear Box Set
115035	Front Sway Ball 2.2mm	1	SW-115035	SW-2503262	S35-3 Nitro Buggy Radio Tray Set
115106	S350 BBS Option Shock SpringA-1(75X1.4X6.5)	2	SW-115106	SW-2503264A	S35-3 Series Front Steering Knuckle Set (Type 2.0)
115108	S350 BBS Option Shock SpringB-1(90X1.4X7.5)	2	SW-115108	SW-200193	Antenna Tube
116004	Ball Bearing 6x10x3mm	4	SW-116004	SW-210002A	S350 EVO Big Bore Diff Case
116006	Ball Bearing 8x16x5mm	14	SW-116006	SW-210018	Throttl Linkage Set
116009	Ball Bearing M5x8x2.5 ZZ (4PC)	2	SW-116009	SW-210048	S350T Fuel Tank Set (150cc)
116010	Ball Bearing 5x10x4mm	2	SW-116010	SW-210043	S350 Professional Matel Brake Calipers 2.0 Set
116016	Ball Bearing 5x11x4mm	4	SW-116016	SW-210058	S350 series BBS Shock Seal Kit
117003	Flange Ball Bearing 3x6x2.5mm	6	SW-117003	SW-210066	S350T series BBS Pro Shock System Front Set (+5mm)
100003	3mm E-clip	1	SW-100003	SW-210067	S350T series BBS Pro Shock System Rear Set (+5.6mm)
101004	Washer 3.5X10X0.2mm	12	SW-101004	SW-210074	S350T Series Universal Cross Drive Shaft Set 131.5mm
101011	M2.6x6xT0.6mm	4	SW-101011	SW-210079	S35-3 Series Pleastic Center Big Bore Diff Case
101013	3mm Spring Washer	4	SW-101013	SW-220014BK	SWORKz 1/8 Off Road Speed Wing (BK)
101015	M5x8xT0.4mm	4	SW-101015	SW-250049	S35-T Speed Rhinocero II Body Shell
101016	M5x8xT0.8mm	1	SW-101016	SW-320003	Diff. Bevel Gear Set
101018	SHIM 13x16x0.2mm	6	SW-101018	SW-330006	Tornado Clutch Shoes
101019	SHIM 6.0x10.0x0.2mm	2	SW-101019	SW-330008A	SWORKz Tornado Fly Wheel Set (GM)
101021	M3x8xT0.8mm	3	SW-101021	SW-330013	Bevel Gear Shaft
103001	M3 Nut Lock	16	SW-103001	SW-330014A	S35 Series Front/Rear Diff. Outdrive (2pc)
103002	Flage Nylon Nut M4	1	SW-103002	SW-330015	Pin M2.2x9.9mm
103004	M2.5mm Nut Lock	4	SW-103004	SW-330017	Center Diff. Outdrive
104004	M3x3mm Set Screw	13	SW-104004	SW-330090	Center Diff. Plate
104005	M3x4mm Set Screw	4	SW-104005	SW-330100A	S350 Sseries Engine Mount Set (HC)
104010	M5x4mm Set Screw (Flat Bottom)	6	SW-104010	SW-330103	Front/Rear Lower Arm HingPin
105001	M3x8mm Cap Screw	1	SW-105001	SW-330104	Brake Cam Set
105005	M3x12mm Cap Screw	6	SW-105005	SW-330113	Servo Saver Shaft
105011	M3x23mm Cap Screw	2	SW-105011	SW-330114A	S350 Sseries Servo Saver Post (HC)
105013A	M3x25mm Cap Screw	4	SW-105013A	SW-330117A	S350 Series Knuckle Pivot Ball Washer(GM)
106001	M3x8mm Hex Soket OH/TP Screw	4	SW-106001	SW-330118A	S350 Series Knuckle Pivot Ball Nut(GM)
106002	M3x10mm Hex Soket OH/TP Screw	16	SW-106002	SW-330119	Front Upper Arm HingPin
106003	M3x16mm Hex Soket OH/TP Screw	14	SW-106003	SW-330122A	S350 Wheel Nut (HC)
106005	M3x15mm Hex Soket OH/TP Screw	2	SW-106005	SW-330125	Rear Upper Sus. Arm Ball Stud
106006	M3x20mm Hex Soket OH/TP Screw	3	SW-106006	SW-330134	Shock Ball Stud 6mmxL6.7
106007	M3x12mm Hex Soket OH/TP Screw(HT)	7	SW-106007	SW-330136	Sway Bar Ball Stud
106008	M3x12mm Hex Soket OH/TP Screw	9	SW-106008	SW-330137	Clutch Bell 13T
106009	M3x25mm Hex Soket OH/TP Screw	4	SW-106009	SW-330138B	S350 Series Aluminum Shock Cap Stud (-1.3mm)(2PC)
106010	M3x6mm Hex Soket OH/TP Screw	12	SW-106010	SW-330140A	S350 SeriesPipe Holder(GM)
106013	M2.5x8mm 1.5mmHex Soket OH/ST Screw	8	SW-106013	SW-330155	Steering Servo Turnbuckle (M3x30mm)
106015	M3x5mm Hex Soket OH/TP Screw	3	SW-106015	SW-330156A	S350 Series Adjuster Knob (Included Brake Adjuster Knob)(GM)
106020	M2.5x5mm 1.5mmHex Soket OH/ST Screw	4	SW-106020	SW-330215A	S35 Sries Aluminum Front Changeable Lower Arm Holder (BK)
106021A	S35 Series M4x10mm Hex Soket OH/TP Set Screw	4	SW-106021A	SW-330399B	S35-3 Series Aluminum Rear Chassis Brace Mount (GM)
108001	M3x12mm FH/ST HEX Screw	12	SW-108001	SW-330423A	S350 PSP System Aluminum Settring Bellcrank Upper (A 2H)
108003	M3x10mm FH/ST HEX Screw	24	SW-108003	SW-330458	S350T Rear Upper Arm Turnbuckle M5x72mm
108005	M3x14mm FH/ST HEX Screw	2	SW-108005	SW-330459	S350T Steering Linkage Turnbuckle M4x75mm
108006	M3x8mm FH/ST HEX Screw	22	SW-108006	SW-330502A	S35-T Truggy Crown Gear 46T (Fit for SW-330650/330501A)
108008	M3x35mm FH/ST HEX Screw	4	SW-108008	SW-330551	S350T 17mm Wheel Hub (L11.5mm)
108010	M4x10mm FH/ST HEX Screw	2	SW-108010	SW-330562	S350 New BBS System Shock Piston 1.3mmX6 Holes(2pc)
108011	M4x12mm FH/ST HEX Screw	5	SW-108011	SW-330563	S350 New BBS System Shock Piston 1.4mmX6 Holes(2pc)
108012	M4x16mm FH/ST HEX Screw	8	SW-108012	SWC-330580	S350 Competition Series Professional Brake Disc
108013	M4x8mm FH/ST HEX Screw	1	SW-108013	SW-330633	S350 BBS System +5.6mm Shock Body L
108015	M3x16mm FH/ST HEX Screw	2	SW-108015	SW-330634	S350 BBS System +5mm Shock Body S
108019	M2.6x6mm FH/ST HEX Screw	22	SW-108019	SW-330635	S350 New BBS System +5.5mm Shock Shaft (L)
108020	M2.0x4mm FH/ST HEX Screw	4	SW-108020	SW-330636	S350 New BBS System +1.3mm Shock Shaft (S)
101010A	M3 Countersunk Washer(GM)	4	SW-101010A	SW-330642	S35 Series Adjust Front Lower Arm Plate
101020A	3mm Countersunk Washers (GM)	2	SW-101020A	SW-330644	S35-3 Seies BBS Emulsion Shock Cap
103003A	Flange M3 Nut Lock (GM)	5	SW-103003A	SWC-330647	S350 BBD Special Brake Cam
105007A	M4x8mm I-Head Screw	4	SW-105007A	SW-330650	S35-T Pinion Gear 10T (Only Fit for SW-330502A)
				SW-330661A	S35-T/S35 Series Competition Center Drive Join (5mm set screw)
				SW-330669A	S35-T T7075 Aluminum Rear Shock Tower
				SW-330821	S35-T T7075 Lightened Main Chassis

Spare Part List

Item No.	Part Name
SW-330767A	S35-3 Series Steel F-Center Dive Shaft (88mm)
SW-330769	S35-3 Series Rear Front Lower Suspension Plate
SW-330770	S35-3 T-7075 Aluminum Rear Lower Fully Adjustable Toe-In Block (Type A)
SW-330772	S35-3 Series T-7075 Aluminum Front Upper Arm Holder
SW-330773	S35-3 Series T-7075 Aluminum Steering Plate
SW-330774	S35-3 T-7075 Aluminum Steering Knuckle Plate (1PC)
SW-330776	S35-3 Series Servo Saver Big Nut
SW-330777	S35-3 Series Aluminum Steering Linkage 7mm Ball Stud(4pc)
SW-330782	S35-3 Series Rear Hub Carriers Hinge Pin with Nut
SW-330784	S35-3 Series Center Spur Gear for Big Bore Diff Case (48T)
SW-330820	S35-T T7075 Aluminum Front Shock Tower
SW-330822	S35-T Steel Center Rear Drive Shaft 165mm
SW-340002	S35-3 Pro-composite Carbon Steering Bellcrank Plate (Suit for Nitro Buggy)
SW-410047	S102 Shock Cap O-Ring (SP)
SW-400010	Shock Boot (S)
SW-400009	Shock Boot (L)
SW-400002	O-ring S5 4.8X1.5
SW-610002	Diff. Gasket (0.5T)(6pc)
SW-610004	Air Filter Foam Set
SW-610019	S35-3 Series Servo Saver Spring Dusty Protect Sponge (2pc)
SW-610020	S35-3 Series Center Big Bore Plastic Diff. Case Gasket (3pc)
SW-115003A	SWORKz Tornado Clutch Spring II (1.0mm)
SW-115005	Rear Sway Ball 2.8mm
SW-115006	Rear Sway Ball 2.6mm
SW-115008	Front Sway Ball 2.3mm
SW-115019	Body Clip
SW-115035	Front Sway Ball 2.2mm
SWC-115106	S350 Competition Shock Spring A-1 (75X1.4X6.75)(Yellow)
SWC-115108	S350 Competition Shock Spring B-1 (90X1.4X8.25)(Red)
SW-116004	Ball Bearing 6x10x3mm
SW-116006	Ball Bearing 8x16x5mm
SW-116009	Ball Bearing M5x8x2.5 ZZ (4PC)
SW-116010	Ball Bearing 5x10x4mm
SW-116016	Ball Bearing 5x11x4mm
SW-117003	Flange Ball Bearing 3x6x2.5mm
SW-101004	Washer 3.5X10X0.2mm
SW-101011	M2.6x6xT0.6mm
SW-101013	3mm Spring Washer
SW-101015	M5x8xT0.4mm
SW-101016	M5x8xT0.8mm
SW-101018	SHIM 13x16x0.2mm
SW-101019	SHIM 6.0x10.0x0.2mm
SW-101021	M3x8xT0.8mm
SW-103001	M3 Nut Lock
SW-103002	Flage Nylon Nut M4
SW-103004	M2.5mm Nut Lock
SW-104004	M3x3mm Set Screw
SW-104005	M3x4mm Set Screw
SW-104010	M5x4mm Set Screw (Flat Bottom)
SW-105001	M3x8mm Cap Screw
SW-105005	M3x12mm Cap Screw
SW-105011	M3x23mm Cap Screw
SW-105013A	M3x25mm Cap Screw
SW-106001	M3x8mm Hex Soket OH/TP Screw
SW-106002	M3x10mm Hex Soket OH/TP Screw
SW-106003	M3x16mm Hex Soket OH/TP Screw
SW-106005	M3x15mm Hex Soket OH/TP Screw
SW-106006	M3x20mm Hex Soket OH/TP Screw
SW-106007	M3x12mm Hex Soket OH/TP Screw(HT)
SW-106008	M3x12mm Hex Soket OH/TP Screw
SW-106009	M3x25mm Hex Soket OH/TP Screw
SW-106010	M3x6mm Hex Soket OH/TP Screw
SW-106013	M2.5x8mm 1.5mmHex Soket OH/ST Screw
SW-106015	M3x5mm Hex Soket OH/TP Screw
SW-106020	M2.5x5mm 1.5mmHex Soket OH/ST Screw
SW-106021A	S35 Series M4x10mm Hex Soket OH/TP Set Screw
SW-108001	M3x12mm FH/ST HEX Screw
SW-108003	M3x10mm FH/ST HEX Screw
SW-108005	M3x14mm FH/ST HEX Screw
SW-108006	M3x8mm FH/ST HEX Screw
SW-108008	M3x35mm FH/ST HEX Screw
SW-108010	M4x10mm FH/ST HEX Screw
SW-108011	M4x12mm FH/ST HEX Screw
SW-108012	M4x16mm FH/ST HEX Screw
SW-108013	M4x8mm FH/ST HEX Screw

Item No.	Part Name
SW-108015	M3x16mm FH/ST HEX Screw
SW-108019	M2.6x6mm FH/ST HEX Screw
SW-108020	M2.0x4mm FH/ST HEX Screw
SW-101010A	M3 Countersunk Washer(GM)
SW-101020A	3mm Countersunk Washers (GM)
SW-103003A	Flange M3 Nut Lock (GM)
SW-105007A	M4x8mm I-Head Screw

Option Part List

Item No.	Part Name
SW-115007	Rear Sway Bar 3.0mm
SW-115010	Front Sway Bar 2.8mm
SW-116006A	High Performance Rubber Cover Ball Bearing 8x16x5mm (10pc)
SW-116009	Ball Bearing M5x8x2.5 ZZ (4PC)
SW-116010B	High Performance Ball Bearing 5x10x4mm(coffee)(4pc)
SW-210014	Front Sway Bar Set
SW-210015	Rear Sway Bar Set(2.6/2.8/3.0)
SW-220014FY	SWORKz 1/8 Off Road Speed Wing (FY)
SW-220014WH	SWORKz 1/8 Off Road Speed Wing (WH)
SW-2501126	Ail Filter Set
SW-2503260FO	S353 Series Colorful Plastic Inserts Set (FO)
SW-2503260FY	S353 Series Colorful Plastic Inserts Set (FY)
SW-330006A	Tornado Clutch Shoes (2set)
SW-330115	Steering Knuckle Pivot Ball Turnbuckle
SW-330116	14mm Knuckle Pivot Ball
SW-330125A	S350 Series Aluminum Rear Upper Sus. Arm Ball Stud(4pc)
SW-330134A	S350 Series Aluminum Shock Ball Stud(4pc)
SW-330136A	S350 Series Aluminum Sway Bar Ball Stud(4pc)
SW-330152A	Aluminum Rear Chassis Brace
SW-330153	Aluminum Front Chassis Brace
SW-330168A	S35-3 Series Rear Chassis Blance wight 15g(2pc)
SW-330202	S-WORKz Turbo Tornado Fly Wheel Set
SW-330243	SWORKz 3x18mm Shock Hex Screw Set (Anti-Clockwise)
SW-330398A	SWORKz S350 Series Pro Wheel Nut (GM)
SW-330420	S350 Series Knuckle Pivot Ball Balance Nut (5.5g) (2pc)
SW-330424	S350 Series Aluminum Wing Holder (RED)
SW-330424B	S350 Series Aluminum Wing Holder (BK)
SW-330424G	S350 Series Aluminum Wing Holder (GM)
SW-330499	S350 Series Rear Sway Bar 2.7mm
SW-330500	S350 Series Front Sway Bar 2.0mm
SW-330564	S350 New BBS System Shock Piston 1.5mmX6 Holes(2pc)
SW-330565	S350 BBS System Shock Piston 1.3mmX8 Oblique Holes (2pc)
SW-330566	S350 BBS System Shock Piston 1.2mmX8 Oblique Holes (2pc)
SW-330568	S350 Buggy Series Aluminum Center Diff. Mount
SW-330767	S35-3 Series T-7075 Aluminum F-Center Dive Shaft (88mm)
SW-330783	S35-3 Series Center Spur Gear for Plastic Big Bore Diff Case (47T)
SW-330792	SWORKz Pro-Design Aluminum Steering Servo Horn 25T
SW-330794	SWORKz Pro-Design Aluminum Steering Servo Horn 23T
SW-330795	S35-3 T-7075 Aluminum Rear Lower Fully Adjustable Toe-In Block (Type B)
SW-340001	S35-3 Pro-composite Carbon Steering Knuckle Plate
SW-350002	S350 Series BBS System Shock Piston 1.2mmX8 Straight Holes
SW-350003	S350 Series BBS System Shock Piston 1.3mmX8 Straight Holes
SW-360001	S35 Series Front Arm Holder Balance Weight Set (25g/35g)
SW-400022	S350 New BBS System Shock Bladder (Medium)(4pc)
SW-410023	Air Filter Adapter
SWC-210069	S350 series BBD Competition Large Center Diff. system
SWC-330115A	S350 Series Competition Titanium Steering Knuckle Pivot Ball Turnbuckle
SWC-115107	S350 Competition Shock Spring A-2 (75X1.4X7.25)(Red)
SWC-115109	S350 Competition Shock Spring B-2 (90X1.4X8.5)(Pink)
SWC-115110	S350 Competition Shock Spring C-1 (75X1.5X7.75)(SkyBlue)
SWC-115118	S350 Competition Shock Spring E-3 (90X1.5X8.5)(Blue)
SWC-116006C	SWORKz Competition 8x16x5mm Ball Bearing (Metal Case)(6PC)
SWC-116010C	SWORKz Competition 5x10x4mm Ball Bearing (Metal Case)(6PC)
SWC-116016B	SWORKz Competition 5x11x4mm Ball Bearing (Metal Case)(4PC)
SWC-116017A	SWORKz Competition 6x12x4mm Ball Bearing (Metal Case)(8PC)

SWORKZ

www.sworkz.com



SPEEDMASTER HOBBY CO., LTD.

TEL: +886-3-538-7638

FAX: +886-3-538-7328

No.42, Ruiguang St., Xiangshan Dist.,
Hsinchu City 300, Taiwan (R.O.C.)

www.sworkz.com