

S35-5e

1/8 Off Road Brushless Power Pro Buggy



SWORKZ S35-5e INSTRUCTION MANUAL



INTRODUCTION

SWORKz S35-5e – The Next Evolution in 1/8 Electric Buggy Racing
Building on the proven success of the SWORKz S35-4e EVO platform, the all-new SWORKz S35-5e has been developed for an even higher level of racing performance.

The well-known and successful geometry of its predecessor has been carefully optimized in key areas, delivering higher cornering speeds, increased traction, and a more forgiving driving feel—without changing the fundamental driving character.

The result is a buggy that remains predictable and easy to control, while offering increased consistency and confidence across a wide variety of track conditions.

High-Performance Chassis Platform

The S35-5e is built around a lightened T7075 hard-anodized aluminum chassis, based on the proven wheelbase layout of the S35-4e EVO, which has been extensively used by SWORKz factory drivers.

Drivetrain and Gearbox Technology

The S35-5e drivetrain is designed for high adaptability across different track and grip conditions. The high-quality and successful SWORKz HET differential system from the S35-4e EVO is included as standard, ensuring proven performance and reliability.

An optional 0.8-module spur gear and pinion gear system is available for more efficient and consistent power delivery. The gearbox features adjustable differential and pinion gear heights for fine tuning the drivetrain setup. The 0 (low) position is identical to the S35-4e EVO differential position, providing a familiar baseline setup.

New Sway Bar System (S35-5e)

The S35-5e features a new sway bar system integrated into the latest gearbox design.

The new sway bar mounts are supported by ball bearings, allowing the sway bars to move more freely and smoothly while enabling a more precise and consistent adjustment.

This improvement results in a more optimized suspension response, providing increased precision, smoother operation, and higher overall consistency.

Proven Steering System with Enhanced Ackermann Option

The S35-5e is equipped with the proven steering system carried over from the S35-4e EVO, ensuring reliable, consistent, and well-balanced steering characteristics.

A +5 Ackermann plate is included in the kit to increase steering response. For further setup flexibility, an optional +10 Ackermann plate is available, offering maximum steering angle and enhanced steering performance on tight, technical tracks with multiple 180-degree hairpins.

Proven Battery and Electronics Layout

The S35-5e adopts the successful battery and electronics layout from the S35-4e EVO, which has proven itself over many races.

The flat, side-by-side battery configuration provides a very well-balanced weight distribution, resulting in excellent handling, stable jumping characteristics, and high consistency on track.

As with the S35-4e EVO, the layout can also be reconfigured to a

single-sided battery position to run a 4S battery pack. This ensures full compatibility with all common battery types, allowing drivers maximum flexibility when choosing their electronics setup.

Suspension Arm Components

The S35-5e is equipped with LCD (Large Caster Design) front upper arms, which were already available as an option on the S35-4e EVO and have proven their performance and durability over several years of racing.

To improve durability and cleanliness, plastic covers for the front and rear lower suspension arms are included. These covers provide effective protection against dirt and debris while also giving the buggy a cleaner and more aggressive appearance.

New-Generation Shock System

The shock system of the S35-5e has been completely updated:

- New high-quality X-rings for smoother shock action and improved sealing
- New double-line shock towers:
 - Upper line based on the proven S35-4e EVO design
 - Lower line optimized for high-grip tracks, offering a lower center of gravity and more precise handling
- All-new Samurai Competition spring line, developed specifically for improved balance and consistency

Together, these changes significantly enhance shock performance and overall vehicle control.

Precision Manufacturing and Materials

All SWORKz plastic parts are produced using high-precision injection molding machines, ensuring exceptional fit, durability, and consistency.

Designed for Every Level of Racer

Numerous additional refinements are integrated into the S35-5e. Designed and tested by the entire SWORKz team, this buggy represents a true evolutionary step.

A modern racing buggy must offer:

- Extensive setup possibilities for professional drivers
 - A reliable base setup that works on most tracks for hobby racers
- The SWORKz S35-5e perfectly fulfills both requirements.

Welcome to SWORKz

Congratulations on purchasing the SWORKz S35-5e 1/8-scale off-road racing buggy Pro Kit, and thank you for trusting SWORKz.

Please read this manual carefully before building and driving your S35-5E. It contains step-by-step instructions to help you assemble, prepare, and fine-tune your buggy for racing. Updates, setups, and product news are shared regularly across all SWORKz digital media platforms.

If you have any questions or need assistance, please contact your official SWORKz dealers or distributors at any time.

S35-5e Kit Features:

- T7075 Hard Anodized, Lightened Aluminum Chassis (New)
- Quick Diff release Gearbox System (New)
- Adjustable Diff and Pinion Gear Height System (New)
- Ball Bearing guided Sway Bar System (New)
- Double line Shock Towers positions (New)
- Samurai Competition Shock Springs (New)
- Teflon Coated Durable Shock Shafts
- SWORKz 1/8 BBS Precision Plastic Shock Piston
- Fixed Shock Spring Holder (New)
- AL7075 Aluminum Ackerman Steering Plate (+5) (New)
- Savor Servo Steering System
- Steering Knuckle Plates
- Updated Toe In Plates with Square Inserts (New)
- Aluminum Intensity F/F and R/F Narrow Lower Suspension Plate (New)
- Lightweight Wing Mount
- Lower Arm Plastic Covers (New)
- Composite Rear Hubs with Carbon Plates
- Anticlock Screws for Shocks
- Aerodynamically Optimized Falcon ST-5 Body Shell (New)
- 3 HET Differentials Included
- More Balance Weight Positions
- Optimized Composite Material
- Aluminium Parts in T7075



Specification	
Length:	510mm
Width:	308mm
Height:	220mm
Ground Clearance:	65mm
Wheelbase:	325-330mm
Track:	F:304mm / R:306mm
Gear Ratio:	C:46/16T, F/R 43/13T
Weight:	3680g (Race condition)

WARRANTY

Your SWORKz S35-5e kit warranty covers workmanship and manufacturing defects of the original and unmodified parts. Warranty claims resulting from crashes, abuse, improper operation, improper mounting, improper adjustment or lack of maintenance will not be honored.

Contact your local hobby shop or SWORKz distributor for all claims and questions. Claims must be well documented. All Claims are subject to expert examination approval by SWORKz.



Instruction	2
Warranty	3
Required Equipment for Operation	5
Operation Guide	6
Assembly Steps	7-31
Set-up Sheet	32-33
S35-5e Part No. List	36-37
S35-5e Spare Part No. List	37-38
S35-5e Option Part No. List	39
End cover	40




This radio controlled racing car is not a toy!


This high-performance R/C model is recommended for ages 14 and older.

Required Equipment for Operation


Radio Gear



Brushless Motor




Charger and LiPo Battery




Tools Recommended


SST-PRO
SUPER STIFF TOOLS



SW-620020-15 SWORKz SST-Pro 1.5mm HEX Wrench



SW-620020-20 SWORKz SST-Pro 2.0mm HEX Wrench



SW-620020-25 SWORKz SST-Pro 2.5mm HEX Wrench




SW-620025 SWORKz SST-Pro Shorty 7.0mm Socket Driver




SW-620026 SWORKz SST-Pro Shorty 5.5mm Socket Driver


Long nose pliers



Side cutter




Curved scissors




Paint



Modeling knife



Instant cement




Thread lock




Double-sided tape




Included items



Glow plug wrench




Grease



Operation Guide



Assemble front and rear



Assemble in the specified order




Assemble both left and right sides



Assemble for 2 sets



Assemble for 4 sets




overturn



Thread Locking Compound



Grease



Pure Silicone Oil



Air filter oil

Safety Precautions

The SWORKz S35-5e is a high performance radio controlled model which needs to be operated with caution and common sense.

The S35-5e Pro Kit is not intended for children under the age of 14 without adult supervision. SWORKz shall not be held liable for any loss or damages, whether direct, indirect, act of nature, arising from the abuse or misuse of this product or any other product required while operating this model.

- The LiPO Battery can be dangerous is improperly handled.
- Always keep your LiPO Battery in a cool area and never use near flame, sparks, or while smoking.
- Keep your LiPO Battery, and all other flammables, out of the reach of children.
- After running your car, all parts of the Motor and ESC can become extremely hot. Be careful not to touch these parts.
- This model is controlled by your radio and that is vulnerable to interference from many outside sources. This interference can cause a loss of control so it is necessary to operate this model in an open area to avoid personal, or property damage. Always ensure turning on your radio first.
- Keep all the products included in the package out of reach of children.
- This model contains many fast rotating parts. Never touch them during operation.
- Follow the instruction included with your radio gear.
- Never operate your model near people or property. The speed of this model has the potential for injury and or damage to people and or property.
- Always use original SWORKz spare and option parts.
- Always ensure the buggy is in proper working condition before use.
- Always exercise caution when using any and all tools.


330015

Pin M2.2x9.9mm x4



400002

O-ring S5 4.8X1.5 x4



101027

Washer 5x14x0.5 x2




101039

Washer 5x12x0.3 x2



116006R

Ball Bearing 8x16x5mm (Red Rubber Case) x4




Pro Tip:
Using big washer 101027 5x14x0.5mm
for the crown gear side.
Using small washer 101039 5x12x0.3mm
for the diff. case side.

Remember to apply a light coat of
grease to the o-ring, then slide it over
the shaft of the out drive and seat it in
the diff case.
Insert the pin through the hole in the
diff case and through the hole in the
shaft of the out drive.



108001

M3x12mm FH/ST HEX Screw x8




338025

S35-3W Bevel Gear Shaft x4



101004


Washer 3.5X10X0.2mm x8



OK!

NG!


Fill the differentials
with oil up to 80%
above the satellite
gears.
Put the SWORKz
Diff. Oil 15000cps
for the front Diff.
and 7000cps for the
rear Diff.



330015
Pin M2.2x9.9mm x2



400002
O-ring S5 4.8X1.5 x2




101027
Washer 5x14x0.5 x1




101039
Washer 5x12x0.3 x1



116006R
Ball Bearing 8x16x5mm (Red Rubber Case) x2




108001
M3x12mm FH/ST HEX Screw x4



338025
S35-3W Bevel Gear Shaft x2



101004
Washer 3.5X10X0.2mm x4



Before going to STEP 5 Front Gear Box assembly, please read the following Gear Box Eccentric Informational first.

How does changing the diff height effect your car:

Increasing the differential height increases the car's roll stiffness, although it reduces its ability to absorb bumps effectively.

A higher differential height is also recommended when lowering the chassis ride height to approximately **17-18 mm at the front and 22-23 mm at the rear**, as it improves forward traction.

Reducing the differential height allows the car to roll more, making its handling smoother and more forgiving. It also improves performance on bumpy tracks, although it slightly reduces rear-end support.

How to install pinion gear inserts and diff height inserts:

1. Make sure that you are using the correct pinion gear inserts for front and rear. The inserts are marked with an F or R to show to which end they belong. Some inserts show an F and R what mean that they can be used for Front and Rear. Make sure to install them in the correct way for the specific height -> like shown on the garfics in the manual.

2. Make sure to use the correct diff inserts. There are two different insert types for 3 diff heights in total. The 1.5mm inserts are for the center position and don't have any top or bottom side. The 0/3 inserts are for the low and high positions. Make sure to place the correct side up or down to match your pinion gear height. If the 0/3 mark is placed on top, your diff will be in the low position while placing the 0/3 mark on bottom, your diff will be in the high position.

3. Please double check the insert garfics for front and rear end.

It shows if your pinion gear inserts and diff inserts are matching together for the specific height which you wanna race. Also you can check, how you need to position the inserts correctly.


How to change pinion gear inserts and diff height inserts:

For maximum stability and reliability, our gearbox is designed very precisely and tight to reduce any kind of play to offer a long lifetime for pinion gear and crown gear. Therefore, the space to take out and put in the diff is very limited and you need to follow a specific way to take out / put in your diff.

Put in your diff -> Hold your diff in front of the gearbox with the inserts being vertically positioned. Then turn the diff inserts by 45 degree to the front and place the diff into the gearbox and push it carefully down. The diff will slide down the gearbox into his final position. After sliding down the diff, turn the diff inserts backwards by 45 degree to position them vertically again. Your diff and diff inserts have reached the final position and you can close the gearbox with the gearbox cover.

Put out your diff -> Turn the diff inserts by 45 degree to the front. Then you can pull the diff out. Pull it out in the same direction as it slid into the gearbox before.

Gear Box Eccentric Info.




Front Gear Box Eccentric Info.		
A↑UP 0-0		
B↑UP 1.5-1.5		
C↑UP 3.0-3.0		

Rear Gear Box Eccentric Info.		
A↑UP 0-0		
B↑UP 1.5-1.5		
C↑UP 3.0-3.0		

Note:

The aluminum front lower arm holder (338059) can offer 0° or 1° kick-up for your front lower suspension. You may use the inserts 228001DG (#10) kick-up or 228001DG (#9) to get 1° for your front lower suspension.



106020
M2.5x5mm Hex Socket OH/TP Screw **x4**



106002
M3x10mm Hex Scket OH/TP Screw **x10**



108005
M3x14mm FH/ST HEX Screw **x4**




104010
M5x4mm Set Screw (Flat Bottom) **x2**



116019R
Ball Bearing 5x13x4mm (Red Rubber Case) **x4**



338011
S35 series Pinion Gear Stopper (5x7x5.1mm) **x2**




101018
SHIM 13x16x0.2mm **x4**

Front Gear Box Eccentric Info.


A↑UP

0-0





B↑UP

1.5-1.5



C↑UP

3.0-3.0




Note:

101018SHIM 13x16x0.2mm

Please use 13x16x0.2mm shims to adjust the play between the crown gear and pinion gear. Standard suggestion is 1pc shim on the diff crown gear side and 1 pcs on the other side.

6 Rear 1 2 3



BAG E1 7 L R x2




330664
 SWORKz 1/10 Linkage Ball Stud D5.5mm x L10mm) x2



106003
 M3x16mm Hex Socket OH/TP Screw x2



106021A
 M4x10mm Hex Socket OH/TP Screw x2




OPTION:

SW-228005S-F S35-4 Series Front Lower Arm in Soft Material (1PC)
 SW-228005M-F S35-4 Series Front Lower Arm in Medium Material (1PC)




108005
 M3x14mm FH/ST HEX Screw x2



9

1 2
3**OPTION:**

SW-339023-2.2 SWORKz S35-5/e/GT FTE Series Sway Bar Adjust Stud(2.2mm)(2PC)
 SW-339023-2.5 SWORKz S35-5/e/GT FTE Series Sway Bar Adjust Stud(2.5mm)(2PC)
 SW-339023-2.8 SWORKz S35-5/e/GT FTE Series Sway Bar Adjust Stud(2.8mm)(2PC)



Note:
 When tight the 104005 set screws, the 339008-2.5 must be on same position.
 Please set up the 339008-2.5 on the sway bar mark position.




104005
 M3x4mm Set Screw x4

OPTION:

SW-118005-2.0 SWORKz S35-5 Series Front Sway Bar 2.0mm
 SW-118005-2.1 SWORKz S35-5 Series Front Sway Bar 2.1mm
 SW-118005-2.4 SWORKz S35-5 Series Front Sway Bar 2.4mm
 SW-118005-2.5 SWORKz S35-5 Series Front Sway Bar 2.5mm
 SW-118005-2.6 SWORKz S35-5 Series Front Sway Bar 2.6mm
 SW-118005-2.7 SWORKz S35-5 Series Front Sway Bar 2.7mm
 SW-118005-2.8 SWORKz S35-5 Series Front Sway Bar 2.8mm


OPTION:

SW-339008-2.2 SWORKz S35-5/e/GT FTE Series Sway Bar Holder (2.2mm)(RD)(2PC)
 SW-339008-2.8 SWORKz S35-5/e/GT FTE Series Sway Bar Holder (2.8mm)(RD)(2PC)





106013
M2.5x8mm Hex Socket OH/TPScrew **x4**



106003

106003

228030




108006
M3x8mm FH/ST HEX Screw **x2**



108003
M3x10mm FH/ST HEX Screw **x2**



106002
M3x10mm Hex Socket OH/TP Screw **x1**



228006B

108006

108006

348016


338057A

106002

228001DG #11 #12 #13

Note:
The aluminum front upper arm holder (338057A) can offer either 0° or + -1° kick-up for your front upper arm suspension.
You may use the inserts 228001DG (#13) to get 0° kick-up or 228001DG (#12) to get +-1° for your front upper suspension.

108003



330119
Front Upper Arm HingPin x2



106020
M2.5x5mm Hex Socket OH/TP Screw x10



106015
M3x5mm Hex Socket OH/TP Screw x2



108001
M3x12mm
FH/ST HEX Screw x4

338135

228001DG #14 #15 #16

108001

106015

108001

106015

228001DG
#14 #15 #16

Note:

- 2503260-1
S35-3 Front Upper Arm Adjust Insert (0.9mm)
- 2503260-2
S35-3 Front Upper Arm Adjust Insert (1.0mm)
- 2503260-3
S35-3 Front Upper Arm Adjust Insert (1.1mm)
- 2503260-4
S35-3 Front Upper Arm Adjust Insert (2.0mm)



103004
M2.5mm Nut Lock x4



330664
Linkage Ball Stud D5.5mm x L10mm) x2



106003
M3x16mm Hex Scket OH/TP Screw x2



106021A
M4x10mm Hex Socket OH/TP Screw x2



106022
M2.5x14mm Hex Scket OH/TP Screw x4

13




x2

106022

Pro Tip:
Use a drop of CA glue at the arm holes to make sure that the plastic arm covers are sitted securely.

228034



228015H

228034

106003

228015H

103004

106021A

OPTION:

348003-10
SWORKz S35-4 Series Pro-composite Carbon Arched-Bridge-System Rear Lower Arm Cover(1.0mm)(2PC) 348003-15
SWORKz S35-4 Series Pro-composite Carbon Arched-Bridge-System Rear Lower Arm Cover(1.5mm)(2PC) 348003-20
SWORKz S35-4 Series Pro-composite Carbon Arched-Bridge-System Rear Lower Arm Cover(2.0mm)(2PC)


OPTION:

SW-228024H
SWORKz S35 Series
LCD Front Upper Arms
with Done Force Wings in
Hard Material

330664

228026

330134



OPTION:

228015S SWORKz
S35-4 Series Arched-Bridge-System Rear Lower Arm Set (Soft)(1PC) 228015M SWORKz
S35-4 Series Arched-Bridge-System Rear Lower Arm Set (Medium)(1PC) 228015U SWORKz
S35-4 Series Arched-Bridge-System Rear Lower Arm Set (Ultra-Hard)(1PC)


14



106002
M3x10mm Hex Socket OH/TP Screw **x1**




108001
M3x12mm FH/ST HEX Screw **x6**




15



108005
M3x14mm FH/ST HEX Screw **x2**



338056
S35-4 Series Lower Arm Hinge Pin (68.5mm) **x2**



PRO TIP:

The S35-5 uminum Rear Lower Fully Adjustable Toe-In Block (338139) can use 3 types of square inserts to get 1.0/2.0/3.0 3 different toe in angles. Also plus 3 different rear lower arm kick up degrees.

OPTION:

SW-338139-3.5
S35-5 Series AL7075 Aluminum Rear Lower Fully Adjustable Toe-In Block(3.5 degree)

PRO TIP:

228001DG-2 S35-4 Series Rear Lower Arm Holder Square Insert (+1/+1)
228001DG-3 S35-4 Series Rear Lower Arm Holder Square Insert (0/+1)
228001DG-4 S35-4 Series Rear Lower Arm Holder Square Insert (0)



104005
M3x4mm Set Screw **x4**


16 **1 2 3**

OPTION:

SW-339023-2.5 SWORKz S35-5/e/GT FTE Series Sway Bar Adjust Stud(2.5mm)(2PC)
SW-339023-2.8 SWORKz S35-5/e/GT FTE Series Sway Bar Adjust Stud(2.8mm)(2PC)
SW-339023-3.0 SWORKz S35-5/e/GT FTE Series Sway Bar Adjust Stud(3.0mm)(2PC)


OPTION:

SW-339008-2.5 SWORKz S35-5/e/GT FTE Series Sway Bar Holder (2.5mm)(RD)(2PC)
SW-339008-2.8 SWORKz S35-5/e/GT FTE Series Sway Bar Holder (2.8mm)(RD)(2PC)




Note:

When tight the 104004 set screws, the 339008-3 must be on same position. Please set up the 339008-2.5 on the sway bar mark position.



OPTION:


118006-2.4 SWORKz S35-5 Series Rear Sway Bar 2.4mm
118006-2.5 SWORKz S35-5 Series Rear Sway Bar 2.5mm
118006-2.7 SWORKz S35-5 Series Rear Sway Bar 2.7mm
118006-3.0 SWORKz S35-5 Series Rear Sway Bar 3.0mm



17



106013
M2.5x8mm Hex Socket OH/TPScrew **x4**





116004R
Ball Bearing 6x10x3mm (Red Rubber Case) x2



117003
Flange Ball Bearing 3x6x2.5mm x4



101034
M3x5xT0.1mm x4



101012
M3x6xT0.6mm x2




103001
M3mm Nut Lock x2



105018
M2x6mm Cap Screw x1



106007
M3x12mm Hex Socket OH/TP Screw(HT) x2



116004R

338123

228017

338126

101018

118003H

105018

338043

PRO TIP:

For some track corner conditions, you may need a big steering angle, there is an option part SW-338142P will give you the solution.




108003
M3x10mm FH/ST HEX Screw x2



101019
SHIM 6.0x10.0x0.2mm x1



116004R
Ball Bearing 6x10x3mm (Red Rubber Case) x2



116004R

338048


101019

116004R


338048




106002
M3x10mm Hex Socket OH/TP Screw x4



338122L
S35/S350/Apollo Series
Lightened Steering Knuckle
Pivot Ball Turnbuckle (Anti-Clockwise) x2



338122R
S35/S350/Apollo Series
Lightened Steering Knuckle
Pivot Ball Turnbuckle (Clockwise) x2




Screw and adjust 330118A Knuckle Pivot Ball Nut so as the pivot ball can be moved smoothly.




116006R
Ball Bearing 8x16x5mm (Red Rubber Case) x4




104010
M5x4mm Set Screw (Flat Bottom) x2



330124
Pin M3.0x16.8mm x2



101018
SHIM 13x16x0.2mm x2



OPTION:

SWC-218007A
S35 Series Evolution-CVA Drive Shaft
Set 92.5mm (1 Set)

SWC-218007D
S35 Series Advance-CVD Drive Shaft
Set 92.5mm (1 Set)

Note:

101018SHIM 13x16x0.2mm

Please use 13x16x0.2mm shims to adjust the gap between the wheel hub and wheel knuckles. Standard suggestion is 1pc shim on the outside between 8x16x5mm ball bearing and knuckle. If the wheel hub still has big play with knuckle, please try to put another shim in another side between ball bearing and knuckle.



330124
Pin M3.0x16.8mm **x2**




116006R
Ball Bearing 8x16x5mm (Red Rubber Case) **x4**



106009
M3x25mm Hex Socket OH/TP Screw **x4**



103001
M3 Nut Lock **x4**



101018
SHIM 13x16x0.2mm x2

OPTION:

SWC-218007A
S35 Series Evolution-CVA Drive Shaft
Set 92.5mm (1 Set)

SWC-218007D
S35 Series Advance-CVD Drive Shaft
Set 92.5mm (1 Set)

Left

OPTION:

SW-338075
S35-4 Series T7
Aluminum Rear
Wheel Hub With
BB Insert (R=L)
(1PC)

Right

210046

228002-1

348018

103001

116006R

348018

106009

228001DG (#17 #18)

228001DG (#17 #18)

1

330124

338080

104010

101018/

116006R


PRO TIP:

PRO TIP:
The new multi adjustable rear hub can be set to a wider or a narrow configuration using the inserts 228001DG (#17 #18)

24  **x2**

PRO TIP:

The base set up is always by using 2-3mm inserts on the rear of Hub Carriers Hinge Pins.
The wheel base length should be around 325-330mm.



103001
M3 Nut Lock **x2**

330782


103001

2503261 #5 #6 #7

25  **x2**




338146
Rear Upper Sus. Arm Turnbuckles **x2**



1:1

Longer Upper Arm Linkage Set-up



16.25 mm

PRO TIP:

The Shorty Upper Arm Linkage Set-up is good using for low grip condition.

The Longer Upper Arm Linkage Set-up is good using for high grip condition.

26   **x2**



105012
M3x10mm Cap Screw **x2**



106009
M3x25mm Hex Scket OH/TP Screw **x2**



103001
M3mm Nut Lock **x2**

106009

105012

228001DG

103001

Longer Upper Arm Linkage Set-up

27



103001
M3mm Nut Lock **x4**



108019
M2.6x6mm FH/ST HEX Screw **x2**



106003
M3x16mm Hex Scket OH/TP Screw **x4**

103001

103001

228003A

228003A

228003A #3

108019

228003A #3

228003A

106003


OPTION:

228003A(#3) S35 Series Integrated Wing Mount Spacer (0 Degree)
228003A(#4) S35 Series Integrated Wing Mount Spacer (1 Degree)
228003A(#5) S35 Series Integrated Wing Mount Spacer (2 Degree)

28



108007
M3x6mm FH/ST HEX Screw x10




29



108006
M3x8mm FH/ST HEX Screw x2




108010
M4x10mm FH/ST HEX Screw x2



108011
M4x12mm FH/ST HEX Screw x4



108021
M3x18mm FH/ST HEX Screw x2





106002

M3x10mm Hex Socket OH/T

 w_{x2} 

106006

M3x20mm Hex Socket OH/T

$$w_{x2}$$


106008

M3x12mm Hex Socket OH/TP Screw **x2**

x2



106010

M3x6mm Hex Socket OH/TP Screw ^{x2}

x2



104011

M4x4mm Set Screw (Flat Bottom) x1


x1



106024

M4x12mm Hex Socket OH/TP Screw ^{x2}

x2




105020

M4x10mm Cap Screw **x2**

x2

**750 BL Motor
is not included**



PRO TIP:

Not only use 105020 (M4x10mm Cap Screw) but there is also included 105012(M3x10mm Cap Screw) for lock on your BL motor.



108003

M3x10mm FH/ST HEX Screw x3


x3



108010

M4x10mm FH/ST HEX Screw x4

x4



OPTION:


SW-2501529BH SWORKz S35/S350 Series
Plastic Chassis Brace Set 2.0 (Hard Material)



108003
M3x10mm FH/ST HEX Screw x2



108007
M3x6mm FH/ST HEX Screw x2



108011
M4x12mm FH/ST HEX Screw x4




108021
M3x18mm FH/ST HEX Screw x2



106006
M3x20mm Hex Soket OH/TP Screw x1




103001
M3xNut Lock x1



1/8 ESC is not included



108013
M4x8mm FH/ST HEX Screw x2






108010
M4x10mm FH/ST HEX Screw **x4**



103005
M4 Nut Lock **x4**



108006
M3x8mm FH/ST HEX Screw **x4**




108010
M4x10mm FH/ST HEX Screw **x2**



108013
M4x8mm FH/ST HEX Screw **x2**




103005
M4 Nut Lock **x2**






330126A
Steering Turnbuckle x2

Right



2501121C




330779T-ST




330779T-ST



330126A




2501121C



Steering Linkage Set up by Curve Ball Ends

17.0mm



101026
S102 Aluminum Washer 3X6X1.5mm x6




106002
M3x10mm Hex Scket OH/TP Screw x2




106008
M3x12mm Hex Scket OH/TP Screw x2

106002



101026



106008




104009
M3x16mm Set Screw **x1**

106008
M3x12mm Hex Socket OH/TP Screw **x4**




101012
M3x6xT0.6mm **x4**

105012
M3x10mm Cap Screw **x1**

106002
M3x10mm Hex Socket OH/TP Screw **x1**



Servo is not included in the kit.



OPTION:


SW-338078-25
SWORKz Uni-Design 2-Way System Aluminum Steering Servo Horn 25T
SW-338078-23
SWORKz Uni-Design 2-Way System Aluminum Steering Servo Horn 23T


101026
S102 Aluminum Washer 3X6X1.5mm **x1**

106007
M3x12mm Hex Socket OH/TP Screw (HT) **x1**


108013
M4x8mm FH/ST HEX Screw **x4**

103001
M3xNut Lock **x1**






-  **104004**
M3x3mm Set Screw x1
-  **108006**
M3x8mm FH/ST HEX Screw x2
-  **108007**
M3x6mm FH/ST HEX Screw x2
-  **106025**
M2.5x8mm Hex Socket OH/TP Screw x3



338062B

S35-5/e Series BBS System Teflon Coated Durable Shock Shaft (L) x2



338063B

S35-5/e Series BBS System Teflon Coated Durable Shock Shaft (S) x2



103004

M2.5mm Nut Lock x4



228016-Seal

Shock Seal Washer 3.5X7X1.0mm x4



228016-Seal

Shock Seal Washer 3.6X7X2.5mm x8



101046

M2.6x6xT0.6mm x4



400038

Shock Seal O-Ring x8



400020

Shock Seal O-Ring x4



400019


Shock Spring Adjust Nut O-Ring x4



108029


M2.0x4.6mm FH/ST HEX Screw (1.5mm HexHead) x4

Standard bladder shock cap assembly note



101046 103004
Front 338063B(S)
Rear 338062B(L)

Front 228016-1.2-8
Rear 228016-1.3-8




118007-5

SWORKz S35-5 Series Samurai Competition Front Shock Spring (SS-5Dot)(68X1.4X6.25)



118008-4

SWORKz S35-5 Series Samurai Competition Rear Shock Spring (SL-4Dot)(83X1.5X9.5) x2



43




105005
M3X12mm Cap Screw x2




105022
M3X16mm Cap Screw x2

Rear




Front



44




105021
M3x6mm Conical Head Screw x4




330243
SWORKz 3x16mm Shock Hex Screw Clockwise x4

Front



Rear





103001
M3xNut Lock x2



105005
M3X12mm Cap Screw x2

45

228008-2BK


105005

228008-2BK

228022ABK

103001

103001



39mm


PRO TIP:

Attention!
Please do not follow the wing hole markings to drill. Please drill both holes 0.5mm inwards.

46



330122A
Wheel Nut x4



330122A

330122A

47




x2

LiPo Batteries are not included.

540001





540001



48

Use water/washing solution to clean body.

258005C-E



49




106010
M3x6mm Hex Scket OH/TP Screw x1

115019

106010

115019



Name: SWORKZ S35-5e
Date: 2026
Track: Basic Setup





Diff. Oil
Front: #15000
Center: #15000
Rear: #7000

Track Conditions
Size: ☐ Open ☒ Med. ☐ Tight
Traction: ☐ High ☒ Med. ☐ Low
Surface: ☐ Smooth ☒ Med. ☐ Bumpy

Tire
Front Type: Option Rear Type: Option
Foam: Option Foam: Option



Electric System
ESC Type: Option Motor Gear/Spur Gear: 16/46T
Motor Type: Option Battery Type A: Standard Pack Option (7.4V 2S x 2)
B: Shorty Pack Option (14.8 4S x 1)

Front Suspension






Camber Angle
L: -1.0 degrees
R: -1.0 degrees





Rear Suspension




Body: Kit
Wing: Kit



A ☐ Brass(15g) x
B ☐ Brass(15g) x
C ☐ Brass(15g) x



Option Parts List



Name: _____
Date: _____
Track: _____

Diff. Oil

Front: _____
Center: _____
Rear: _____

Track Conditions

Size: ☐ Open ☐ Med. ☐ Tight
Traction: ☐ High ☐ Med. ☐ Low
Surface: ☐ Smooth ☐ Med. ☐ Bumpy





Tire

Front Type: _____
Foam: _____
Rear Type: _____
Foam: _____

Electric System

ESC Type: _____
Motor Type: _____
Motor Gear/Spur Gear: _____
Battery Type A: Standard Pack _____
B: Shorty Pack _____






Front Suspension



Camber Angle
L: _____
R: _____





Track width _____ mm
Camber angle Upper _____ mm
Lower _____ mm
Toe angle _____
Sway bar ☐ Use _____ mm
☐ None

Rear Suspension





Body: _____
Wing: _____

Wing Position




Camber angle _____
Sway bar ☐ Use _____ mm
☐ None



Option Parts List


Front Upper Arm

☐ Hard ☐ Soft




Front Lower Arm

☐ Ultra Hard ☐ Hard ☐ Medium ☐ Soft



Rear Lower Arm (228015)

☐ Ultra Hard ☐ Hard ☐ Medium ☐ Soft



[illegible]

Parts No. List

Part No.	Part Name	Q'ty in Use	Item No.	Part No.	Part Name	Q'ty in Use	Item No.
210091	S35-3W Plastic Front/Rear Big Bore Diff Case	2	SW-210091	338129	S35-4e Electric Buggy Series T7 Aluminum Center Diff/Motor Unit Mount (CF)	1	SW-3380129
210079A	S35-4 Plastic Center Big Bore HET Diff Case	1	SW-210079A	338135	SWORKz S35-5 Series AL7075 Aluminum Front Shock Tower Double Line for High Capacity BBS Shock System (SBK)	1	SW-338135
2501529B	SWORKz S35/S350 Series Plastic Chassis Brace Set 2.0 (Standard Material)	1	SW-2501529B	338136	SWORKz S35-5 Series AL7075 Aluminum Rear Shock Tower Double Line for High Capacity BBS Shock System (SBK)	1	SW-338136
2501121C	S35/S350 Series Ball End Set with Shock Plastic Parts	2	SW-2501121C	338137	SWORKz S35-5 Series AL7075 Rear Front Lower Suspension Plate (RF) (SBK)	1	SW-338137
2503260	S353 Series Plastic Inserts Set	1	SW-2503260	338139	SWORKz S35-5 Series AL7075 Aluminum Rear Lower Fully Adjustable Toe-in Block (3 degree) (RR) (SBK)	1	SW-338139
2503264A	S35-3 Series Front Steering Knuckle (Type 2.0) L	1	SW-2503264A	338140	SWORKz S35-5 Series AL7075 Aluminum Front Lower Arm Plate (FF) (SBK)	1	SW-338140
2280245	SWORKz S35 Series LCD Front Upper Arms with Done Force Wings in Standard Material	1	SW-2280245	338141	SWORKz S35-5 Series AL7075 Aluminum Rear Chassis Brace Mount (SBK)	1	SW-338141
228001DG	S35-4 Series Plastic Inserts Set (Durable) (Gray)	2	SW-228001DG	338142	SWORKz S35-5 Series AL7075 Aluminum Steering Plate (+5)	1	SW-338142
228002-1	S35-4 Series Plastic Rear Wheel Hub (R=L)	2	SW-228002-1	338145	SWORKz S35-5e Series AL7075 Aluminum Lightened Main Chassis (Standard) (Shaft 115mm)	1	SW-338145
228002-2E	S35-4e EVO Series Plastic Front Chassis Shorty Brace	1	SW-228002-2E	338144	SWORKz S35-5 Series Lightened Emulsion/Bladder 2 Ways System Shock Cap	4	SW-338144
228003A	S35 Series Integrated Wing Mount Set 2.0	1	SW-228003A	338146	SWORKz S35-5 Series Rear Upper Linkage Turnbuckle M5x42mm	2	SW-338146
228004A	S35-4 Series Plastic Side Guard Set with Stopper	1	SW-228004A	339008-3.0	SWORKz S35-GT FTE Series Sway Bar Holder (3.0mm) (RD)	2	SW-339008-3.0
228005H-F	S35-4 Series Front Lower Arm in Soft Material	2	SW-228005H-F	339008-2.5	SWORKz S35-GT FTE Series Sway Bar Holder (2.5mm) (RD)	2	SW-339008-2.5
228006B	SWORKz S35 Series Shock Spring End (H/Lock)/Body Mount/Ball Ends Set	2	SW-228006B	339023	SWORKz S35-GT2.2 FTE Series Sway Bar Adjust Stud	4	SW-339023
228007-3	S35-4E Buggy Series Plastic Center Diff. Mount	2	SW-228007-2	348005	S35-4/e EVO Series Pro-composite Carbon Steering Knuckle Plate (L&R)	2	SW-348005
228015H	SWORKz S35-4 Series Arch-Bridge-System Rear Lower Arm Set (Hard)	2	SW-228015H	348007	S35-4/e EVO Series Pro-composite Carbon Steering Bellcrank Plate	1	SW-348007
228016-1.2-8	SWORKz 1/8 BBS Precision Plastic Shock Piston (1.2X8Holes)	2	SW-228016-1.2-8	348008	S35-4e EVO Electric Series Pro-composite Carbon Center Diff. Plate	1	SW-348008
228016-1.3-8	SWORKz 1/8 BBS Precision Plastic Shock Piston (1.3X8Holes)	2	SW-228016-1.3-8	348009	S35-4e EVO Electric Series Pro-composite Carbon Steering Servo Mount Plate	1	SW-348009
228016-Seal	SWORKz 1/8 BBS Precision Plastic Shock Seal Part	2	SW-228016-Seal	348013	SWORKz S35 Series Pro-composite Carbon LCD Front Upper Arm Cover (1.2mm)	1	SW-348013
228017	S35-4/e EVO Series Lay-Down Type Steering Bellcrank Set	1	SW-228017	348016	SWORKz S35-5 Series Pro-composite Carbon Steering Bellcrank Plate	1	SW-348016
228018	S35-4e EVO Electric Series Steering Servo Mount & Rear Upper Peak Holder	1	SW-228018	348018	SWORKz S35-5 Series Pro-composite Carbon Rear Wheel Hub Adjust Plate (Extension)	4	SW-348018
228019	S35-4e EVO Electric Series Receiver Box & Accessories	1	SW-228019	420011	Fuel Tube	2	SW-420011
228020	S35-4e EVO Electric Series Battery Case	2	SW-228020	420010	Antenna Cup	1	SW-420010
228021	SWORKz 1/8 Steering and Throttle Servo Horn Set	1	SW-228021	400002	O-ring S5 4.8X1.5	6	SW-400002
228022ABK	SWORKz 1/8 Off Road Pro Race Wing (BK) (W/o Holes)	1	SW-228022ABK	400005	Shock Spring Adjust Nut O-Ring	4	SW-400005
228026	SWORKz Plastic Ball End Set (X55.5mm/Sway Bar)	2	SW-228026	400009	Shock Boot (L)	2	SW-400009
228030	SWORKz 1/8 S35-5 Series Gear Box Set with Adjustable-Diff-Position-System	2	SW-228030	400010	Shock Boot (S)	2	SW-400010
228031	SWORKz 1/8 S35-5 Series Adjustable-Diff-Position-System Inserts Set	2	SW-228031	400019	S350 New BBS System Shock Spring Adjust Nut O-Ring	4	SW-400019
228032	SWORKz 1/8 S35-5 Series Adjustable-Pinion-Gear-Position Inserts Set	2	SW-228032	400020	S350 New BBS System Shock Seal O-Ring	4	SW-400020
228034	SWORKz 1/8 S35-4/5 Series Plastic F/R Lower Arm Cover Set	2	SW-228034	400023	S35 Series BBS System Seal O-Ring for Emulsion Shock Cap	4	SW-400023
228035	SWORKz 1/8 S35-5 Series Front Bumper	1	SW-228035	400024S	S35 Series BBS System Hex-Cell Shock Bladder (Soft)	4	SW-400024S
210046	S350 Series LDS Universal Cross Drive Shaft Set 92.5mm	4	SW-210046	400038	SWORKz 1/8 Series 3.5mm Shaft X Shock System Seal O-ring	8	SW-400038
200193	Antenna Tube	1	SW-200193	510080A	SWORKz 1/8 Off Road Formula Race Wing Decal	1	SW-228008BK
258005C-E	S35 Series Falcon ST-5 Clean Body Shell (Pre-Cut for EP Buggy)	1	SW-258005CE	510091	SWORKz Original Logo Sticker	1	SW-510091
320010	S35-3W Diff. Bevel Gear 10T	12	SW-328001	540001	Hook & Loop strap 2x27cm	4	SW-540001
320009	S35-3W Diff. Bevel Gear 20T	6	SW-328001	610019	S35-3 Series Servo Saver Spring Dusty Protect Sponge	1	SW-610019
330015	Pin M2.2x9.9mm	6	SW-330015	610020B	SWORKz S35 Series HET Center Big Bore Diff. Pro Gasket	1	SW-610020B
330117A	S350 Series Knuckle Pivot Ball Washer (GM)	2	SW-330117A	610023B	SWORKz S35 Series HET F/R Big Bore Diff. Pro Gasket	2	SW-610023B
330118A	S350 Series Knuckle Pivot Ball Nut (GM)	4	SW-330118A	115019	Body Clip	2	SW-115019
330119	Front Upper Arm Hing Pin	2	SW-330119	116004R	Ball Bearing 6x10x3mm (Red Rubber Case)	4	SW-116004R
330122A	S350 Wheel Nut (HC)	4	SW-330122A	116006R	Ball Bearing 8x16x5mm (Red Rubber Case)	14	SW-116006R
330124	Pin M3.0x16.8mm	4	SW-330124	116009	Ball Bearing M5x8x2.5 ZZ	6	SW-116009
330125	Rear Upper Sus. Arm Ball Stud	4	SW-330125	116019R	Ball Bearing 5x13x4mm (Red Rubber Case)	4	SW-116019R
330126A	S350 EVO Steering Turnbuckle M4x40mm	2	SW-330126A	117003	Flange Ball Bearing 3x6x2.5mm	4	SW-117003
330134	Shock Ball Stud	12	SW-330134	118003H	S35-4 EVO series Servo Saver Spring (Hard)	1	SW-118003H
330136	Sway Bar Ball Stud	4	SW-330136	118005-2.2	SWORKz S35-5 Series Front Sway Bar 2.2mm	1	SW-118005-2.2
330138B	S350 EVO Aluminum Shock Cap Stud (-1.3mm)	4	SW-330138B	118005-2.3	SWORKz S35-5 Series Front Sway Bar 2.3mm	1	SW-118005-2.3
330155	Steering Servo Turnbuckle (M3x30mm)	2	SW-330155	118006-2.6	SWORKz S35-5 Series Rear Sway Bar 2.6mm	1	SW-118006-2.6
330243	SWORKz 3x16mm Shock Hex Screw Clockwise	2	SW-330243	118006-2.8	SWORKz S35-5 Series Rear Sway Bar 2.8mm	1	SW-118006-2.8
330244	SWORKz 3x16mm Shock Hex Screw Anti-Clockwise	2	SW-330243	118007-5	SWORKz S35-5 Series Samurai Competition Front Shock Spring (SS-5Dot) (68X1.4N6.25)	2	SW-118007-5
330246	SWORKz 1/8 Motor Pinion Gear 16T	1	SW-330246	118008-4	SWORKz S35-5 Series Samurai Competition Rear Shock Spring (SL-4Dot) (83X1.5X9.5)	2	SW-118008-4
330299	S104 Steering Linkage Ball Stud 5mm	2	SW-330299	101004	Washer 3.5X10X0.2mm	12	SW-101004
330557	S350 New BBS System Shock Seal Cap (GM)	4	SW-330557	101012	M3x6xT0.6mm	6	SW-101012
330560B	S35 New BBS System Shock Spring Adjust Nut (BK)	4	SW-330560B	101018	SHIM 13x16x0.2mm	12	SW-101018
330633	S350 BBS System +5.6mm Shock Body L (HD)	2	SW-330633	101019	SHIM 6.0x10.0x0.2mm	1	SW-101019
330634	S350 BBS System +5mm Shock Body S (HD)	2	SW-330634	101026	SWORKz Aluminum Washer 3X6X1.5mm (GM)	7	SW-101026
330661A	S35-T/S35 Series Competition Center Drive Join (5mm set screw)	2	SW-330661A	101027	S350 BBD Steel Washer 5X14X0.5mm	3	SW-101027
330663A	S350 Series S35 Competition Steel F-Center Drive Shaft (115mm)	1	SW-330663A	101034	M3x5xT0.2mm	4	SW-101034
330694A	S35 E Series 6mm Steel Ball Stud	1	SW-330694A	101039	Steel Washer 5x12x0.3mm	6	SW-101039
330664	SWORKz 1/10 5mm Ball Stud (L10mm)	4	SW-330664	101046	SWORKz Steel Washer M2.6x6xT0.6mm	4	SW-101046
330767A	S35-3 Series Steel F-Center Dive Shaft (88mm)	1	SW-330767	103001	M3 Nut Lock	18	SW-103001
330779T-ST	S35-4/e EVO Steering Linkage Steel Ball Stud 7mm (L6 Thread Type)	4	SW-330779T-ST	103004	M2.5mm Nut Lock	8	SW-103004
330782	S35-3 Series Rear Hub Carriers Hinge Pin	2	SW-330782	103005	M4mm Nut Lock (BK)	4	SW-103005
338011	S35 series Pinion Gear Stopper (5x7x5.1mm)	2	SW-338011	104004	M3x3mm Set Screw	1	SW-104004
338023	S35-3W Pinion Gear 13T	2	SW-338023	104005	M3x4mm Set Screw	8	SW-104005
338024	S35-3W Crown Gear 43T	2	SW-338024	104009	M3x16mm Set Screw	1	SW-104009
338025	S35-3W Bevel Gear Shaft	6	SW-338025	104010	M5x4mm Set Screw (Flat Bottom)	6	SW-104010
338027	S35-3W Front/Rear Diff. Outdrive	4	SW-338027	104011	M4x4mm Set Screw (Flat Bottom)	1	SW-104011
338028	S35-3W Center Diff. Outdrive	2	SW-338028	105001	M3x8mm Cap Screw	1	SW-105001
338039	S35-4 Series Center Spur Gear for Big Diff. Bevel Gear Case (46T)	1	SW-338039	105005	M3x12mm Cap Screw	2	SW-105005
338043	S35-3/4 Series Servo Saver Nut with Screw Fixed	1	SW-338043	105012	M3x10mm Cap Screw	2	SW-115012
338048	S35-4 Series Servo Saver Shaft	2	SW-338048	105018	M2x6mm Cap Head Screw	1	SW-105018
338056	S35-4 Series Lower Arm Hinge Pin (68.5mm)	4	SW-338056	105020	M4x10mm Cap Screw	2	SW-105020
338057A	S35-4/e EVO Series T7 Aluminum Front Upper Arm Holder	1	SW-338057A	105021	M3x6mm Conical Head Screw	4	SW-105021
338059	S35-4 Series T7 Aluminum Front Lower Arm Holder (FR)	1	SW-338059	105022	M3x16mm Cap Screw	2	SW-105022
338062B	SWORKz S35-5/e Series BBS System Teflon Coated Durable Shock Shaft (L)	2	SW-338062B	106002	M3x10mm Hex Soket OH/TP Screw	23	SW-106002
338063B	SWORKz S35-5/e Series BBS System Teflon Coated Durable Shock Shaft (S)	2	SW-338063B	106003	M3x16mm Hex Soket OH/TP Screw	8	SW-106003
338068	S35-4 Series T7 Aluminum Shock Stud (L)	2	SW-338068	106006	M3x20mm Hex Soket OH/TP Screw	3	SW-106006
338070B	S35 Series Rear Upper Sus. Arm Ball Stud (7.0mm Hex)	2	SW-338070B	106007	M3x12mm Hex Soket OH/TP Screw (HT)	3	SW-106007
338080	S35 Series Lightened Wheel Hub for 8mm Axil (L5.5mm)	4	SW-338080	106008	M3x12mm Hex Soket OH/TP Screw	6	SW-106008
338122-L	S35/S350/Apollo Series Lightened Steering Knuckle Pivot Ball Turnbuckle (Anti-Clockwise)	2	SW-338122-L	106009	M3x25mm Hex Soket OH/TP Screw	6	SW-106009
338122-R	S35/S350/Apollo Series Lightened Steering Knuckle Pivot Ball Turnbuckle (Clockwise)	2	SW-338122-R				
338123	S35-4/e EVO Series Servo Saver Post Lay-Down Type (Hard Coated)	1	SW-338123				
338126	S35-4/e EVO Series T7 Aluminum Setring Bellcrank Upper Part-A	1	SW-338126				
338127	S35-4e Electric Buggy Series Aluminum Center Diff. Mount	1	SW-3380127				
338128	S35-4e Electric Buggy Series T7 Aluminum Motor Mount	1	SW-3380128				

Spare Part List

Part No.	Part Name	Q'ty in Use	Item No.	Item No.	Part Name
106010	M3x6mm Hex Soket OH/TP Screw	8	SW-106010	SW-228001DG	S35-4 All Series Plastic Inserts Set (Durable)(Gray)(2 Sets)
106013	M2.5x8mm 1.5mmHex Soket OH/ST Screw	11	SW-106013	SW-228002-1	S35-4 Series Plastic Rear Wheel Hub (R=L)(2PC)
106015	M3x5mm Hex Soket OH/TP Screw	2	SW-106015	SW-228002-2E	S35-4e EVO Series Plastic Front Chassis Shorty Brace
106020	M2.5x5mm 1.5mmHex Soket OH/ST Screw	14	SW-106020	SW-228003A	S35 Series Integrated Wing Mount Set 2.0
106022	M2.5x14mm Soket OH/ST Screw (1.5mmHex)	4	SW-106022	SW-228004A	S35-4 Series Plastic Side Guard Set with Stopper
106024	M4x12mm Hex Soket OH/TP Screw	2	SW-106024	SW-228005H-F	S35-4 Series Front Lower Arm in Hard Material (1PC)
108001	M3x12mm FH/ST HEX Screw	22	SW-108001	SW-228006B	SWORKz S35 Series Shock Spring End(H/Lock)/Body Mount/Ball Ends Set (2Set)
108003	M3x10mm FH/ST HEX Screw	14	SW-108003	SW-228007-3	S35-4E Buggy Series Plastic Center Diff. Mount (2PC)
108005	M3x14mm FH/ST HEX Screw	10	SW-108005	SW-228015H	SWORKz S35-4 Series Arched-Bridge-System Rear Lower Arm Set (Hard)(1PC)
108006	M3x8mm FH/ST HEX Screw	16	SW-108006	SW-228016-1.2-8	SWORKz 1/8 BBS Precision Plastic Shock Piston(1.2X8Holes)(2PC)
108007	M3x6mm FH/ST HEX Screw	12	SW-108007	SW-228016-1.3-8	SWORKz 1/8 BBS Precision Plastic Shock Piston(1.3X8Holes)(2PC)
108010	M4x10mm FH/ST HEX Screw	10	SW-108010	SW-228016-Seal	SWORKz 1/8 BBS Precision Plastic Shock Seal Part (4 Sets)
108012	M4x16mm FH/ST HEX Screw	8	SW-108012	SW-228017	S35-4/e EVO Series Lay-Down Type Steering Bellcrank Set
108013	M4x8mm FH/ST HEX Screw	8	SW-108013	SW-228018	S35-4e EVO Electric Series Steering Servo Mount & Rear Upper Deak Holder Set
108019	M2.6x6mm FH/ST HEX Screw	2	SW-108019	SW-228019	S35-4e EVO Electric Series Receiver Box & Accessories Set
108021	M3x18mm FH/ST HEX Screw	4	SW-108021	SW-228020	S35-4e EVO Electric Series Battery Case (1PC)
108029	M2.0x4.6mm FH/ST HEX Screw (1.5mm HexHead)	4	SW-108029	SW-228021	SWORKz 1/8 Steering and Throttle Servo Horn Set
101010A	M3 Countersunk Washer(GM)	4	SW-101010A	SW-228022ABK	SWORKz 1/8 Off Road Pro Race Wing (BK)(W/o Holes)
101020A	S350 Sries 3mm Countersunk Washers (GM)	2	SW-101020A	SW-228024S	SWORKz S35 Series LCD Front Upper Arms with Done Force Wings in Standard Material
103003A	Flange M3 Nut Lock (GM)	4	SW-103003A	SW-228026	SWORKz Plastic Ball End Set (XS5.5mm/Sway Bar)
105006A	M3x28mm Cap Screw full thread	2	SW-105006A	SW-228030	SWORKz 1/8 S35-5 Series Gear Box Set with Adjustable-Diff-Position-System
105013A	M3x25mm Cap Screw	2	SW-105013A	SW-228031	SWORKz 1/8 S35-5 Series Adjustable-Diff-Position-System Inserts Set (4PC)
106021A	S35 Series M4x10mm Hex Soket OH/TP Set Screw	4	SW-106021A	SW-228032	SWORKz 1/8 S35-5 Series Adjustable-Pinion-Gear-Position Inserts Set (4PC)
				SW-228034	SWORKz 1/8 S35-4/5 Series Plastic F/R Lower Arm Cover Set
				SW-228035	SWORKz 1/8 S35-5 Series Front Bumper(2PC)
				SW-2501121C	S35/S350 Series Ball End Set with Shock Plastic Parts
				SW-2501529B	SWORKz S35/S350 Series Plastic Chassis Brace Set 2.0 (Standard Material)
				SW-2503260	S353 Series Plastic Inserts Set
				SW-2503264A	S35-3 Series Front Steering Knuckle (Type 2.0)
				SW-258005CE	S35 Series Falcon ST-5 Clean Body Shell (Pre-Cut for EP Buggy)
				SW-200193	Antenna Tube
				SW-210046	S350 Series LDS Universal Cross Drive Shaft Set 92.5mm (1pc)
				SW-210079A	S35-4 Plastic Center Big Bore HET Diff Case
				SW-210091	S35-3W Plastic Front/Rear Big Bore Diff Case
				SW-328001	S35-3/4 Series HET Diff. Bevel Gear Set
				SW-330015	Pin M2.2x9.9mm
				SW-330117A	S350 Series Knuckle Pivot Ball Washer(GM)
				SW-330118A	S350 Series Knuckle Pivot Ball Nut(GM)
				SW-330119	Front Upper Arm HingPin
				SW-330122A	S350 Wheel Nut (HC)
				SW-330124	Pin M3.0x16.8mm
				SW-330125	Rear Upper Sus. Arm Ball Stud
				SW-330126A	S350 EVO Steering Turnbuckle M4x40mm
				SW-330134	Shock Ball Stud 6mmxL6.7
				SW-330136	Sway Bar Ball Stud
				SW-330138B	S350 Series Aluminum Shock Cap Stud (-1.3mm)(2PC)
				SW-330155	Steering Servo Turnbuckle (M3x30mm)
				SW-330243	SWORKz 3x18mm Shock Hex Screw Set (Anti-Clockwise)
				SW-330246	SWORKz 1/8 Motor Pinion Gear 16T
				SW-330299	S104 Steering Linkage Ball Stud 5mm (4pc)
				SW-330557	S350 New BBS System Shock Seal Cap (GM)
				SW-330560B	S35 New BBS System Shock Spring Adjust Nut (BK)
				SW-330633	S350 BBS System +5.6mm Shock Body L
				SW-330634	S350 BBS System +5mm Shock Body S
				SW-330661A	S35-T/S35 Series Competition Center Drive Join (5mm set screw)
				SW-330663A	S350 Series S35 Competition Steel F-Center Drive Shaft (115mm)
				SW-330694A	S35 E Series 6mm Steel Ball Stud
				SW-330767A	S35-3 Series Steel F-Center Dive Shaft (88mm)
				SW-330779T-ST	S35-4/e EVO Steering Linkage Steel Ball Stud 7mm (L6 Thread Type)
				SW-330782	S35-3 Series Rear Hub Carriers Hinge Pin
				SW-338011	S35-3 series Pinion Gear Stopper (5x7x5.1mm)(4PC)
				SW-338127	S35-4e Electric Buggy Series Aluminum Center Diff. Mount
				SW-338128	S35-4e Electric Buggy Series T7 Aluminum Motor Mount
				SW-338129	S35-4e Electric Buggy Series T7 Aluminum Center Diff/Motor Unit Mount (CF)
				SW-338014	S35-3WT-7075AL Rear Lower Fully Adjustable Toe-In Block(3 degree)
				SW-338023	S35-3W Pinion Gear 13T
				SW-338024	S35-3W Crown Gear 43T
				SW-338025	S35-4 HET Bevel Gear Shaft (2pc)
				SW-338027	S35-4 Front/Rear HET Diff. Outdrive (2pc)
				SW-338028	S35-4 Center HET Diff. Outdrive (2pc)
				SW-338039	S35-3/4 Series Center HET Spur Gear (46T)
				SW-338043	S35-3/4 Series Servo Saver Nut with Screw Fixed
				SW-338048	S35-4 Series Servo Saver Shaft(2PC)
				SW-338056	S35-4 Series Lower Arm Hinge Pin (68.5mm)(2pc)
				SW-338057A	S35-4/e EVO Series T7 Aluminum Front Upper Arm Holder
				SW-338059	S35-4 Series T7 Aluminum Front Lower Arm Holder (FR)
				SW-338062B	SWORKz S35-5/e Series BBS System Teflon Coated Durable Shock Shaft (L)(2PC)
				SW-338063B	SWORKz S35-5/e Series BBS System Teflon Coated Durable Shock Shaft (S)(2PC)
				SW-338068	S35-4 Series T7 Aluminum Shock Stud (L)(2PC)
				SW-338070B	S35 Series Rear Upper Sus. Arm Ball Stud (7.0mm Hex)
				SW-338080	S35/S350 Series Lightened Wheel Hub for 8mm Axil (L5.5mm)
				SW-338122-L	S35/S350/Apollo Series Lightened Steering Knuckle Pivot Ball Turnbuckle (Anti-Clockwise)(2PC)
				SW-338122-R	S35/S350/Apollo Series Lightened Steering Knuckle Pivot Ball Turnbuckle (Clockwise)(2PC)
				SW-338123	S35-4/e EVO Series Servo Saver Post Lay-Down Type (Hard Coated)
				SW-338126	S35-4/e EVO Series T7 Aluminum Settring Bellcrank Upper Part-A
				SW-338135	SWORKz S35-5 Series AL7075 Aluminum Front Shock Tower Double Line for High Capacity BBS Shock System (SBK)

Spare Part List

Item No.	Part Name	Item No.	Part Name
SW-338136	SWORKz S35-5 Series AL7075 Aluminum Rear Shock Tower Double Line for High Capacity BBS Shock System (SBK)	SW-115019	1/8 Body Clip(10pc)
SW-338137	SWORKz S35-5 Series AL7075 Rear Front Lower Suspension Plate (RF)(SBK)	SW-116004R	Ball Bearing 6x10x3mm (Red Rubber Case)(4PC)
SW-338139	SWORKz S35-5 Series AL7075 Aluminum Rear Lower Fully Adjustable Toe-In Block(3 degree)(RR)(SBK)	SW-116006R	Ball Bearing 8x16x5mm (Red Rubber Case)(10PC)
SW-338140	SWORKz S35-5 Series AL7075 Aluminum Front Lower Arm Plate (FF)(SBK)	SW-116009	Ball Bearing M5x8x2.5 ZZ (4PC)
SW-338141	SWORKz S35-5 Series AL7075 Aluminum Rear Chassis Brace Mount (SBK)	SW-116010R	Ball Bearing 5x10x4mm (Red Rubber Case)(4PC)
SW-338142	SWORKz S35-5 Series AL7075 Aluminum Steering Plate (+5)	SW-116019R	Ball Bearing 5x13x4mm (Red Rubber Case)(4PC)
SW-338144	SWORKz S35-5 Series Lightened Emulsion/Bladder 2 Ways System Shock Cap (2PC)	SW-117003	Flange Ball Bearing 3x6x2.5mm(2pc)
SW-338145	SWORKz S35-5 Series AL7075 Aluminum Lightened Main Chassis (Standard)(Shaft 115mm)	SW-118003H	S35-4 EVO series Servo Saver Spring(Hard)
SW-338146	SWORKz S35-5 Series Rear Upper Linkage Turnbuckle M5x42mm(2PC)	SW-118005-2.2	SWORKz S35-5 Series Front Sway Bar 2.2mm
SW-339008-2.5	SWORKz S35-GT FTE Series Sway Bar Holder (2.5mm)(RD)(2PC)	SW-118005-2.3	SWORKz S35-5 Series Front Sway Bar 2.3mm
SW-339008-3.0	SWORKz S35-GT FTE Series Sway Bar Holder (3.0mm)(RD)(2PC)	SW-118006-2.6	SWORKz S35-5 Series Rear Sway Bar 2.6mm
SW-339023	SWORKz S35-GT2.2 FTE Series Sway Bar Adjust Stud (2PC)	SW-118006-2.8	SWORKz S35-5 Series Rear Sway Bar 2.8mm
SW-348005	S35-4e EVO Series Pro-composite Carbon Steering Knuckle Plate (L&R)(1PC)	SW-118007-5	SWORKz S35-5 Series Samurai Competition Front Shock Spring (SS-5Dot)(68X1.4X6.25)
SW-348008	S35-4e EVO Electric Series Pro-composite Carbon Center Diff. Plate(1PC)	SW-118008-4	SWORKz S35-5 Series Samurai Competition Rear Shock Spring (SL-4Dot)(83X1.5X9.5)
SW-348009	S35-4e EVO Electric Series Pro-composite Carbon Steering Servo Mount Plate(1PC)		
SW-348013	SWORKz S35 Series Pro-composite Carbon LCD Front Upper Arm Cover (1.2mm)		
SW-348016	SWORKz S35-5 Series Pro-composite Carbon Steering Bellcrank Plate		
SW-348018	SWORKz S35-5 Series Pro-composite Carbon Rear Wheel Hub Adjust Plate (Extension)		
SW-400002	O-ring S5 4.8X1.5		
SW-400005	Shock Spring Adjust Nut O-Ring		
SW-400009	Shock Boot (L)		
SW-400010	Shock Boot (S)		
SW-400019	S350 New BBS System Shock Spring Adjust Nut O-Ring (4pc)		
SW-400020	S350 New BBS System Shock Seal O-Ring (4pc)		
SW-400023	S35-4 Series BBS System Seal O-Ring for Emulsion Shock Cap(4PC)		
SW-400024S	S35 Series BBS System Hex-Cell Shock Bladder(Soft)(4PC)		
SW-400038	SWORKz 1/8 Series 3.5mm Shaft X Shock System Seal O-ring (8PC)		
SW-420010	Antenna Cup		
SW-510091	SWORKz Original Logo Sticker (2PC)		
SW-540001	Hook & Loop strap 2x22.5cm(4pc)		
SW-610019	S35-3 Series Servo Saver Spring Dusty Protect Sponge (2pc)		
SW-610020B	SWORKz S35 Series HET Center Big Bore Diff. Pro Gasket (3PC)		
SW-610023B	SWORKz S35 Series HET F/R Big Bore Diff. Pro Gasket (3PC)		
SW-101004	Washer 3.5X10X0.2mm		
SW-101010A	M3 Countersunk Washer(GM)		
SW-101012	M3x6xT0.6mm		
SW-101018	SHIM 13x16x0.2mm		
SW-101019	SHIM 6.0x10.0x0.2mm		
SW-101020A	S350 Sries 3mm Countersunk Washers (GM)		
SW-101026	SWORKz Aluminum Washer 3X6X1.5mm		
SWC-101027	SWORKz S35 BBD Steel Washer 5X14X0.5mm (2PC)		
SW-101034	M3x5xT0.2mm(10PC)		
SW-101039	SWORKz HET Diff Steel Washer 5x12x0.3mm(10PC)		
SW-101046	SWORKz Steel Washer M2.6x6xT0.6mm (10PC)		
SW-103001	M3 Nut Lock		
SW-103003A	Flange M3 Nut Lock (GM)		
SW-103004	M2.5mm Nut Lock		
SW-103005	M4mm Nut Lock (BK)(10PC)		
SW-104004	M3x3mm Set Screw		
SW-104005	M3x4mm Set Screw		
SW-104009	M3x16mm Set Screw (10pc)		
SW-104010	M5x4mm Set Screw (Flat Bottom)		
SW-104011	M4x4mm Set Screw (Flat Bottom)		
SW-105001	M3x8mm Cap Screw		
SW-105005	M3x12mm Cap Screw		
SW-105006A	M3x28mm Cap Screw full thread		
SW-105012	M3x10mm Cap Screw(10pc)		
SW-105013A	M3x25mm Cap Screw		
SW-105018	M2x6mm Cap Head Screw		
SW-105020	M4x10mm Cap Screw (8PC)		
SW-105021	M3x6mm Conical Head Screw (10PC)		
SW-105022	M3x16mm Cap Screw(10pc)		
SW-106002	M3x10mm Hex Soket OH/TP Screw		
SW-106003	M3x16mm Hex Soket OH/TP Screw		
SW-106006	M3x20mm Hex Soket OH/TP Screw		
SW-106007	M3x12mm Hex Soket OH/TP Screw(HT)		
SW-106008	M3x12mm Hex Soket OH/TP Screw		
SW-106009	M3x25mm Hex Soket OH/TP Screw		
SW-106010	M3x6mm Hex Socket OH/TP Screw		
SW-106013	M2.5x8mm 1.5mmHex Soket OH/ST Screw		
SW-106015	M3x5mm Hex Soket OH/TP Screw		
SW-106020	M2.5x5mm 1.5mmHex Soket OH/ST Screw		
SW-106021A	S35 Series M4x10mm Hex Soket OH/TP Set Screw		
SW-106022	M2.5x14mm Socket OH/ST Screw (1.5mmHex)		
SW-106024	M4x12mm Hex Socket OH/TP Screw (8PC)		
SW-108001	M3x12mm FH/ST HEX Screw		
SW-108003	M3x10mm FH/ST HEX Screw		
SW-108005	M3x14mm FH/ST HEX Screw		
SW-108006	M3x8mm FH/ST HEX Screw		
SW-108007	M3x6mm FH/ST HEX Screw		
SW-108010	M4x10mm FH/ST HEX Screw		
SW-108011	M4x12mm FH/ST HEX Screw		
SW-108013	M4x8mm FH/ST HEX Screw		
SW-108019	M2.6x6mm FH/ST HEX Screw		
SW-108021	M3x18mm FH/ST HEX Screw(10PC)		
SW-108029	M2.0x4.6mm FH/ST HEX Screw (1.5mm HexHead)		

Option Part List

Item No.	Part Name	Item No.	Part Name
SW-250050A	SWORKz 1/8 Off Road Formula Bulkhead Lexan Wing (0.8mm)(4PC)	SW-340022-20	S35-4/E Series Pro-composite Carbon Front Lower Arm Cover (2mm)(2PC)
SW-258004-S	SWORKz 1/8 Off Road Sonic Lexan Wing with Wing Holder (Standard)(Pre-Cut)(2 Sets)	SW-400021	S350 New BBS System Shock Bladder (Soft)(4pc)
SW-258004-D	SWORKz 1/8 Off Road Sonic Lexan Wing with Wing Holder (Durable)(Pre-Cut)(2 Sets)	SW-410023	Air Filter Adapter
SW-2501121-10	SWORKz 1/8 Series Shock Cap Insert (8pc)	SW-400024M	S35 Series BBS System Hex-Cell Shock Bladder(Medium)(4PC)
SW-2503260-26	SWORKz 1/8 Series 8x16x5mm BB Plastic Inserts (4PC)	SW-348003-10	SWORKz S35-4 Series Pro-composite Carbon Arched-Bridge-System Rear Lower Arm Cover(1.0mm)(2PC)
SW-2501529BH	SWORKz S35/S350 Series Plastic Chassis Brace Set 2.0 (Hard Material)	SW-348003-15	SWORKz S35-4 Series Pro-composite Carbon Arched-Bridge-System Rear Lower Arm Cover(1.5mm)(2PC)
SW-2503260FO	S353 Series Colorful Plastic Inserts Set (FO)	SW-348003-20	SWORKz S35-4 Series Pro-composite Carbon Arched-Bridge-System Rear Lower Arm Cover(2.0mm)(2PC)
SW-2503260FY	S353 Series Colorful Plastic Inserts Set (FY)	SWC-116010C	SWORKz Competition 5x10x4mm Ball Bearing(Metal Case)(6PC)
SW-2503260LB	S353 Series Colorful Plastic Inserts Set (SB)(2 SET)	SWC-218007A	S35 Series Evolution-CVA Drive Shaft Set 92.5mm(1 Sets)
SW-210079AH	S35-4 Plastic Center Big Bore HET Diff Case (Hard)	SWC-218007D	S35 Series Advance-CVD Drive Shaft Set 92.5mm(1 Sets)
SW-210091H	S35-4 Plastic Front/Rear Big Bore HET Diff Case (Hard)	SW-218040	SWORKz S35-5 Series Font Sway Bar Set (2.0/2.1/2.2/2.3/2.4/2.5/2.6/2.7/2.8mm)(9PC)
SW-218005	S35-3/4 Series HET Center Big Bore Diff. Set (47T)	SW-218041	SWORKz S35-5 Series Rear Sway Bar Set (2.4/2.5/2.6/2.7/2.8/3.0mm)(6PC)
SW-218006	S35-4 Series HET Front/Rear Big Bore Diff. Set (43T)	SWC-228012	1/8 E-CVD/A-CVA Axil Holder (10PC)
SW-218031	S35-4 EVO Lay-Down Type Steering Bellcrank Upgrade Package	SWC-330633S	SWORKz S35 BBS System SMC Shock Body L(+5.6mm)
SW-218042-F	SWORKz S35-5 Series Front High Capacity Shock Complete Set (Without Springs)	SWC-330634S	SWORKz S35 BBS System SMC Shock Body S (+5mm)
SW-218042-R	SWORKz S35-5 Series Rear High Capacity Shock Complete Set (Without Springs)	SWC-338017	S35 Series T-6061AL Rear Hub Carry Insert (6mm)(2pc)
SW-228013BK	SWORKz 1/8 Off Road Pro-Speed 2.0 Race Wing (BK)(Pre-Holes)	SWC-338071	S35 Series Advance-CVD Drive Axil(1PC)
SW-228013WH	SWORKz 1/8 Off Road Pro-Speed 2.0 Race Wing (WH)(Pre-Holes)	SWC-338072	S35 Series Advance-CVD Drive Shaft (92.5mm)(1PC)
SW-228013FY	SWORKz 1/8 Off Road Pro-Speed 2.0 Race Wing (FY)(Pre-Holes)	SWC-338073	S35 Series Evolution-CVA Drive Axil(1PC)
SW-2280055-F	S35-4 Series Front Lower Arm in Soft Material (1PC)	SWC-338074	S35 Series Evolution-CVA Drive Shaft (92.5mm)(1PC)
SW-228005M-F	S35-4 Series Front Lower Arm in Medium Material (1PC)	SWC-338076	S35 Series E-CVA/A-CVD Pin M2.5x14(2PC)
SW-228015S	SWORKz S35-4 Series Arched-Bridge-System Rear Lower Arm Set (Soft)(1PC)	SWC-338077	S35-4 Series E-CVA/A-CVD Axil Join(2PC)
SW-228015M	SWORKz S35-4 Series Arched-Bridge-System Rear Lower Arm Set (Medium)(1PC)	SWC-338102	S35 Series Pro-Titanium Pivot Ball Turnbuckle (2PC)
SW-228015U	SWORKz S35-4 Series Arched-Bridge-System Rear Lower Arm Set (Ultra-Hard)(1PC)	SWC-338103	SWORKz 1/8 Series Pro-Titanium Linkage Turnbuckle (M5x35mm)(2PC)
SW-228016-1.3-5	SWORKz 1/8 BBS Precision Plastic Shock Piston(1.3X5Holes)(2PC)	SWC-338104	SWORKz 1/8 Series Pro-Titanium Linkage Turnbuckle (M4x40mm)(2PC)
SW-228016-1.4-5	SWORKz 1/8 BBS Precision Plastic Shock Piston(1.4X5Holes)(2PC)	SWC-338105	SWORKz Pro-Titanium Linkage Turnbuckle (M3x30mm)(2PC)
SW-228016-1.3-6	SWORKz 1/8 BBS Precision Plastic Shock Piston(1.3X6Holes)(FY)(2PC)	SWC-338132	SWORKz S35-4e/T2e EVO Aluminum Steering Servo Mount
SW-228016-1.4-6	SWORKz 1/8 BBS Precision Plastic Shock Piston(1.4X6Holes)(RD)(2PC)	SWC-338133	SWORKz S35-4/e EVO Series Aluminum Steering Bellcrank Plate
SW-228016-DIY	SWORKz 1/8 BBS Precision Plastic Shock Piston(DIY)(4PC)	SW-338142P	SWORKz S35-5 Series AL7075 Aluminum Pro Steering Plate (+10)
SW-228022AWH	SWORKz 1/8 Off Road Pro Race Wing (WH)(W/o Holes)	SW-338139-3.5	SWORKz S35-5 Series AL7075 Aluminum Rear Lower Fully Adjustable Toe-In Block(3.5 degree)(RR)(SBK)
SW-228022AFY	SWORKz 1/8 Off Road Pro Race Wing (FY)(W/o Holes)	SW-348018-H	SWORKz S35-5 Series Pro-composite Carbon Rear Wheel Hub Adjust Plate (Higher Extension)(2PC)
SW-228024H	SWORKz S35 Series LCD Front Upper Arms with Done Force Wings in Hard Material	SW-339023-2.2	SWORKz S35-5/e/GT FTE Series Sway Bar Adjust Stud(2.2mm)(2PC)
SW-228037	SWORKz 1/8 Off Road Sonic Lexan Wing Durable Plstic Holder (BK)(1PC)	SW-339023-2.5	SWORKz S35-5/e/GT FTE Series Sway Bar Adjust Stud(2.5mm)(2PC)
SW-300049	SWORKz S35-3/S350 Series Rear Stainless Chassis End Protection (2PC)	SW-339023-2.8	SWORKz S35-5/e/GT FTE Series Sway Bar Adjust Stud(2.8mm)(2PC)
SW-330115	Steering Knuckle Pivot Ball Turnbuckle	SW-339023-3.0	SWORKz S35-5/e/GT FTE Series Sway Bar Adjust Stud(3.0mm)(2PC)
SW-330116	14mm Knuckle Pivot Ball	SW-339008-2.8	S35-5/e/GT FTE Series Sway Bar Holder (2.8mm)(RD)(2PC)
SW-330125A	S350 Series Aluminum Rear Upper Sus. Arm Ball Stud(4pc)	SW-339008-2.2	SWORKz S35-GT FTE Series Sway Bar Holder (2.2mm)(RD)(2PC)
SW-330134A	S350 Series Aluminum Shock Ball Stud(4pc)	SW-118005-2.0	SWORKz S35-5 Series Front Sway Bar 2.0mm
SW-330168A	S35-3 Series Rear Chassis Blance wight 15g(2pc)	SW-118005-2.1	SWORKz S35-5 Series Front Sway Bar 2.1mm
SW-330398A	SWORKz S350 Series Pro Wheel Nut (GM)	SW-118005-2.4	SWORKz S35-5 Series Front Sway Bar 2.4mm
SW-330420	S350 Series Knuckle Pivot Ball Balance Nut (5.5g) (2pc)	SW-118005-2.5	SWORKz S35-5 Series Front Sway Bar 2.5mm
SW-330424	S350 Series Aluminum Wing Holder (RED)	SW-118005-2.6	SWORKz S35-5 Series Front Sway Bar 2.6mm
SW-330424B	S350 Series Aluminum Wing Holder (BK)	SW-118005-2.7	SWORKz S35-5 Series Front Sway Bar 2.7mm
SW-330424G	S350 Series Aluminum Wing Holder (GM)	SW-118005-2.8	SWORKz S35-5 Series Front Sway Bar 2.8mm
SW-330505A	S35 Series Lightened Wheel Hub for 8mm Axil (L6.5mm)	SW-118006-2.4	SWORKz S35-5 Series Rear Sway Bar 2.4mm
SW-330506A	S35 Series Lightened Wheel Hub for 8mm Axil (L5.0mm)	SW-118006-2.5	SWORKz S35-5 Series Rear Sway Bar 2.5mm
SW-330235	SWORKz 1/8 Motor Pinion Gear 13T	SW-118006-2.7	SWORKz S35-5 Series Rear Sway Bar 2.7mm
SW-330239	SWORKz 1/8 Motor Pinion Gear 14T	SW-118006-3.0	SWORKz S35-5 Series Rear Sway Bar 3.0mm
SW-330246	SWORKz 1/8 Motor Pinion Gear 16T	SW-118007-4	SWORKz S35-5 Series Samurai Competition Front Shock Spring (SS-4Dot)(68X1.4X6.75)(2PC)
SW-330247	SWORKz 1/8 Motor Pinion Gear 17T	SW-118008-3	SWORKz S35-5 Series Samurai Competition Rear Shock Spring (SL-3Dot)(83X1.5X10.0)(2PC)
SW-330817	SWORKz 1/8 EP Motor Pinion Gear 18T	SWC-118003H24	SWORKz S35-4 EVO series Servo Saver Spring(Hard 2.4)
SW-330818	SWORKz 1/8 EP Motor Pinion Gear 19T	SWC-348014ASP	SWORKz Performance S35-4/5 Series Pro-composite Carbon Sideguard (Matte)(Set)
SW-330819	SWORKz 1/8 EPMotor Pinion Gear 20T	SWC-118004SP	SWORKz Performance Competition Cooling Brake Disc Hold Spring (Soft) (4PC)
SW-330767	S35-3 Series T-7075 Aluminum F-Center Dive Shaft (88mm)	SWC-105024SP	SWORKz Performance M3x6mm Conical Head Screw (4PC)
SW-330779T-AL	S35-4/e EVO Steering Linkage Aluminum Ball Stud 7mm (L6 Thread Type)(4PC)	SWC-116006SP	SWORKz Performance Ceramics Ball Bearing 8x16x5mm (6PC)
SW-338029-16	S35-4 Series High Density Clutch Bell 16T	SWC-116019SP	SWORKz Performance Ceramics Ball Bearing 5x13x4mm (4PC)
SW-338029-17	S35-4 Series High Density Clutch Bell 17T		
SW-338030-57	S35-4 Series High Density Spur Gear for Big Bore Diff. Case (57T)		
SW-338030-58	S35-4 Series High Density Spur Gear for Big Bore Diff. Case (58T)		
SW-338030-59	S35-4 Series High Density Spur Gear for Big Bore Diff. Case (59T)		
SW-338030-60	S35-4 Series High Density Spur Gear for Big Bore Diff. Case (60T)		
SW-338033	SWORKz S35-3 Series Lightened Aluminum Front Chassis Brace		
SW-338034E	S35-4e EVO Series Lightened Aluminum Front Chassis Shorty Brace		
SW-338035A	SWORKz S35 Series Lightened Aluminum Rear Chassis Brace		
SW-338039	S35-3/4 Series Center HET Spur Gear (46T)		
SW-338041	S35-3/4 Series Center HET Spur Gear (48T)		
SW-338070A	S35 Series Rear Upper Arm Aluminum Ball Stud(2PC)		
SW-338075	S35-4 Series T7 Aluminum Rear Wheel Hub (R=L)(2PC)		
SW-338078-25	SWORKz Uni-Design 2-Way System Aluminum Steering Servo Horn 25T		
SW-338078-23	SWORKz Uni-Design 2-Way System Aluminum Steering Servo Horn 23T		
SW-338079-25	SWORKz Uni-Design Aluminum Throttle Servo Horn 25T		
SW-338079-23	SWORKz Uni-Design Aluminum Throttle Servo Horn 23T		
SW-338117-19	S35-4e/GT2e/T2e Series High Density Motor Pinion Gear 19T		
SW-338117-20	S35-4e/GT2e/T2e Series High Density Motor Pinion Gear 20T		
SW-338117-21	S35-4e/GT2e/T2e Series High Density Motor Pinion Gear 21T		
SW-338117-22	S35-4e/GT2e/T2e Series High Density Motor Pinion Gear 22T		
SW-338117-23	S35-4e/GT2e/T2e Series High Density Motor Pinion Gear 23T		
SW-338117-24	S35-4e/GT2e/T2e Series High Density Motor Pinion Gear 24T		
SW-340022-10	S35-4/E Series Pro-composite Carbon Front Lower Arm Cover (1mm)(2PC)		
SW-340022-15	S35-4/E Series Pro-composite Carbon Front Lower Arm Cover (1.5mm)(2PC)		

S35-F6

1/8 Off Road Brushless Power Pro Buggy



SPEEDMASTER HOBBY CO., LTD.

TEL: +886-3-538-7638

FAX: +886-3-538-7328

No.89, Ln. 225, Xiangbei Rd., Xiangshan Dist.,

Hsinchu City 300066, Taiwan (R.O.C.)

www.sworkz.com