

RACE	2013 Tasmanian State titles		
TRACK	Goodwood (GMORCC)		
NAME	John Watkins		
CITY	Melbourne	COUNTRY	Australia
CONTACT		DATE	24/2/2013

TEMPERATURE	AIR	32	°F or C	TRACK	39	°F or C
-------------	-----	----	---------	-------	----	---------

LAPS		BEST LAP TIME		sec
QUALIFYING POSITION	2	FINAL POSITION	1	

TRACK SIZE	<input type="checkbox"/> OPEN	<input checked="" type="checkbox"/> MEDIUM	<input type="checkbox"/> TIGHT
TRACK TRACTION	<input checked="" type="checkbox"/> HIGH	<input type="checkbox"/> MEDIUM	<input type="checkbox"/> LOW
TRACK SURFACE	<input checked="" type="checkbox"/> SMOOTH	<input type="checkbox"/> MEDIUM	<input type="checkbox"/> BUMPY
TRACK TYPE	<input checked="" type="checkbox"/> HARD PACKED	<input type="checkbox"/> SOFT DIRT	<input type="checkbox"/> CLAY
	<input type="checkbox"/> CARPET	<input type="checkbox"/> BLUE GROOVE	<input type="checkbox"/> ASTRO TURF
	<input type="checkbox"/> GRASS		
TRACK CONDITION	<input type="checkbox"/> DRY	<input type="checkbox"/> DUSTY	<input type="checkbox"/> WET
	<input type="checkbox"/> MUD		

FRONT DIFFERENTIAL		REAR DIFFERENTIAL	
GEAR DIFF	<input type="checkbox"/>	GEAR DIFF	<input type="checkbox"/>
BALL DIFF	<input type="checkbox"/>	BALL DIFF	<input type="checkbox"/>
COMPOSITE	<input checked="" type="checkbox"/>	COMPOSITE	<input checked="" type="checkbox"/>
METALLIC	<input type="checkbox"/>	METALLIC	<input type="checkbox"/>
COMPOSITE	<input checked="" type="checkbox"/>	COMPOSITE	<input checked="" type="checkbox"/>
	CROWN GEAR		
	<input type="checkbox"/>		<input type="checkbox"/>
cs	1000assoc	OIL	7000assoc

GEARING			
PINION	21	SPUR GEAR	81

FRONT SHOCKS		REAR SHOCKS	
2 dots	SPRINGS	2 dots	
cs	40wt Asc	OIL	30wt Asc
%	1.5mm	REBOUND	1.5mm
mm	1	DOWNSTOP SHIM	1
YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>
	UPSTOP TRAVEL ORING	YES	<input checked="" type="checkbox"/>
		NO	<input type="checkbox"/>
<input type="checkbox"/>	2 HOLES	<input type="checkbox"/>	2 HOLES
<input checked="" type="checkbox"/>	3 HOLES	<input checked="" type="checkbox"/>	3 HOLES
<input type="checkbox"/>	6 HOLES	<input type="checkbox"/>	6 HOLES
<input type="checkbox"/>	CUSTOM HOLES	<input type="checkbox"/>	CUSTOM HOLES
	DIAMETER HOLES		DIAMETER HOLES
	<input type="checkbox"/> 0.1mm		<input type="checkbox"/> 0.1mm
	<input type="checkbox"/> 0.1mm		<input type="checkbox"/> 0.1mm
	<input checked="" type="checkbox"/> 0.2mm		<input checked="" type="checkbox"/> 0.2mm
	<input checked="" type="checkbox"/> 0.3mm		<input checked="" type="checkbox"/> 0.3mm
	<input type="checkbox"/> 0.4mm		<input type="checkbox"/> 0.4mm

FRONT ANTI ROLL BAR		REAR ANTI ROLL BAR	
Std 1.2 mm	THICKNESS	Std 1.2 mm	THICKNESS

FRONT TIRES		REAR TIRES	
Rebar SS	TYPE	Rebar SS	TYPE
Standard	INSERTS	Standard	INSERTS
Xray	WHEELS	Xray	WHEELS

OTHER	
MOTOR	Novac Ballistic 7.5
ROTOR	Std
TIMING	30 Degrees
ESC	Nosram ISTC Pearl
BATTERIES	Intellect 6000mah 80c
BODY	Standard

COMMENTS	

